

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS




Printing date: September 10, 2014

Revision: September 10, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** Rubber Ball Blast Grenade - Inert
- **Article number:** 1098
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Explosive product.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Safariland, LLC
13386 International Parkway
Jacksonville, FL 32218
Customer Care (800) 347-1200
- **Further information obtainable from:** Customer Care Department
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.
 exploding bomb
Expl. 1.4 H204 Fire or projection hazard.
-  environment
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
 N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 1)

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).



GHS01 GHS09

- **Signal word** Warning

- **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H204 Fire or projection hazard.

H411 Toxic to aquatic life with long lasting effects.

- **Precautionary statements**

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Can become highly flammable in use.

- **Hazard description:**

- **WHMIS-symbols:**

F - Dangerously reactive material



- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 3

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 2)

- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	3	Reactivity = 3

Warning: Contains lead salt(s). Long-term health hazard.

- **HMIS Long Term Health Hazard Substances**

7778-74-7 | potassium perchlorate

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.






WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide	40-60%
CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate   	10-20%
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	aluminium powder (pyrophoric)  	5-10%
CAS: 112945-52-5	Silicon Dioxide (Amorphous)	5-10%

(Contd. on page 4)









Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014














Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

		(Contd. of page 3)
CAS: 7439-95-4 EINECS: 231-104-6 Index number: 012-001-00-3	magnesium powder (pyrophoric)  F R15-17  Pyr. Sol. 1, H250; Water-react. 1, H260	5-10%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate  O R8  Ox. Sol. 2, H272	1-5%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	1-5%
CAS: 7440-66-6	zinc metal  N R50/53  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0,5-2%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular  E R3  Expl. 1.1, H201	< 1,0%

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

• **Notable Trace Components (≤ 0,1% w/w)**

CAS: 7758-97-6 EINECS: 231-846-0 Index number: 082-004-00-2	lead chromate  T Carc. Cat. 2, Repr. Cat. 1, 3 R45-61;  Xn R62;  N R50/53 R33  Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 10294-40-3 EINECS: 233-660-5 Index number: 056-002-00-7	barium chromate  Xn R20/22  Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6	lead dithiocyanate  T Repr. Cat. 1, 3 R61;  Xn R62-20/22;  N R50/53 R33  Repr. 1A, H360Df; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Acute Tox. 4, H332

SECTION 4: First aid measures

• **4.1 Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.

• **After skin contact:**

Unlikely route of exposure.

Brush off loose particles from skin.

If skin irritation is experienced, consult a doctor.

• **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:** Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** Blast injury if mishandled.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 4)

- **Hazards** Danger of blast or crush-type injuries.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Eliminate all ignition sources if safe to do so.
Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.
Wear protective equipment. Keep unprotected persons away.
Remove persons from danger area.
Ensure adequate ventilation
Protect from heat.
Isolate area and prevent access.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Dispose contaminated material as waste according to item 13.
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 5)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Handle with care. Avoid jolting, friction and impact.
- **Information about fire - and explosion protection:**
Protect from heat.
Emergency cooling must be available in case of nearby fire.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from flammable substances.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:

7429-90-5 aluminium powder (pyrophoric)

PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m ³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1,0 mg/m ³ respirable, as Al
EV (Canada)	Long-term value: 5 mg/m ³ aluminium-containing (as aluminium)

7440-50-8 copper

PEL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert
--

(Contd. of page 6)

TLV (USA) Long-term value: 1* 0,2** mg/m³
*dusts and mists; **fume; as Cu

EL (Canada) Long-term value: 1* 0,2** mg/m³
*dusts and mists; **fume, as Cu

EV (Canada) Long-term value: 0,2* 1** mg/m³
as copper, *fume; **dust and mists

9004-34-6 Cellulose

PEL (USA) Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL (USA) Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV (USA) Long-term value: 10 mg/m³

EL (Canada) Long-term value: 10* 3** mg/m³
*total dust, **respirable fraction

EV (Canada) Long-term value: 10 mg/m³
paper fibre, total dust

592-87-0 lead dithiocyanate

PEL (USA) Long-term value: 5 mg/m³
as CN; Skin

EV (Canada) Long-term value: 0,05 mg/m³
as Pb, Skin (organic compounds)

10294-40-3 barium chromate

PEL (USA) Long-term value: 0,005* mg/m³
Ceiling limit: 0,1** mg/m³
*as Cr(VI) **as CrO₃; see 29 CFR 1910,1026

REL (USA) Long-term value: 0,0002 mg/m³
as Cr; See Pocket Guide Apps. A and C

TLV (USA) Long-term value: 0,01 mg/m³
as Cr

EL (Canada) Long-term value: 0,01 mg/m³
as Cr; ACGIH A1 IARC 1

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.

· Ingredients with biological limit values:
--

10294-40-3 barium chromate

BEI (USA)	<p>25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)</p> <p>10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)</p>
-----------	---

(Contd. on page 8)

Safety Data Sheet


according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 7)

- **Additional information:** The lists valid during the making were used as basis.
 - **8.2 Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
 - **Respiratory protection:** Not required under normal conditions of use.
 - **Protection of hands:**
Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
 - **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:**
-  Safety glasses
- **Body protection:** Protective work clothing
 - **Limitation and supervision of exposure into the environment**
No further relevant information available.
 - **Risk management measures**
See Section 7 for additional information.
Organizational measures should be in place for all activities involving this product.
No further relevant information available.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid metal container containing liquid and solid contents.
Colour:	According to product specification
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	Not Determined.
-------------------------------------	-----------------

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 8)

Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Heating may cause an explosion.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Danger of explosion.
Toxic fumes may be released if heated above the decomposition point.
Reacts with strong acids and alkali.
Reacts violently with oxidizing agents.
- **10.4 Conditions to avoid** Sources of ignition, open flame, incompatible materials.
- **10.5 Incompatible materials:** Oxidizers
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

Sulphur oxides (SOx)

(Contd. of page 9)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

· on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

· on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

· Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a canister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** May be accumulated in organism

· **12.4 Mobility in soil** No further relevant information available.

· Ecotoxicological effects:

· **Remark:** Harmful to fish

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 10)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number

DOT, ADR, IMDG, IATA

UN0452

14.2 UN proper shipping name

DOT, IATA

GRENADES, PRACTICE, ENVIRONMENTALLY HAZARDOUS

ADR

0452, GRENADES, PRACTICE, ENVIRONMENTALLY HAZARDOUS

IMDG

GRENADES, PRACTICE, MARINE POLLUTANT

14.3 Transport hazard class(es)

DOT, ADR, IMDG



Class

1.4

Label

1.4G

IATA



Class

1.4

Label

1.4G

14.4 Packing group

DOT, ADR, IMDG, IATA

II

14.5 Environmental hazards:

Marine pollutant:

Yes

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

14.6 Special precautions for user

Not applicable.

(Contd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 11)

- **EMS Number:** F-A,S-Q
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** UN 0452, GRENADES, PRACTICE, ENVIRONMENTALLY HAZARDOUS, 1.4G, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

7429-90-5 aluminium powder (pyrophoric)

7757-79-1 potassium nitrate

7440-50-8 copper

7440-66-6 zinc metal

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65 (California):**
- **Chemicals known to cause cancer:**
Present in trace quantities.

592-87-0 lead dithiocyanate

10294-40-3 barium chromate

7758-97-6 lead chromate

- **Chemicals known to cause reproductive toxicity for females:**
Present in trace quantities.

10294-40-3 barium chromate

7758-97-6 lead chromate

- **Chemicals known to cause reproductive toxicity for males:**
Present in trace quantities.

10294-40-3 barium chromate

7758-97-6 lead chromate

- **Chemicals known to cause developmental toxicity:**
Present in trace quantities.

10294-40-3 barium chromate

7758-97-6 lead chromate

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

7778-74-7 potassium perchlorate

NL

(Contd. on page 13)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 12)

7440-50-8	copper	D
7440-66-6	zinc metal	D, I, II
10294-40-3	barium chromate	A(inh), D(oral), K/L(inh), CBD(oral)
· IARC (International Agency for Research on Cancer)		
10294-40-3	barium chromate	1
69012-64-2	Silica-Amorphous Silica fume	3
· TLV (Threshold Limit Value established by ACGIH)		
7429-90-5	aluminium powder (pyrophoric)	A4
10294-40-3	barium chromate	A1
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
10294-40-3	barium chromate	

· **Canada**· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

7429-90-5 aluminium powder (pyrophoric)

7440-50-8 copper

· **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H201 Explosive; mass explosion hazard.

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

H261 In contact with water releases flammable gases.

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R15 Contact with water liberates extremely flammable gases.

(Contd. on page 14)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date: September 10, 2014

Revision: September 10, 2014

Trade name: Rubber Ball Blast Grenade - Inert

(Contd. of page 13)

- R17 Spontaneously flammable in air.
- R22 Harmful if swallowed.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R8 Contact with combustible material may cause fire.
- R9 Explosive when mixed with combustible material.

Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- Expl. 1.1: Explosives, Division 1.1
- Expl. 1.4: Explosives, Division 1.4
- Pyr. Sol. 1: Pyrophoric Solids, Hazard Category 1
- Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1
- Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2
- Ox. Sol. 1: Oxidising Solids, Hazard Category 1
- Ox. Sol. 2: Oxidising Solids, Hazard Category 2
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Sources

- SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com