# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### 1 Identification

· Product identifier

· Trade name: Flamless Tri-Chamber OC Grenade

· Product code: 1030 (1177120)

· Recommended use and restriction on use

· Recommended use: Crowd Control Device

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200

· Emergency telephone number:

ChemTel

1-800-255-3924 (North America)

+1 (813)248-0585 (International)



# 2 Hazard(s) identification

· Classification of the substance or mixture

Expl. 1.4 H204 Fire or projection hazard.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS01 GHS07

· Signal word: Warning

· Hazard statements:

H204 Fire or projection hazard.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P261 Avoid breathing dust.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of soap and water.

(Cont'd. on page 2)

Page: 2/14

# Safety Data Sheet

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

(Cont'd. of page 1)

P321 Specific treatment: Administer supplemental oxygen for respiratory distress as

required ..

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P380 In case of fire: Evacuate area. Explosion risk in case of fire. P372

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P401 Store in accordance with local/regional/national/international regulations.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3

Instability = 2

### · HMIS-ratings (scale 0 - 4)



REACTIVITY 2 Reactivity = 2

Warning: Contains lead salt(s). Long-term health hazard.

\* - Indicates a long term health hazard from repeated or prolonged exposures.

# Other hazards

### Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that they are dealing with a powerful force and that various devices and methods have been developed to assist them in directing this force. They should realize that this force, if misdirected, may either kill or injure both themself and their fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, they should consult the manufacturer before use.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

(Cont'd. on page 3)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

# Trade name: Flamless Tri-Chamber OC Grenade

		d. of page 2
	Terephthalic acid	20-40%
9004-70-0	Nitrocellulose, colloided, granular	20-40%
	Expl. 1.1, H201	1
3811-04-9	potassium chlorate	10-20%
	Ox. Sol. 1, H271 Acute Tox. 4, H302; Acute Tox. 4, H332	
57-50-1	Sucrose, pure	10-20%
	Combustible Dust	
546-93-0	Magnesium carbonate	5-10%
404-86-4	Capsaicin	5-10%
	Acute Tox. 3, H301	1
	Eye Dam. 1, H318	
	♦ Skin Irrit. 2, H315; STOT SE 3, H335	
7757-79-1	Potassium nitrate	1-5%
	Ox. Sol. 2, H272	
7440-21-3	L	1-5%
	Magnesium stearate	1-5%
7429-90-5	Aluminium	1-5%
	♦ Pyr. Sol. 1, H250; Water-react. 2, H261	
10294-40-3	Barium chromate	<1.0%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Resp. Sens. 1, H334; Muta. 1B, H340; Carc. 1A, H350; Repr. 2, H361; STOT RE 1, H372	
	♦ Skin Sens. 1, H317	
7439-96-5	Manganese	<1.0%
	♦ Flam. Sol. 2, H228	1
7758-97-6	lead chromate	<1.0%
	& Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373	1
	L	1.070

# 4 First-aid measures

# Description of first aid measures

### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

### · After inhalation:

Supply fresh air.

Seek medical help for symptoms or if unconscious.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

### After skin contact:

Immediately remove any clothing soiled by the product.

Wash with soap and water.

(Cont'd. on page 4)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

(Cont'd. of page 3)

# · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

### Most important symptoms and effects, both acute and delayed:

Blast injury if mishandled.

May cause respiratory irritation.

Breathing difficulty

Coughing

Causes eye irritation.

Causes skin irritation.

### · Danger:

Explosive crush or blast injury.

Irritating to eyes, respiratory system and skin.

### Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

# 5 Fire-fighting measures

# Extinguishing media

### Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Fire or projection hazard.

Contains oxidizing agent.

### Advice for firefighters

# · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### · Additional information:

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See Emergency Response Guidebook for further information.

# 6 Accidental release measures

(Cont'd. on page 5)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

Trade name: Flamless Tri-Chamber OC Grenade

(Cont'd. of page 4)

### Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Isolate area and prevent access.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

### Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

### Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent.

Send for recovery or disposal in suitable receptacles.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- ·Handling
- Precautions for safe handling: Handle with care. Avoid jolting, friction and impact.
- Information about protection against explosions and fires:

Fire or projection hazard.

Contains oxidizing agent.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

### Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- · Further information about storage conditions: None.
- · Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

(Cont'd. on page 6)

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

# Trade name: Flamless Tri-Chamber OC Grenade

		(Cont'd. of page
100-21-0 Terep	hthalic acid	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10* 3** mg/m³	
	*total dust; **respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³	
	Long-term value: 10 mg/m³	
57-50-1 Sucros		
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
546-93-0 Magne	esium carbonate	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust, **respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ (e)	
7440-21-3 Silic	on	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ (e)	
		(Cont'd. on page

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

# Trade name: Flamless Tri-Chamber OC Grenade

		(Cont'd. of page
557-04-0 Magne		
TLV (USA)	Long-term value: 10* 3** mg/m³ Fraction: *inhalable **respirable	
EL (Canada)	Long-term value: 10 mg/m³ except stearates of toxic metal	
LMPE (Mexico)	Long-term value: 10 mg/m³	
7429-90-5 Alum		
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.	
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction	
EL (Canada)	Long-term value: 1.0 mg/m³ respirable, as Al	
EV (Canada)	Long-term value: 5 mg/m³ aluminium-containing (as aluminium)	
LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracciòn respirable	
10294-40-3 Bar	•	
PEL (USA)	Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026	
REL (USA)	Long-term value: 0.0002 mg/m³ as Cr; See Pocket Guide Apps. A and C	
TLV (USA)	Short-term value: 0.0005 mg/m³ Long-term value: 0.0002 mg/m³ as Cr(VI); inhalable, DSEN, RSEN	
EL (Canada)	Long-term value: 0.01 mg/m³ as Cr; ACGIH A1, IARC 1; S(D), S(R)	
LMPE (Mexico)	Long-term value: 0.01 mg/m³ A1; como Cr	
7439-96-5 Mang	ganese	
PEL (USA)	Ceiling limit value: 5 mg/m³ as Mn	
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ fume, as Mn	
TLV (USA)	Long-term value: 0.02* 0.1** mg/m³ as Mn; *respirable **inhalable fraction	
EL (Canada)	Long-term value: 0.2; 0.02* mg/m³ as Mn; R, *respirable	
EV (Canada)	Long-term value: 0.2 mg/m³ as manganese	

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

# Trade name: Flamless Tri-Chamber OC Grenade

	(Cont'd. of page 7)
LMPE (Mexic	co) Long-term value: 0.2 mg/m³ como Mn
7758-97-6 lea	
PEL (USA)	Long-term value: 0.005* mg/m³
	Ceiling limit value: 0.1** mg/m³
	*as Cr(VI) **as CrO3; see 29 CFR 1910.1026 Long-term value: 0.0002 mg/m³
1122 (00/1)	as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Short-term value: 0.0005* mg/m³
	Long-term value: 0.0002* mg/m³ *as Cr(VI); inhalable fraction, DSEN, RSEN
EL (Canada)	Long-term value: 0.05* 0.012** mg/m³
[] [] []	ACGIH A1, IARC 1, S(D);S(R);*as Pb;**as Cr
EV (Canada)	Long-term value: 0.012* 0.05** mg/m³ *as Cr, **as Pb
LMPE (Mexic	co) Long-term value: 0.012* 0.05** mg/m³
	*como Cr:A2,**como Pb: A2, IBE
	with biological limit values:
	Barium chromate
BEI (USA) 2	b µg/L ledium: urine
l I	ime: end of shift at end of workweek
	arameter: Total chromium (fume)
	0 μg/L
	ledium: urine
	ime: increase during shift arameter: Total chromium (fume)
7758-97-6 lea	
BEI (USA) 3	
	ledium: blood
	ime: not critical
	arameter: Lead
	0 μg/100 ml
	ledium: blood
l I	ime: not critical arameter: Lead (women of child bearing potential)
L	arameter. Lead (women or critical potential)

### • Exposure controls

# General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

· Engineering controls: Provide adequate ventilation.

(Cont'd. on page 9)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

(Cont'd. of page 8)

# · Breathing equipment:

Suitable respiratory protective device recommended.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

### · Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No relevant information available.

# 9 Physical and chemical properties

Appearance:	
Form:	Solid metal container containing liquid and solid contents.
Color:	According to product specification
· Odor:	Odorless
· Odor threshold:	Not determined.

N1 - 4 - 1 - 4 - ----- !-- - - 1

	N. ( P. 1.1
· Boiling point/Boiling range:	Not determined.
· Melting point/Melting range:	Not determined.
· pH-value:	Not determined.

Information on basic physical and chemical properties

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

(Cont'd. on page 10)

Page: 10/14

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

		(Cont'd. of pag
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Contains oxidizing agent.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Acts as an oxidizing agent on organic materials such as wood, paper and fats.

- · Conditions to avoid Sources of ignition, open flame, incompatible materials.
- · Incompatible materials Flammable materials.
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

Chlorine compounds

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 11)

Page: 11/14

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

Cont'd. of page 10)

LD/LC50 values that are relevant for classification:

3811-04-9 potassium chlorate

Oral LD50 1870 mg/kg (rat)

7758-97-6 lead chromate

Oral LD50 12000 mg/kg (mouse)

# Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

- On the skin: Irritant to skin and mucous membranes.
- · On the eye: Causes eye irritation.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (Inter	national Agency for Research on Cancer):	
10294-40-3	Barium chromate	1
· NTP (Natio	nal Toxicology Program):	
10294-40-3	Barium chromate	K
7758-97-6	lead chromate	K
00114 0 /		

# OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

# · Acute effects (acute toxicity, irritation and corrosivity):

Explosive crush or blast injury.

Irritating to eyes, respiratory system and skin.

- · Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information
- · General notes:

(Cont'd. on page 12)

Page: 12/14

# **Safety Data Sheet**

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

(Cont'd. of page 11)

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects No relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport information	on	ormati	inf	port	Transı	14
--------------------------	----	--------	-----	------	--------	----

· UN-Number
-------------

· DOT, ADR/RID/ADN, IMDG, IATA UN0301

· UN proper shipping name

DOT, IMDG, IATA Ammunition Tear-producing with burster, expelling

charge or propelling charge

· ADR/RID/ADN 0301 Ammunition Tear-producing with burster,

expelling

charge or propelling charge

- · Transport hazard class(es)
- · DOT



· Class 1.4

**Label** 1.4G+6.1+8

· ADR/RID/ADN, IMDG, IATA







(Cont'd. on page 13)

Page: 13/14

# **Safety Data Sheet**

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

A(inh), D(oral), K/L(inh), CBD(oral)

(Cont'd. on page 14)

# Trade name: Flamless Tri-Chamber OC Grenade

		(Cont'd. of page 12
· Class · Label	1.4 1.4G+6.1+8	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	11	
Environmental hazards Marine pollutant:	No	
Special precautions for user EMS Number:	Not applicable. F-A,S-Q	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	( II of Not applicable.	

# 15 Regulatory information

10294-40-3 Barium chromate

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

·SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
7757-79-1 Potassium nitrate
7429-90-5 Aluminium
· TSCA (Toxic Substances Control Act)
All ingredients are listed or exempt.
· Proposition 65 (California)
· Chemicals known to cause cancer:
10294-40-3 Barium chromate
7758-97-6 lead chromate
· Chemicals known to cause developmental toxicity for females:
10294-40-3 Barium chromate
7758-97-6 lead chromate
· Chemicals known to cause developmental toxicity for males:
10294-40-3 Barium chromate
7758-97-6 lead chromate
· Chemicals known to cause developmental toxicity:
10294-40-3 Barium chromate
7758-97-6 lead chromate
· EPA (Environmental Protection Agency):

Page: 14/14

# Safety Data Sheet

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 08, 2021

### Trade name: Flamless Tri-Chamber OC Grenade

7758-97-6 lead chromate	K	(Cont'd. of page 13)
IARC (International Agency for Research on Cancer):		
10294-40-3 Barium chromate		1
7758-97-6 lead chromate		1
Canadian Domestic Substances List (DSL):		
All ingredients listed on DSL or NDSL.		

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Expl. 1.1: Explosives - Division 1.1

Expl. 1.4: Explosives - Division 1.4 Flam. Sol. 2: Flammable solids - Category 2

Pyr. Sol. 1: Pyrophoric solids - Category 1

Water-react. 2: Substances and mixtures which in contact with water emit flammable gases - Category 2

Ox. Sol. 1: Oxidizing solids - Category 1

Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 1B: Germ cell mutagenicity - Category 1B

Carc. 1A: Carcinogenicity – Category 1A Carc. 1B: Carcinogenicity – Category 1B

Repr. 1A: Reproductive toxicity – Category 1A Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2