

BANNER MAXX®

Date: 7/6/2015
Replaces: 3/17/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **BANNER MAXX®**
Product No.: A6780D
Use: Fungicide
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Repeated Category 2
Specific Target Organ Toxicity: Respiratory Irritation Category 3
Flammable Liquid: Category 4
Eye Damage/Irritation: Category 2B

Signal Word (OSHA): Warning

Hazard Statements: Combustible liquid
Causes eye irritation
May cause respiratory irritation
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Wash hands and face thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice.
Keep away from heat, sparks, open flames, hot surfaces. No smoking.
Do not breathe mist, vapors, spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a poison center, doctor or Syngenta if you feel unwell.
In case of fire: Use dry chemical, foam or CO2 for extinction.
Store in a well-ventilated place. Keep cool.

BANNER MAXX®

Date: 7/6/2015
Replaces: 3/17/2015

Store locked up.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Tetrahydrofurfuryl Alcohol (THFA)	Tetrahydrofurfuryl Alcohol (THFA)	97-99-4	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<85.7%
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	Propiconazole	60207-90-1	14.3%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

BANNER MAXX®

Date: 7/6/2015
 Replaces: 3/17/2015

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Tetrahydrofurfuryl Alcohol (THFA)	Not Established	Not Established	0.5 ppm TWA	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Propiconazole	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

BANNER MAXX®

Date: 7/6/2015

Replaces: 3/17/2015

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow to orange clear liquid

Odor: Aromatic solvent

Odor Threshold: Not Available

pH: 6 - 8 (1% solution in H₂O)

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: 331°F (166°C)

Flash Point (Test Method): 181°F (Setaflash)

Flammable Limits (% in Air): Not Available

Flammability: Combustible liquid

Vapor Pressure: Propiconazole 4.2 x 10⁽⁻⁷⁾ mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.09 g/cc @ 68°F (20°C) ; 9.09 lb/gal @ 68°F (20°C)

Solubility (ies): Propiconazole 0.1 g/l @ 68°F (20°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: Flame, heat, ignition sources.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

BANNER MAXX®

Date: 7/6/2015

Replaces: 3/17/2015

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Eye irritation, Respiratory irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Female Rat) :	4340 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 2020 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.6 mg/l air - 4 hours
Eye Contact:	Moderately Irritating (Rabbit)	
Skin Contact:	Non-Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Propiconazole: None observed.

Chronic/Subchronic Toxicity Studies

Propiconazole: None observed.

Carcinogenicity

Propiconazole: Increased hepatocellular adenomas, combined adenomas/carcinomas, and hepatocellular carcinomas observed in male mice in a chronic oral feeding study. However, animals in the high dose group for this study showed excessive toxicity; furthermore, the high dose exceeded the Maximum Tolerated Dose determined in the 90-day range finding study. No treatment-related tumors were seen in female mice in this mouse chronic feeding study. No tumors were noted in a chronic rat study.

Chemical Name	NTP/IARC/OSHA Carcinogen
Tetrahydrofurfuryl Alcohol (THFA)	No
Other ingredients	No
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	No

Other Toxicity Information

None

Toxicity of Other Components

Other ingredients
Not Applicable

Tetrahydrofurfuryl Alcohol (THFA)

May be harmful if swallowed. Causes respiratory tract irritation. Causes skin irritation. May cause digestive tract irritation. Causes severe eye irritation. Inhalation overexposure may cause dizziness, incoordination and unconsciousness. Chronic overexposure may affect the kidney.

Target Organs

BANNER MAXX®

Date: 7/6/2015

Replaces: 3/17/2015

Active Ingredients

Propiconazole: Liver

Inert Ingredients

Other ingredients: Not Applicable

Tetrahydrofurfuryl Alcohol (THFA): Digestive tract, respiratory tract, skin, eye, CNS, kidney

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Propiconazole:

Fish (Rainbow Trout) 96-hour LC50 0.83 ppm

Invertebrate (Water Flea) 48-hour EC50 3.2 ppm

Green Algae 9-day EC50 0.72 ppm

Bird (Mallard Duck) 14-day LD50 2510 mg/kg

Environmental Fate

Propiconazole:

The information presented here is for the active ingredient, propiconazole.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Bulk (> 119 gallons):

Proper Shipping Name: Combustible Liquid, N.O.S. (Tetrahydrofurfuryl Alcohol)

Hazard Class: Combustible Liquid

Identification Number: NA 1993

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Propiconazole), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Propiconazole)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

BANNER MAXX®

Date: 7/6/2015
 Replaces: 3/17/2015

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist.

EPA Registration Number(s):

100-741

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
 Fire Hazard

Section 313 Toxic Chemicals: Propiconazole 14.3% (CAS No. 60207-90-1)

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 2
 Instability: 0

HMIS Hazard Ratings

Health: 2
 Flammability: 2
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: B,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 7/24/1995

Revision Date: 7/6/2015

Replaces: 3/17/2015

Section(s) Revised: 2

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

BANNER MAXX®

Date: 7/6/2015
Replaces: 3/17/2015
