

SAFETY DATA SHEET

Version 8.0 Revision Date 03/31/2020 Print Date 05/30/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Phenol

Product Number : 431516 Brand : Aldrich

Index-No. : 604-001-00-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney,

Liver, Skin, H373

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Aldrich - 431516 Page 1 of 11



Pictogram



Signal	word	Danger

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects.

H373 May cause damage to organs (Nervous system, Kidney, Liver,

Skin) through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 OI			
		l instruction	

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

P310 Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Hydroxybenzene

Molecular weight : 94.11 g/mol EC-No. : 203-632-7 Index-No. : 604-001-00-2

Component Classification Concentration

Millipore

Phenol		
	Acute Tox. 3; Skin Corr.	<= 100 %
	1B; Eye Dam. 1; Muta. 2;	
	STOT RE 2; Aquatic Acute	
	2; Aquatic Chronic 2;	
	H301, H331, H311, H314,	
	H318, H341, H373, H401,	
	H411	
	Concentration limits:	
	>= 3 %: Skin Corr. 1B,	
	H314; 1 - < 3 %: Skin	
	Irrit. 2, H315; 1 - < 3 %:	
	Eye Irrit. 2, H319;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Aldrich - 431516 Page 3 of 11



5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Aldrich - 431516

Components with workplace control parameters



Page 4 of 11

Component	CAS-No.	Value	Control parameters	Basis	
Phenol	108-95-2	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Resp Lung dama Substances or Indices	entral Nervous System impairment pper Respiratory Tract irritation ung damage ubstances for which there is a Biological Exposure Index Indices (see BEI® section)		
		Not classifiable as a human carcinogen Danger of cutaneous absorption			
		TWA	5 ppm 19 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Potential for dermal absorption			
		С	15.6 ppm 60 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Potential for dermal absorption 15 minute ceiling value			
		TWA	5 ppm 19 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		Skin designation The value in mg/m3 is approximate.			
		PEL	5 ppm 19 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
		Skin			

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Phenol	108-95-2	Phenol	250mg/g Creatinin e		ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Aldrich - 431516 Page 5 of 11



Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: solidb) Odour stinging

c) Odour Threshold No data available

d) pH ca.5 at 50 g/l at 20 °C (68 °F)

e) Melting point/range: 38 - 43 °C (100 - 109 °F)

point/freezing point

Initial boiling point 181.8 °C 359.2 °F at 1,013 hPa and boiling range

g) Flash point 79.0 °C (174.2 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available gas)

j) Upper/lower Upper explosion limit: 9.5 %(V) flammability or Explosive limits Upper explosion limit: 1.3 %(V)

k) Vapour pressure 0.53 hPa at 20.0 °C (68.0 °F) 1) Vapour density 3.2 at 20 °C(68 °F) - (Air = 1.0)

m) Relative density 1.13 g/cm3 at 25 °C (77 °F)

n) Water solubility 87 g/l at 25 °C (77 °F)

o) Partition coefficient: log Pow: 1.47 at 30 °C (86 °F) - (ECHA), Bioaccumulation is not n-octanol/water expected.

p) Auto-ignition 715 °C (1319 °F) at 1,013 hPa temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

Aldrich - 431516 Page 6 of 11

t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 38.2 mN/m at 50.0 °C (122.0 °F) Relative vapour 3.2 at 20 °C (68 °F) - (Air = 1.0)

density

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

LD50 Dermal - Rat - female - 660 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Causes serious eye damage. Risk of blindness!

Respiratory or skin sensitisation

Sensitisation test: - Guinea pig

Result: negative Remarks: (IUCLID)

Aldrich - 431516 Page 7 of 11

Germ cell mutagenicity

Suspected of causing genetic defects.

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: positive

Mutagenicity (mammal cell test): micronucleus.

Chinese hamster ovary cells

Result: positive

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Nervous system, Kidney, Liver, Skin

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Circulatory collapse, tachypnea, paralysis, Convulsions, Coma., necrosis of mouth and G.I. Tract, Jaundice, respiratory failure, cardiac arrest

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Onchorhynchus clarki - 8.9 mg/l - 96 h

(US-EPA)

Toxicity to daphnia static test EC50 - Ceriodaphnia dubia (water flea) - 3.1 mg/l - 48 h

Aldrich - 431516 Page 8 of 11

and other aquatic

invertebrates

(US-EPA)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (algae) - 61.1 mg/l

- 96 h (US-EPA)

Toxicity to bacteria static test IC50 - microorganisms - 21 mg/l - 24 h

Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 100 h

Result: 62 % - Readily biodegradable.

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

Bioaccumulation Danio rerio (zebra fish) - 5 h

at 25 °C - 2 mg/l(Phenol)

Bioconcentration factor (BCF): 17.5

(OECD Test Guideline 305)

Remarks: Does not bioaccumulate.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1671 Class: 6.1 Packing group: II

Proper shipping name: Phenol, solid Reportable Quantity (RQ): 1000 lbs

Aldrich - 431516 Page 9 of 11

Poison Inhalation Hazard: No

IMDG

UN number: 1671 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: PHENOL, SOLID

Marine pollutant : yes

IATA

UN number: 1671 Class: 6.1 Packing group: II

Proper shipping name: Phenol, solid

SECTION 15: Regulatory information

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III,

Section 302:

Phenol CAS-No. Revision Date

108-95-2 2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III,

Section 313:

CAS-No. Revision Date

Phenol 108-95-2 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Phenol CAS-No. Revision Date 108-95-2 2007-07-01

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Phenol CAS-No. Revision Date 108-95-2 2007-07-01

New Jersey Right To Know Components

Phenol CAS-No. Revision Date 108-95-2 2007-07-01

Aldrich - 431516 Page 10 of 11

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.0 Revision Date: 03/31/2020 Print Date: 05/30/2020

Aldrich - 431516 Page 11 of 11

