

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 06/20/2017

Version 1.1

SISECTION 1.Identification

Product identifier

Product number PX1520

Product name Potassium Nitrate GR ACS

CAS-No. 7757-79-1

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Oxidizing solid, Category 3, H272

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements

H272 May intensify fire; oxidizer.

Precautionary Statements

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula KNO₃ KNO₃ (Hill)

Molar mass 101.10 g/mol

Remarks No hazardous ingredients according to the OSHA Hazard

Communication Standard 29 CFR 1910.1200.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

irritant effects, Diarrhea, Nausea, Vomiting

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of: nitrous gases, nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Do not store near combustible materials.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection
Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state solid

Color white

Odor odorless

Odor Threshold Not applicable

pH 5.0 - 7.5

at 50 g/l 68 °F (20 °C)

Melting point 633 °F (334 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

Boiling point/boiling range Not applicable

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas)

The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapor pressure No information available.

Relative vapor density No information available.

Density No information available.

Relative density No information available.

Water solubility 320 g/l

at 68 °F (20 °C)

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature > 752 °F (> 400 °C)

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties May intensify fire; oxidizer.

The substance or mixture is classified as oxidizing with the

category 3.

Ignition temperature Not applicable

Bulk density ca.800 kg/m3

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

Risk of explosion with:

Cyanides, Sulfides, combustible substances, Fluorine, Potassium, acetates, oxidizable substances, phosphides, Organic Substances, Peroxides, Aluminum, antimony, charcoal, Titanium, Zinc, Powdered metals, arsenic, Boron, Germanium, nitrides, magnesium, sodium thiosulfate, phosphorus, strong reducing agents, sulfur, sugars

Generates dangerous gases or fumes in contact with:

Acids

Possible formation of:

nitrogen dioxide

Risk of ignition or formation of inflammable gases or vapors with:

calcium silicide

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

LD50 Rat: 3,015 mg/kg (IUCLID)

Symptoms: Irritation of mucous membranes, Nausea, Vomiting, Diarrhea

Eye irritation slight irritation

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	PX1520	Version 1.1
Product name	Potassium Nitrate GR ACS	
	human carcinogen by IARC.	
OSHA	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by OSHA.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

Further information

After absorption of large quantities:

Methemoglobinemia with headache, cardiac arrhythmia, drop in blood pressure, dyspnoea, and spasms, key symptom: cyanosis (blue coloration of the blood).

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Poecilia reticulata (guppy): 191 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 490 mg/l; 48 h (IUCLID)

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1486

Proper shipping name POTASSIUM NITRATE

Class 5.1
Packing group III
Environmentally hazardous --

Air transport (IATA)

UN number UN 1486

Proper shipping name POTASSIUM NITRATE

Class 5.1
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 1486

Proper shipping name POTASSIUM NITRATE

Class 5.1

Packing group III

Environmentally hazardous -
Special precautions for user yes

EmS F-A S-Q

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

potassium nitrate 7757-79-1 100 %

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

potassium nitrate

Pennsylvania Right To Know

Ingredients

potassium nitrate

New Jersey Right To Know

Ingredients

potassium nitrate

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word Warning

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1520 Version 1.1

Product name Potassium Nitrate GR ACS

Hazard Statements

H272 May intensify fire; oxidizer.

Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidizer.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date06/20/2017

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.