

# SAFETY DATA SHEET

Version 6.2 Revision Date 09/07/2021 Print Date 09/29/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Hydrogen (99.99%)

Product Number : 300100

Brand : Supelco

Index-No. : 001-001-00-9

CAS-No. : 1333-74-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable gases (Category 1), H220 Gases under pressure (Compressed gas), H280 Simple Asphyxiant,

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H220 Extremely flammable gas.



H280 Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

Precautionary statement(s)

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smokina.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped

safely.

P381 Eliminate all ignition sources if safe to do so.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : H2

Molecular weight : 2.01 g/mol CAS-No. : 1333-74-0 EC-No. : 215-605-7 Index-No. : 001-001-00-9

Component	Classification	Concentration
Hydrogen		
	Flam. Gas 1; Press. Gas	<= 100 %
	Compr. Gas; SA; H220,	
	H280,	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

# 4.1 Description of first-aid measures

# **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Supelco - 300100

Page 2 of 9



# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Avoid inhalation of vapor or mist.

### Advice on protection against fire and explosion

Use explosion-proof equipment. Advice on protection against fire and explosion Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

# **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Supelco - 300100

Millipore SigMa Contents under pressure.

### Storage class

Storage class (TRGS 510): 2A: Gases

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values. Hazardous components without workplace control parameters

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: butvl-rubber

Minimum layer thickness: 0.3 mm Break through time: 120 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole



means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: Compressed gas

Color: colorless

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting -257.3 °C (-431.1 °F) at 1,013 hPa

point/freezing point

f) Initial boiling point -253 °C -423 °F at 1,013 hPa - Tested according to Annex V of

and boiling range Directive 67/548/EEC.

g) Flash point < -150 °C (< -238 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j)

Upper/lower Upper explosion limit: 74.2 %(V) flammability or Lower explosion limit: 4 %(V) explosive limits

k) Vapor pressure No data available

I) Vapor density 0.08

m) Density No data available Relative density No data available

n) Water solubility 0.00196 g/l at 0 °C (32 °F)

o) Partition coefficient:

n-octanol/water

No data available

p) Autoignition No data available temperature

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

Relative vapor density

0.08

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

Oral: No data available Inhalation: No data available

Symptoms: In high doses:, Unconsciousness, risk of suffocation

Dermal: No data available

Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

#### 11.2 Additional Information

RTECS: MW8900000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### DOT (US)

UN number: 1049 Class: 2.1

Proper shipping name: Hydrogen, compressed

Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### **IMDG**

UN number: 1049 Class: 2.1 EMS-No: F-D, S-U

Proper shipping name: HYDROGEN, COMPRESSED

Supelco - 300100

Millipore

### **IATA**

UN number: 1049 Class: 2.1

Proper shipping name: Hydrogen, compressed IATA Passenger: Not permitted for transport

### **SECTION 15: Regulatory information**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Sudden Release of Pressure Hazard

# **Massachusetts Right To Know Components**

Hydrogen	CAS-No. 1333-74-0	Revision Date 1993-02-16
Pennsylvania Right To Know Components	CAS-No.	Revision Date
Hydrogen	1333-74-0	1993-02-16
New Jersey Right To Know Components	CAS-No.	Revision Date
Hydrogen	1333-74-0	1993-02-16

### **California Prop. 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **SECTION 16: Other information**

### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2 Revision Date: 09/07/2021 Print Date: 09/29/2022

