

Safety Data Sheet
29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

1 Identification· **Product identifier**· **Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20**· **Article number:** 7287Y· **Application of the substance / the mixture** In vitro diagnostic medical device or component.· **Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:**

Bio-Rad

3, Boulevard Raymond Poincaré

F-92430 Marnes-la-Coquette

Tel.: +33 (0)1 47 95 60 00

Fax : +33 (0)1 47 41 91 33

e-mail: fds-msds.fr@bio-rad.com

· **Information department:** Customer support.· **Emergency telephone number:**

See item 16

This SDS is listed with CHEMTREC 1800-424-9300 / 1-510-741-1000.

Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT with this product.

2 Hazard(s) identification· **Classification of the substance or mixture**

The product is not classified, according to the Globally Harmonized System (GHS).

· **Label elements**· **GHS label elements** Void· **Hazard pictograms** Void· **Signal word** Void· **Hazard statements** Void· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

USA

(Contd. on page 2)

**Safety Data Sheet**
29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture without a chemical hazard.
 - **Dangerous components:** Void

4 First-aid measures

- **Description of first aid measures**
 - **General information:** No special measures required.
 - **After inhalation:** Supply fresh air; consult doctor in case of complaints.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
 - **After eye contact:** Rinse opened eye for several minutes under running water.
 - **After swallowing:** Consult a doctor, if necessary.
 - **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear disposable gloves.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

USA

(Contd. on page 3)

**Safety Data Sheet**
29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20

(Contd. of page 2)

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
No special measures required.
Follow good laboratory practices.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:** Not required.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
 - **Breathing equipment:** Suitable respiratory protective device recommended.
 - **Protection of hands:** Protective gloves
 - **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
 - **General Information**
 - **Appearance:**
 - **Form:** Solid
 - **Color:** Colorless
 - **Odor:** Odorless
 - **pH-value:** Not applicable.
 - **Change in condition**
 - **Melting point/Melting range:** Undetermined.
 - **Boiling point/Boiling range:** Undetermined.
 - **Flash point:** Not applicable.

(Contd. on page 4)

USA

Safety Data Sheet

29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20

(Contd. of page 3)

· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
 - **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

- None of the ingredients is listed.

- **NTP (National Toxicology Program)**

- None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

- None of the ingredients is listed.

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.

(Contd. on page 5)

USA

**Safety Data Sheet**
29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20

(Contd. of page 4)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:** Avoid transfer into the environment.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.
 - **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|--|
| · UN-Number
· DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name
· DOT, ADN, IMDG, IATA
· ADR | Void
Void |
| · Transport hazard class(es)
· DOT, ADR, ADN, IMDG, IATA
· Class | Void |
| · Packing group
· DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards:
· Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |

USA

(Contd. on page 6)

Safety Data Sheet
29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20

(Contd. of page 5)

15 Regulatory information**· Safety, health and environmental regulations/legislation specific for the substance or mixture****· Sara****· Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Proposition 65**· Chemicals known to cause cancer:**

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

SDS / FDS Administr.

Bio-Rad

Marnes-la-Coquette, France

· Contact:

Customer Support

Phone : +33 (0)1 47 95 62 77

USA

Bio-Rad Laboratories

6565 185th Avenue NE

(Contd. on page 7)

USA



Safety Data Sheet
29 CFR Part 1910.1200

Printing date 10/20/2020

Reviewed on 07/02/2015

Trade name: Geenius™ HIV 1/2 Confirmatory Assay - 15 µl Microtubes, 20

Redmond, WA 98052-5039

(Contd. of page 6)

Phone Number: 1-800-2BIORAD (1-800-224-6723) or (425) 881-8300 (daytime PST)

· **Date of preparation / last revision** 10/20/2020 / -· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

USA