

# SAFETY DATA SHEET

Creation Date 11-Feb-2010

Revision Date 14-Feb-2020

**Revision Number** 4

1. Identification

**Product Name** 

Sodium hydroxide, pellets

Cat No. :

13455

CAS-No Synonyms 1310-73-2 Caustic soda; Lye

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

<u>Company</u>

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

### Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 A Category 1 Category 3

### Label Elements

Signal Word Danger

## Hazard Statements

Causes severe skin burns and eye damage May cause respiratory irritation



## Precautionary Statements

### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

### Response

Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium hydroxide	1310-73-2	> 95
Sodium carbonate	497-19-8	< 3

4. First-aid measures			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.		
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.		

Most important symptoms and effects	Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should
Notes to Physician	be investigated Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO <sup>2</sup> , dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	Carbon dioxide (CO2)
Flash Point Method -	Not applicable No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available
Specific Hazards Arising from the Cl The product causes burns of eyes, skir	

#### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sodium oxides.

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA
------

Health 3	Flammability 0	Instability 1	Physical hazards N/A	
	6. Accidental rel	ease measures		
Personal Precautions	DNS Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.			
Environmental Precautions		the environment. Do not allow nto surface water or sanitary	v material to contaminate ground sewer system.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Protect from moisture.
	0. Evenesure controls / nonconstantion

## 8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	(Vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
		TWA: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	

### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties			
Physical State	Solid		
Appearance	White		
Odor	Odorless		
Odor Threshold	No information available		
рН	14 (5%)		
Melting Point/Range	318 °C / 604.4 °F		
Boiling Point/Range	1390 °C / 2534 °F @ 760 mmHg		
Flash Point	Not applicable		
Evaporation Rate	Not applicable		
Flammability (solid,gas)	No information available		
Flammability or explosive limits			
Upper	No data available		
Lower	No data available		
Vapor Pressure	1 mmHg @ 739 °C		
Vapor Density	Not applicable		
Specific Gravity	2.13		
Solubility	Soluble in water		
Partition coefficient; n-octanol/water	No data available		
Autoignition Temperature	No information available		
Decomposition Temperature	No information available		
Viscosity	Not applicable		
Molecular Formula	NaOH		
Molecular Weight	40		

## 10. Stability and reactivity

**Reactive Hazard** 

None known, based on information available

Stability

Water reactive. Hygroscopic.

Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.
Incompatible Materials	Water, Metals, Acids
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO2), Sodium oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

Acute Toxicity

## Product Information

Component Informa	ation					
Componer	nt	LD50 Oral		LD50 Dermal	LC50	Inhalation
Sodium hydro	xide	LD50 = 325 mg/kg (R	LD50 = 325 mg/kg (Rat) LD50 = 1350 mg/kg (Rabbit) Not listed			
Sodium carbonate 2800 mg/kg (Rat ) > 2000 mg/kg (rabbit) 2.3 mg/l 2h (F					g/I 2h (Rat)	
Toxicologically Syn Products Delayed and immed	-	No information ava as well as chronic effe		nd long-term expo	sure_	
Irritation		Causes severe bu	rns by all exposur	e routes		
Sensitization		No information ava	ailable			
Carcinogenicity		The table below in	dicates whether e	ach agency has list	ed any ingredient	as a carcinogen.
Component	CAS-No		NTP	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-	2 Not listed	Not listed	Not listed	Not listed	Not listed
Sodium carbonate	497-19-8	8 Not listed	Not listed	Not listed	Not listed Not listed	
Reproductive Effec						
TeratogenicityNo information available.STOT - single exposureRespiratory systemSTOT - repeated exposureNone known						
Aspiration hazard		No information available				
Symptoms / effects delayed	s,both acute	perforation: Produc	nd Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated			
Endocrine Disruptor Information No information available						
Other Adverse Effe	Adverse Effects The toxicological properties have not been fully investigated.					

# 12. Ecological information

## Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium hydroxide	-	LC50: = 45.4 mg/L, 96h	-	-

			static (Oncorhynchus		
			mykiss)		
Sodium carbonate	EC50: = 242 n	•	Lepomis macrochirus: LC50:	-	EC50: = 265 mg/L, 48h
	(Nitzsc	nia)	300 mg/L/96h		(Daphnia magna)
			Gambusia affinis: LC50: 740		
			mg/L/96h		
Persistence and Degradability		oluble in wa	ater Persistence is unlikely	based on information avai	lable.
_	-				
<b>Bioaccumulation/ Accum</b>	nulation N	o informatio	on available.		
Mobility	W	ill likely be	mobile in the environment	due to its water solubility.	
-		-			
		13. Di	sposal considera	ations	
Waste Disposal Methods	ha	azardous w	ste generators must deterr aste. Chemical waste gen ardous waste regulations to	erators must also consult l	ocal, regional, and

14.	Iransport	information

	•
DOT	
UN-No	UN1823
Proper Shipping Name	Sodium hydroxide, solid
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN1823
Proper Shipping Name	SODIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	II
UN-No	UN1823
Proper Shipping Name	SODIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN1823
Proper Shipping Name	SODIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	
	15 Degulatory infor

# 15. Regulatory information

## United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Sodium hydroxide	1310-73-2	Х	ACTIVE	-
Sodium carbonate	497-19-8	Х	ACTIVE	-

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Sodium hydroxide	1310-73-2	Х	-	215-185-5	Х	Х	Х	Х	KE-31487
Sodium carbonate	497-19-8	Х	-	207-838-8	Х	Х	Х	Х	KE-31380

#### U.S. Federal Regulations

**SARA 313** 

Not applicable

SARA 311/312 Hazard Categories

See section 2 for more information

#### **CWA (Clean Water Act)**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sodium hydroxide	X	1000 lb	-	-

Not applicable

**OSHA** - Occupational Safety and Not applicable Health Administration

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	-
California Proposition 65	s product does not contain any Proposition 65 ch	emicals.

### U.S. State Right-to-Know

#### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium hydroxide	Х	Х	Х	-	Х

## **U.S. Department of Transportation**

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

**U.S. Department of Homeland** 

This product does not contain any DHS chemicals.

Security

## Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Creation Date Revision Date Print Date Revision Summary	11-Feb-2010 14-Feb-2020 14-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 1310-73-2/1.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of SDS