

## SAFETY DATA SHEET

Version 6.9  
Revision Date 04/04/2022  
Print Date 09/23/2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Ethylene glycol  
Product Number : 102466  
Brand : SIGALD  
Index-No. : 603-027-00-1  
CAS-No. : 107-21-1

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Acute toxicity, Oral (Category 4), H302  
Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, H373  
For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word

Warning

Hazard statement(s)  
H302

Harmful if swallowed.

H373	May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.
Precautionary statement(s)	
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: 1,2-Ethandiol
Formula	: C <sub>2</sub> H <sub>6</sub> O <sub>2</sub>
Molecular weight	: 62.07 g/mol
CAS-No.	: 107-21-1
EC-No.	: 203-473-3
Index-No.	: 603-027-00-1

Component	Classification	Concentration
<b>ethylene glycol</b>	Acute Tox. 4; STOT RE 2; H302, H373	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

##### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

#### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Combustible.

#### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4 Further information**

No data available

---

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains.

#### **6.3 Methods and materials for containment and cleaning up**

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### **6.4 Reference to other sections**

For disposal see section 13.

---

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

##### **Advice on safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

##### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Storage class

Storage class (TRGS 510): 10: Combustible liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
ethylene glycol	107-21-1	TWA	25 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		
		STEL	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		
		STEL	10 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		
		C	40 ppm 100 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

#### Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	1.53 mg/kg
Sea water	1 mg/l
Fresh water	10 mg/l
Sea sediment	3.7 mg/kg
Fresh water sediment	37 mg/kg
Sewage treatment plant	199.5 mg/l
Aquatic intermittent release	10 mg/l

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                                 |   |
|---------------------------------|---|
| a) Appearance                   | Form: liquid<br>Color: colorless          |
| b) Odor                         | odorless                                  |
| c) Odor Threshold               | No data available                         |
| d) pH                           | No data available                         |
| e) Melting point/freezing point | Melting point: -13 °C (9 °F) at 1,013 hPa |
| f) Initial boiling point        | 197.4 °C 387.3 °F at 1,013 hPa            |

SIGALD - 102466

Page 5 of 11

	and boiling range	
g)	Flash point	111 °C (232 °F) - closed cup 115 °C (239 °F) - open cup
h)	Evaporation rate	1
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 15.3 %(V) Lower explosion limit: 3.2 %(V)
k)	Vapor pressure	1 hPa at 51.1 °C (124.0 °F)
l)	Vapor density	2.14 - (Air = 1.0)
m)	Density	1.113 g/cm <sup>3</sup> at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: -1.36 - Bioaccumulation is not expected.
p)	Autoignition temperature	412 °C (774 °F) at 1,013 hPa
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

## 9.2 Other safety information

Surface tension	48.4 mN/m at 20 °C (68 °F)
Relative vapor density	2.14 - (Air = 1.0)

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong acids, Strong oxidizing agents, Strong bases, Aldehydes, Aluminum

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - 500.1 mg/kg

Oral: (Regulation (EC) No 1272/2008, Annex VI)

LC50 Inhalation - Rat - male and female - 6 h - > 2.5 mg/l - aerosol

Remarks: (ECHA)

LD50 Dermal - Mouse - male and female - > 3,500 mg/kg

Remarks: (ECHA)

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 20 h

Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

Remarks: (ECHA)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: dominant lethal test

Species: Rat

Application Route: Oral

Result: negative

#### Carcinogenicity

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

Laboratory experiments have shown teratogenic effects.  
Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

**Aspiration hazard**

No data available

**11.2 Additional Information**

RTECS: KW2975000

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.  
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

agitation  
CNS disorders

Systemic effects:

After a latency period:

Tiredness  
ataxia (impaired locomotor coordination)  
Unconsciousness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Central nervous system - Irregularities - Based on Human Evidence

Central nervous system - Irregularities - Based on Human Evidence

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - > 72,860 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

SIGALD - 102466

Page 8 of 11



Toxicity to algae IC5 - Scenedesmus quadricauda (Green algae) - > 10,000 mg/l - 7 d  
Remarks: (Lit.)

Toxicity to bacteria static test EC20 - activated sludge - > 1,995 mg/l - 30 min (ISO 8192)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 10 d  
Result: 90 - 100 % - Readily biodegradable.  
(OECD Test Guideline 301A)

Biochemical Oxygen Demand (BOD) 780 mg/g  
Remarks: (IUCLID)

Chemical Oxygen Demand (COD) 1,190 mg/g  
Remarks: (IUCLID)

Theoretical oxygen demand 1,290 mg/g  
Remarks: (IUCLID)

Ratio BOD/ThBOD 60 %  
Remarks: (IUCLID)

## 12.3 Bioaccumulative potential

Does not bioaccumulate.

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### DOT (US)

UN number: 3082 Class: 9

Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (ethylene glycol)

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

---

**SECTION 15: Regulatory information**

**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
ethylene glycol	107-21-1	2007-07-01

**SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
ethylene glycol	107-21-1	2007-07-01

---

**SECTION 16: Other information**

**Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.9

Revision Date: 04/04/2022

Print Date: 09/23/2022