<b>Valvoline</b>	Page: 1
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

29 CFR 1910.1200 (OSHA HazCom 2012)

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Trade name : Zerex™ 0

SUPER CLEANER

#### Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet

Valvoline LLC

Emergency telephone number 1-800-VALVOLINE

Regulatory Information Number

3499 Blazer Parkway
Lexington, KY 40509

United States of America Product Information 1-800-TEAMVAL SDS@valvoline.com

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Oxidizing liquids : Category 1

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ systemic toxicity - repeated

exposure (Inhalation)

: Category 2 (Respiratory Tract)

**GHS Label element** 

Hazard pictograms :







Signal Word : Danger

Hazard Statements : May cause fire or explosion; strong oxidizer.

Causes skin irritation.

Causes serious eye irritation.

May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure if inhaled.

Valvoline	Page: 2
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

**Precautionary Statements** 

#### : Prevention:

Keep away from heat.

Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

Wear fire/ flame resistant/ retardant clothing.

## Response:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON CLOTHING: rinse immediately contaminated clothing and

skin with plenty of water before removing clothes.

Get medical advice/ attention if you feel unwell.

If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

In case of major fire and large quantities: Evacuate area. Fight

fire remotely due to the risk of explosion.

## Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical Name	CAS-No.	Classification	Concentration (%)
SODIUM NITRATE	7631-99-4	Ox. Sol. 1; H271	2.73
		Eye Irrit. 2A; H319	
ETHYLENEDIAMINETETRAACE	64-02-8	Acute Tox. 4; H302	2.72
TIC ACID, TETRASODIUM SALT		Acute Tox. 4; H332	
		Eye Irrit. 2A; H319	
		STOT RE 2; H373	

Valvoline.	Page: 3
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

1310-73-2	Met. Corr. 1; H290	1.72
	Skin Corr. 1A; H314	
	Aquatic Acute 3; H402	

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Call a POISON CENTRE or doctor/physician if exposed or

you feel unwell.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If swallowed : Obtain medical attention.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: Overexposure to this product (or a component) may cause methemoglobinemia, which in sufficient concentration causes cyanosis. Severe cyanosis may require intravenous injection of methylene blue. Methylene blue is contraindicated if the patient has confirmed or suspected glucose-6-phosphate

dehydrogenase deficiency.

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

Cough

Valvoline.	Page: 4
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

cyanosis (causes blue coloring of the skin and nails from lack

of oxygen)

methemoglobinemia (blood abnormality which causes a blue

coloring to the skin)

lung edema (fluid buildup in the lung tissue)

Convulsions

Difficulty in breathing Causes skin irritation.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

Notes to physician : No hazards which require special first aid measures.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Hydrocarbons

Nitrogen oxides (NOx)

Ammonia toxic fumes corrosive vapors Sodium oxides

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Valvoline.	Page: 5
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep of

: Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
SODIUM HYDROXIDE	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceil_Time	2 mg/m3	NIOSH/GUID E
		PEL	2 mg/m3	OSHA_TRA NS

**Engineering measures** 

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Valvoline.	Page: 6
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

## Personal protective equipment

Hand protection

Material : neoprene

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:

impervious clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Odour : No data available

Odour Threshold : No data available

pH : 11.2, GLP: see user defined free text

Melting point/freezing point : No data available

Boiling point/boiling range : 212 °F / 100 °C

(1,013.333333 hPa)

Calculated Phase Transition Liquid/Gas

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

<b>Valvoline</b>	Page: 7
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

Vapour pressure : 23.3333333 hPa (20 °C)

Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

Exposure to sunlight. Exposure to moisture

Incompatible materials : Acids

aluminum

Combustible material

Copper alloys

halogenated hydrocarbons

Metals Nickel

Organic materials

organic nitro compounds

Oxidizing agents Powdered metals

Valvoline.	Page: 8
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

Reducing agents

reactive metals such as aluminum and magnesium

steel

Strong bases

water Zinc

Hazardous decomposition

products carbon dioxide and carbon monoxide

corrosive vapors Nitrogen oxides (NOx)

Sodium oxides toxic fumes Ammonia

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation

exposure

Inhalation
Skin contact
Eye Contact
Ingestion

### **Acute toxicity**

Not classified based on available information.

Components:

SODIUM NITRATE:

Acute oral toxicity : LD 50 (Rat): ca. 3,430 mg/kg

Method: OECD Test Guideline 401

ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT: Acute oral toxicity : LD 50 (Rat, Female): 1,780 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD 50 (Rabbit): > 5,000 mg/kg

**SODIUM HYDROXIDE:** 

Acute oral toxicity : LD Lo (Rabbit): 500 mg/kg

Acute inhalation toxicity : Assessment: Not classified as acutely toxic by inhalation

under GHS.

Remarks: Moderate respiratory irritant

Acute dermal toxicity : Symptoms: Corrosion

Assessment: Not classified as acutely toxic by dermal

absorption under GHS.

Valvoline.	Page	e: 9
SAFETY DATA SHEET	Revision Date: 07/31/20	J16
	Print Date: 8/29/20	J17
	SDS Number: R02969	910
Zerex™ 0 SUPER CLEANER	Version:	1.1
ZXC02		

## Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Remarks: May cause skin irritation and/or dermatitis.

### Components:

SODIUM NITRATE: Species: Rabbit

Method: OECD Test Guideline 404

Result: Not irritating to skin

Remarks: Information given is based on data obtained from similar substances.

## ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Species: Rabbit

Result: Not irritating to skin

SODIUM HYDROXIDE: Result: Corrosive to skin

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

### **Components:**

SODIUM NITRATE: Species: Rabbit

Result: Irritating to eyes

Method: OECD Test Guideline 405

## ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Result: Severely irritating to eyes

## SODIUM HYDROXIDE: Result: Corrosive to eyes

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

## Components:

## ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Test Type: Maximisation Test (GPMT)

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

# SODIUM HYDROXIDE:

Exposure routes: Skin contact

Species: Humans Result: negative

Valvoline.	Page:	10
SAFETY DATA SHEET	Revision Date: 07/31/20	16
	Print Date: 8/29/20	17
	SDS Number: R02969	10
Zerex™ 0 SUPER CLEANER	Version: 1	.1
ZXC02		

## Germ cell mutagenicity

Not classified based on available information.

#### Components:

ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

## Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

#### Components:

# ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Exposure routes: Inhalation
Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

### Aspiration toxicity

Not classified based on available information.

## **Further information**

**Product:** 

Remarks: No data available

## Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## Components:

**SODIUM NITRATE:** 

Valvoline.	Page: 11
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

Toxicity to fish : LC 50 (Rainbow trout, donaldson trout (Oncorhynchus

mykiss)): 1,355 - 2,063 mg/l

Exposure time: 96 h Method: Static Remarks: Mortality

Toxicity to daphnia and other

aquatic invertebrates

: LC 50 (Water flea (Daphnia magna)): 3,581 mg/l

Exposure time: 48 h Method: Static Remarks: Mortality

ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Toxicity to fish : LC 50 (Bluegill (Lepomis macrochirus)): 792 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC 50 (Water flea (Daphnia magna)): 140 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to fish (Chronic

toxicity)

: NOEC (Danio rerio (zebra fish)): >= 25.7 mg/l

Exposure time: 35 d

Test Type: flow-through test

Method: OECD Test Guideline 210

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d Test Type: semi-static test

Remarks: Information given is based on data obtained from

similar substances.

SODIUM HYDROXIDE:

Toxicity to fish : LC 50 (Western mosquitofish (Gambusia affinis)): 125 mg/l

Exposure time: 96 h Method: Static Remarks: Mortality

Toxicity to daphnia and other

aquatic invertebrates

: EC 50 (Water flea (Daphnia magna)): 34.59 - 47.13 mg/l

Exposure time: 48 h Remarks: Intoxication

Toxicity to bacteria : Remarks: Not applicable

**Ecotoxicology Assessment** 

Valvoline.	Page: 12
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

Acute aquatic toxicity : Neutralisation will reduce ecotoxic effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Persistence and degradability

## **Components:**

ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT: Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 10 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Biodegradation: 90 - 100 %

Exposure time: 72 d

Method: OECD Test Guideline 301E

## **Bioaccumulative potential**

## **Components:**

ETHYLENEDIAMINETETRAACETIC ACID, TETRASODIUM SALT:

Partition coefficient: n- : log Pow: < 3

octanol/water

. 10g 1 0W. 1 0

# Mobility in soil

## **Components:**

No data available

### Other adverse effects

No data available

## Product:

Additional ecological

information

: No data available

## Components:

## **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

General advice : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

<b>Valvoline</b>	Page: 13
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

# **SECTION 14. TRANSPORT INFORMATION**

## International transport regulations

## **REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

## **U.S. DOT - ROAD**

Not dangerous goods	

## CFR\_RAIL\_C

Not dangerous goods		

## **U.S. DOT - INLAND WATERWAYS**

Not dangerous goods	

# TDG\_ROAD\_C

Not dangerous goods	

# TDG\_RAIL\_C

Not dangerous goods	

## TDG\_INWT\_C

Not dangerous goods	

## INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods	

## INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

# INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods				

## MX\_DG

Not dangerous goods

<b>Valvoline</b>	P	age: 14
SAFETY DATA SHEET	Revision Date: 07/3	31/2016
	Print Date: 8/2	29/2017
	SDS Number: R0	296910
Zerex™ 0 SUPER CLEANER	Versi	on: 1.1
ZXC02		

## \*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ	
		(lbs)	(lbs)	
SODIUM HYDROXIDE	1310-73-2	1000	57947.499565	

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard Chronic Health Hazard

SARA 313 Component(s) SODIUM NITRATE 7631-99-4 2.73 % Pennsylvania Right To Know 7732-18-5 70.00 - 90.00 % WATER SODIUM GLUCONATE 527-07-1 10.00 - 20.00 % SODIUM NITRATE 7631-99-4 1.00 - 5.00 % SODIUM HYDROXIDE 1.00 - 5.00 % 1310-73-2 **New Jersey Right To Know** WATER 7732-18-5 70.00 - 90.00 % SODIUM GLUCONATE 527-07-1 10.00 - 20.00 % **SODIUM NITRATE** 7631-99-4 1.00 - 5.00 %

64-02-8

1310-73-2

1.00 - 5.00 %

1.00 - 5.00 %

ETHYLENEDIAMINETETRAACETIC ACID,

**TETRASODIUM SALT** 

SODIUM HYDROXIDE

Valvoline.	Page: 15
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

California Prop 65 Proposition 65 warnings are not required for this product

based on the results of a risk assessment.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

AUSTR : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL.

ENCS : Not in compliance with the inventory

KECL : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory


#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**

## **Further information**

Revision Date: 07/31/2016



## NFPA Flammable and Combustible Liquids Classification

Not applicable

#### Full text of H-Statements referred to under sections 2 and 3.

Valvoline.	Page: 16
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 8/29/2017
	SDS Number: R0296910
Zerex™ 0 SUPER CLEANER	Version: 1.1
ZXC02	

H271	May cause fire or explosion; strong oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure
	if inhaled.
H402	Harmful to aquatic life.

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-825-8654).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value

Valvoline.	Pa	ge: 17
SAFETY DATA SHEET	Revision Date: 07/31	/2016
	Print Date: 8/29	/2017
	SDS Number: R02	96910
Zerex™ 0 SUPER CLEANER	Versio	n: 1.1
ZXC02		

TWA: Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

**DOT**: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System NFPA : National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System