

# SAFETY DATA SHEET

Version 6.9 Revision Date 05/13/2022 Print Date 05/14/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Triton™ X-100

Product Number : X100

Brand : Sigma-Aldrich CAS-No. : 9036-19-5

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

Sigma-Aldrich - X100

Millipore SiGMa

Hazard statement(s)	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : t-Octylphenoxypolyethoxyethanol

4-(1,1,3,3-Tetramethylbutyl)phenyl-polyethylene glycol

Polyethylene glycol tert-octylphenyl ether

Formula : (C2H4O)nC14H22O

CAS-No. : 9036-19-5

Component	Classification	Concentration				
Octylphenol polyethoxyethanol						
	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	<= 100 %				

Polyethylene glycol, average MW 8,000	
	>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.



#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

## **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Sigma-Aldrich - X100

Millipore SigMa For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed.

Packaged under inert gas.

# Storage class

Storage class (TRGS 510): 10: Combustible liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

ingleatenes with workplace control parameters							
Component	CAS-No.	Value	Control parameters	Basis			
Polyethylene glycol, average MW 8,000	25322-68- 3	TWA	10 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)			

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **Personal protective equipment**

#### **Eve/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

Sigma-Aldrich - X100

Page 4 of 10



substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

## **Body Protection**

protective clothing

## **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## .1 Information on basic physical and chemical properties

a) Appearance Form: viscous liquid

Color: colorless

b) Odor weak

c) Odor Threshold No data available

d) pH 5.0 - 8.0 at 10 g/l at 20 °C (68 °F)

e) Melting Solidification point: 6 °C (43 °F) point/freezing point

f) Initial boiling point and boiling range

> 200 °C > 392 °F at 1,013 hPa

g) Flash point 251 °C (484 °F) - c.c.

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower flammability or explosive limits No data available



k) Vapor pressure < 0.01 hPa at 20 °C (68 °F)

I) Vapor density No data available

m) Density 1.07 g/cm3 at 20 °C (68 °F)

Relative density No data available

n) Water solubility soluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Strong acids

## 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

Strong oxidizing agents

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 1,900 - 5,000 mg/kg

Remarks: (External MSDS)

Sigma-Aldrich - X100



Page 6 of 10

Symptoms: Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Inhalation: No data available

LD50 Dermal - Rabbit - > 3,000 mg/kg LD50 Dermal - Rabbit - > 3,000 mg/kg

Remarks: (External MSDS)

# Skin corrosion/irritation

Skin - Rabbit

Result: irritating - 4 h (OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(Draize Test)

Risk of corneal clouding.

#### Respiratory or skin sensitization

Sensitisation test: - Human

Result: negative

Remarks: (External MSDS)

Patch test on human volunteers did not demonstrate sensitization properties.

#### **Germ cell mutagenicity**

No data available

## Carcinogenicity

No data available

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity. Did not show teratogenic effects in animal experiments.

## Specific target organ toxicity - single exposure

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Ingestion of large amounts may cause:, Nausea, Diarrhea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Sigma-Aldrich - X100

Millipore

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 4 - 8.9 mg/l - 96 h

Toxicity to fish semi-static test LC50 - Leuciscus idus (Golden orfe) - 0.26 mg/l - 96

h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances:

4-(1,1,3,3-tetramethylbutyl)phenol

Toxicity to daphnia and other aquatic invertebrates

LC50 - Daphnia magna (Water flea) - 18 - 26 mg/l - 48 h

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 0.011 mg/l - 48 h

Remarks: (ECOTOX Database)

The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) - 1.9

mg/l - 96 h Remarks: (ECHA)

The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 22 % - Not readily biodegradable.

(OECD Test Guideline 301C)

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Causes endocrine disruption.

Discharge into the environment must be avoided.



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

**IMDG** 

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-

tertiary-Octylphenoxy polyethyl alcohol)

Marine pollutant : yes Marine pollutant : no

**IATA** 

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (p-tertiary-

Octylphenoxy polyethyl alcohol)

**Further information** 

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

# **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to

Sigma-Aldrich - X100

Millipore SigMa appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.9 Revision Date: 05/13/2022 Print Date: 05/14/2022

