SAFETY DATA SHEET

1. Identification

Product identifier BG DOC Diesel Oil Conditioner

Other means of identification

Formula number 18
Product code 112

Synonyms P112-XXXX

Recommended use Automotive use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name BG Products, Inc.
Address 740 S. Wichita St.
Wichita KS 67213

Wichita, KS 67213 United States

Telephone 316-266-8120
Website www.bgprod.com
E-mail msds@bgprod.com
Contact person Product Stewardship
Emergency phone number (800) 424-9300

(CHEMTREC)

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response If exposed or concerned: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 19.75% of the mixture consists of component(s) of unknown acute oral toxicity. 19.75% of the

mixture consists of component(s) of unknown acute dermal toxicity. 82.08% of the mixture consists of component(s) of unknown acute inhalation toxicity. % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 83.16% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|---------|
| HYDROTREATED HEAVY PARAFINIC DISTILLATES | | 64742-54-7 | 60 - 70 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | | 64742-65-0 | 3 - 5 |

Material name: BG DOC Diesel Oil Conditioner

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|-------|
| Distillates (petroleum), solvent-dewaxed light paraffinic | | 64742-56-9 | 3 - 5 |
| Paraffin oils (petroleum), catalytic dewaxed heavy | | 64742-70-7 | 3 - 5 |

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

Treat symptomatically.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Fire fighting Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material name: BG DOC Diesel Oil Conditioner SDS US 112 Version #: 2.0 Revision date: 10-07-2021 Issue date: 06-21-2021

| Components | for Air Contaminants (29 CFR 1910.100 Type | Value | Form |
|---|---|--|--|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) | PEL | 5 mg/m3 | Mist. |
| | | 2000 mg/m3 | |
| | | 500 ppm | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9) | PEL | 5 mg/m3 | Mist. |
| HYDROTREATED HEAVY PARAFINIC DISTILLATES (CAS 64742-54-7) | PEL | 5 mg/m3 | Mist. |
| Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7) | PEL | 5 mg/m3 | Mist. |
| US. ACGIH Threshold Limit | Values | | |
| Components | Туре | Value | Form |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) | TWA | 5 mg/m3 | Inhalable fraction. |
| Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9) | TWA | 5 mg/m3 | Inhalable fraction. |
| HYDROTREATED HEAVY PARAFINIC DISTILLATES (CAS 64742-54-7) | TWA | 5 mg/m3 | Inhalable fraction. |
| Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7) | TWA | 5 mg/m3 | Inhalable fraction. |
| US. NIOSH: Pocket Guide to Components | Chemical Hazards Type | Value | Form |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) | Ceiling | 1800 mg/m3 | |
| , | STEL | 10 mg/m3 | Mist. |
| Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| | IVVA | o mg/mo | |
| HYDROTREATED HEAVY PARAFINIC DISTILLATES (CAS 64742-54-7) | STEL | 10 mg/m3 | Mist. |
| PARAFINIC DISTILLATES | | - | Mist. |
| PARAFINIC DISTILLATES | STEL | 10 mg/m3 | |
| PARAFINIC DISTILLATES (CAS 64742-54-7) Paraffin oils (petroleum), catalytic dewaxed heavy | STEL | 10 mg/m3 5 mg/m3 | Mist. |
| PARAFINIC DISTILLATES (CAS 64742-54-7) Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7) | STEL TWA STEL | 10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 | Mist. Mist. |
| PARAFINIC DISTILLATES (CAS 64742-54-7) Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7) logical limit values propriate engineering | STEL TWA STEL TWA | 10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 the ingredient(s). ed. Ventilation rates should be cal exhaust ventilation, or oth nended exposure limits. If exp | Mist. Mist. Mist. e matched to conditions. If er engineering controls to |
| PARAFINIC DISTILLATES (CAS 64742-54-7) Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7) logical limit values propriate engineering trols | TWA STEL TWA TWA No biological exposure limits noted for Good general ventilation should be use applicable, use process enclosures, local maintain airborne levels below recommendation. | 10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 the ingredient(s). ed. Ventilation rates should be call exhaust ventilation, or other call exposure limits. If exposan acceptable level. nt | Mist. Mist. Mist. e matched to conditions. If er engineering controls to |

Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Dark brown Color Odor Not available. Not available. **Odor threshold** Not available. Ηq Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

370.4 °F (188.0 °C) Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Not available.

Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity

Other information

Density 7.31 lb/gal Not explosive. **Explosive properties** 108 mm²/s Kinematic viscosity 104 °F (40 °C) Kinematic viscosity

temperature

Oxidizing properties Not oxidizing. Specific gravity 0.8759

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Material name: BG DOC Diesel Oil Conditioner

SDS US

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

HYDROTREATED HEAVY PARAFINIC DISTILLATES (CAS 64742-54-7)

<u>Acute</u>

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rabbit > 15000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), solvent-dewaxed heavy paraffinic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-65-0)

HYDROTREATED HEAVY PARAFINIC DISTILLATES 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-54-7)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Distillates (petroleum), solvent-dewaxed light paraffinic Known To Be Human Carcinogen.

(CAS 64742-56-9)

Paraffin oils (petroleum), catalytic dewaxed heavy Known To Be Human Carcinogen.

(CAS 64742-70-7)

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Material name: BG DOC Diesel Oil Conditioner

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not established.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: BG DOC Diesel Oil Conditioner 112 Version #: 2.0 Revision date: 10-07-2021 Issue date: 06-21-2021

US state regulations

California Proposition 65



WARNING: This product can expose you to Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Developmental toxin

Inventory name

Toluene (CAS 108-88-3) Listed: January 1, 1991

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9) HYDROTREATED HEAVY PARAFINIC DISTILLATES (CAS 64742-54-7) Paraffin oils (petroleum), catalytic dewaxed heavy (CAS 64742-70-7)

International Inventories

Australia

Country(s) or region

| Canada | Domestic Substances List (DSL) | Yes |
|-----------------------------|--|-----|
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

Australian Inventory of Industrial Chemicals (AICIS)

16. Other information, including date of preparation or last revision

 Issue date
 06-21-2021

 Revision date
 10-07-2021

Version # 2.0

Health: 2* Flammability: 0

Physical hazard: 0 Personal protection: B

NFPA ratings Health: 2

Flammability: 0 Instability: 0

NFPA ratings

HMIS® ratings



Disclaimer

BG Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: BG DOC Diesel Oil Conditioner

On inventory (yes/no)*

Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Revision information

Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties
Transport Information: Material Transportation Information

HazReg Data: International Inventories

GHS: Classification

Material name: BG DOC Diesel Oil Conditioner