

SAFETY DATA SHEET

Version 8.3 Revision Date 02/28/2021 Print Date 07/15/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium Sulfate, Anhydrous Crystals
>10-60 Mesh Tracepur® GR ACS

Product Number	:	SX0760E
Catalogue No.	:	SE0176
Brand	:	Millipore
CAS-No.	:	7757-82-6
CAS-NO.	:	//5/-82-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Reagent for analysis
-----------------	---	----------------------

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	: Na2SO4
Molecular weight	: 142.04 g/mol
CAS-No.	: 7757-82-6
Millimour CV0760E	

Millipore - SX0760E

Page 1 of 9

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



EC-No.

: 231-820-9

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible. Fire may cause evolution of: Sulfur oxides Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore - SX0760E

Page 2 of 9



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature see product label. Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber

Millipore - SX0760E

Page 3 of 9



Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: white
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	5.2 - 8.0 at 50 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point: 888 °C (1630 °F)
f)	Initial boiling point and boiling range	108.9 °C 228.0 °F
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	Not applicable
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	445.5 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - completely soluble

Millipore - SX0760E

Page 4 of 9

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



o)	Partition coefficient: n-octanol/water	Not applicable	
p)	Autoignition temperature	> 400 °C (> 752 °F) - Relative self-ignition temperature for solidsdoes not ignite	
q)	Decomposition temperature	> 890 °C (> 1634 °F) -	
r)	Viscosity	No data available	
s)	Explosive properties	No data available	
t)	Oxidizing properties	No data available	
Ot	Other safety information		

Bulk density	ca.1,400 - 1,600 kg/m3
Surface tension	71 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline 115

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: smelt with Aluminum

10.4 Conditions to avoid

no information available

10.5 Incompatible materials Strong acids, Aluminum, Magnesium, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 2,500 mg/kg (Calculation method) LD50 Oral - Rat - female - > 2,000 mg/kg (OECD Test Guideline 423) Symptoms: Possible damages:, Nausea, Vomiting LC50 Inhalation - Rat - male and female - 4 h - > 2.4 mg/l (OECD Test Guideline 436) Remarks: Millipore - SX0760E

Page 5 of 9



The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

(highest concentration to be prepared) Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: slight irritation - 24 h (Regulation (EC) No. 440/2008, Annex, B.5)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative Remarks: (ECHA) In vitro mammalian cell gene mutation test mouse lymphoma cells Result: negative Chromosome aberration test in vitro Chinese hamster lung cells Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Acute oral toxicity - Possible damages:, Nausea, Vomiting

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Not available

Millipore - SX0760E

Page 6 of 9



Nausea, Vomiting, cardiovascular disorders

Systemic effects:

After uptake of large quantities:

cardiovascular disorders

Symptoms in:

Gastrointestinal tract

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 7,960 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 1,766 mg/l - 48 h (US-EPA)
Toxicity to algae	static test EC50 - Nitzschia sp 1,900 mg/l - 120 h Remarks: (ECHA)
Toxicity to bacteria	NOEC - activated sludge - ca. 8 mg/l - 37 Days Remarks: (ECHA)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential No data available

- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Discharge into the environment must be avoided.

Millipore - SX0760E

Page 7 of 9



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Millipore - SX0760E

Page 8 of 9



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.3

Revision Date: 02/28/2021

Print Date: 07/15/2021

Millipore - SX0760E

Page 9 of 9

