Version 1.1 Revision Date 04/08/2021 Print Date 10/31/2022

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name                      | : | ZEP FRESHEN DISINFECTANT SPRAY SPRING MIST            |  |
|------------------------------------|---|---|--|
| Material number                    | : | 0000000001050017                                      |  |
| Manufacturer or supplier's details |   |   |  |
| Company                            | : | Zep, Inc.   |  |
| Address                            | : | 350 Joe Frank Harris Parkway, SE<br>Emerson, GA 30137 |  |
| Telephone                          | : | 404-352-1680  |  |

| Emergency telephone numbers |   |  |
|-----------------------------|---|--|
| For SDS Information         | : | Compliance Services 1-877-428-9937           |
| For a Medical Emergency     | : | 877-541-2016 Toll Free - All Calls Recorded  |
| For a Transportation        | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency                   |   | In the District of Columbia 202-483-7616     |

Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

### Emergency Overview

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour     | clear, light yellow                |
| Odour      | characteristic                     |

### **GHS Classification**

| Flammable aerosols<br>Gases under pressure<br>Eye irritation | : Category 1<br>: Liquefied gas<br>: Category 2A   |
|--|--|
| GHS label elements   |  |
| Hazard pictograms  | :<br>Flame Gas cy linder Exclamation<br>mark   |
| Signal word  | : Danger   |
| Hazard statements  | <ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> </ul>   |
| Precautionary statements                                     | <ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames<br/>and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> </ul> |

| Version 1.1 | Revision Date 04/08/2021         | Print Date 10/31/2022          |
|-------------|----------------------------------|--------------------------------|
|             |                                  |                                |
|             | P251 Pressurized container: Do r | not pierce or burn, even after |
|             | use.                             |                                |
|             | P264 Wash skin thoroughly after  | handling.                      |
|             | P280 Wear eye protection/ face p | protection.                    |
|             | Response:                        |                                |
|             | P305 + P351 + P338 IF IN EYES    |                                |

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. **Storage:** P410 + P412 Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/ 122 °F.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance / Mixture | : | Mixture          |
|---------------------|---|------------------|
| Substance / Mixture | : | Chemical Mixture |

### Hazardous components

| Chemical name      | CAS-No.   | Concentration [%] |
|--------------------|-----------|-------------------|
| ethanol            | 64-17-5   | >= 60 - < 65      |
| water              | 7732-18-5 | >= 15 - < 20      |
| 1,1-difluoroethane | 75-37-6   | >= 10 - < 15      |
| butane             | 106-97-8  | >= 1 - < 5        |
| propane            | 74-98-6   | >= 1 - < 5        |
| biphenyl-2-ol      | 90-43-7   | >= 0.1            |

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

| General advice          | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.   |
|-------------------------|--|
| lf inhaled              | <ul> <li>If unconscious, place in recovery position and seek medical<br/>advice.</li> <li>If symptoms persist, call a physician.</li> </ul>  |
| In case of skin contact | <ul> <li>Wash off with soap and water.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> <li>Wash contaminated clothing before re-use.</li> <li>If skin irritation persists, call a physician.</li> </ul> |
| In case of eye contact  | : Remove contact lenses.   |

| Version 1.1   | Revision Date 04/08/2021  | Print Date 10/31/2022                            |
|---|---|--|
|   | Protect unharmed eye.<br>In case of contact, immediately flus<br>for at least 15 minutes.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a s   |  |
| If swallowed  | : Keep respiratory tract clear.<br>Never give anything by mouth to ar<br>If symptoms persist, call a physicia<br>DO NOT induce vomiting unless di<br>physician or poison control center.  | n.   |
| Most important symptoms<br>and effects, both acute and<br>delayed | <ul> <li>Effects are immediate and delayed.<br/>Symptoms may include irritation, re<br/>Effects are dependent on exposure<br/>contact time).</li> <li>Causes serious eye irritation.</li> <li>Review section 2 of SDS to see all</li> </ul> | edness, pain, and rash.<br>(dose, concentration, |
| Notes to physician  | : Treat symptomatically. Symptoms   | may be delayed.                                  |

### SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media                  | : | Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical   |
|---|---|--|
| Unsuitable extinguishing media                | : | High volume water jet  |
| Hazardous combustion products                 | : | Carbon dioxide (CO2)<br>Carbon monoxide<br>Smoke<br>Fluorine compounds<br>Hydrogen fluoride<br>Fluorocarbons                                       |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  |
| Further information                           | : | For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.   |

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

| : Use personal protective equipment.                 |  |  |
|--|--|--|
| Ensure adequate ventilation.                         |  |  |
| Remove all sources of ignition.                      |  |  |
| Evacuate personnel to safe areas.                    |  |  |
| Beware of vapours accumulating to form explosive     |  |  |
| concentrations. Vapours can accumulate in low areas. |  |  |
|  |  |  |

| Version 1.1   | Revision Date 04/08/2021   | Print Date 10/31/2022 |
|---|--|-----------------------|
| Environmental precautions                             | <ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains, inform respective authorities.</li> </ul> |                       |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Sweep up or vacuum up spillage and collect in suitable container for disposal.                               |                       |

### SECTION 7. HANDLING AND STORAGE

| Advice on safe handling     | <ul> <li>Do not breathe vapours/dust.<br/>Avoid contact with skin and eyes.<br/>For personal protection see section 8.<br/>Smoking, eating and drinking should be prohibited in the<br/>application area.<br/>Take precautionary measures against static discharges.<br/>Provide sufficient air exchange and/or exhaust in work rooms.<br/>Dispose of rinse water in accordance with local and national<br/>regulations.<br/>Always replace cap after use.</li> </ul> |
|-----------------------------|---|
| Conditions for safe storage | <ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.<br/>No smoking.</li> <li>Observe label precautions.<br/>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>  |
| Materials to avoid          | : Oxidizing agents  |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of<br>exposure) | Control<br>parameters /<br>Permissible<br>concentration | Basis     |
|------------|---------|-------------------------------------|---|-----------|
| ethanol    | 64-17-5 | TWA                                 | 1,000 ppm   | ACGIH     |
|            |         | TWA                                 | 1,000 ppm<br>1,900 mg/m3                                | NIOSH REL |
|            |         | TWA                                 | 1,000 ppm<br>1,900 mg/m3                                | OSHA Z-1  |
|            |         | TWA                                 | 1,000 ppm<br>1,900 mg/m3                                | OSHA P0   |
|            |         | STEL                                | 1,000 ppm   | ACGIH     |
|            |         | PEL                                 | 1,000 ppm<br>1,900 mg/m3                                | CAL PEL   |

| Print Date | 10/31/2022 |
|------------|------------|
| =          |            |

| 1,1-difluoroethane | 75-37-6  | TWA  | 1,000 ppm                | US WEEL   |
|--------------------|----------|------|--------------------------|-----------|
| propane            | 74-98-6  | TWA  | 1,000 ppm<br>1,800 mg/m3 | NIOSH REL |
|                    |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA Z-1  |
|                    |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA P0   |
|                    |          | PEL  | 1,000 ppm<br>1,800 mg/m3 | CAL PEL   |
| butane             | 106-97-8 | TWA  | 800 ppm<br>1,900 mg/m3   | NIOSH REL |
|                    |          | TWA  | 800 ppm<br>1,900 mg/m3   | OSHA P0   |
|                    |          | PEL  | 800 ppm<br>1,900 mg/m3   | CAL PEL   |
|                    |          | STEL | 1,000 ppm                | ACGIH     |

Revision Date 04/08/2021

Version 1.1

Engineering measures : effective ventilation in all processing areas

| Personal protective equipme | nt |  |
|-----------------------------|----|--|
| Respiratory protection      | :  | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.    |
| Hand protection             |    |  |
| Material                    | :  | Protective gloves  |
| Remarks                     | •  | The suitability for a specific workplace should be discussed with the producers of the protective gloves.  |
| Eye protection              | :  | Access to clean water to rinse eyes must be available, options<br>include: eye wash stations or showers, or eye wash bottles<br>with pure water.<br>Tightly fitting safety goggles |
| Skin and body protection    | :  | Impervious clothing  |
|                             |    | Choose body protection according to the amount and concentration of the dangerous substance at the work place.   |
| Hygiene measures            | :  | When using do not eat or drink.  |
|                             |    | When using do not smoke.<br>Wash hands before breaks and at the end of workday.  |
|                             |    | wash hanus before breaks and at the end of workday.  |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance :      | Aerosol containing a liquefied gas |
|-------------------|------------------------------------|
| Colour :          | clear, light yellow                |
| Odour :           | characteristic                     |
| Odour Threshold : | No data available                  |
| pH :              | 10.8                               |

| Version 1.1                                | Revision Date 04/08/2021                   | Print Date 10/31/2022 |
|--|--|-----------------------|
|  |  |                       |
| Melting point/freezing point               | : No data available                        |                       |
| Boiling point                              | : 78.4 °C                                  |                       |
| Flash point                                | :<br>No data available                     |                       |
| Evaporation rate                           | : No data available                        |                       |
| Flammability (solid, gas,<br>liquid)       | : Flammable aerosol.                       |                       |
| Upper explosion limit                      | : No data available                        |                       |
| Lower explosion limit                      | : No data available                        |                       |
| Vapour pressure                            | : No data available                        |                       |
| Relative vapour density                    | : No data available                        |                       |
| Density                                    | : 0.844 g/cm3Value for liquid concentrate. |                       |
| Solubility(ies)                            |  |                       |
| Water solubility                           | : completely soluble                       |                       |
| Partition coefficient: n-<br>octanol/water | : No data available                        |                       |
| Auto-ignition temperature                  | : No data available                        |                       |
| Thermal decomposition                      | : No data available                        |                       |
| Viscosity                                  |  |                       |
| Viscosity, kinematic                       | : No data available                        |                       |
| Heat of combustion                         | : 29.16 kJ/g                               |                       |

### SECTION 10. STABILITY AND REACTIVITY

| Reactivity                            | : Stable   |
|---------------------------------------|--|
| Chemical stability                    | : Stable under normal conditions.  |
| Possibility of hazardous<br>reactions | : No decomposition if stored and applied as directed.  |
| leactions                             | Vapours may form explosive mixture with air.   |
| Conditions to avoid                   | : Avoid temperatures above 60°C, direct sunlight and contact with sources of heat.<br>Heat, flames and sparks. |
| Incompatible materials                | : Strong oxidizing agents  |
| Hazardous decomposition products      | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).   |

Version 1.1

Revision Date 04/08/2021

Print Date 10/31/2022

#### SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

| Aggravated Medical                                      | : None known.   |
|---|---|
| Condition<br>Symptoms of Overexposure                   | <ul> <li>Effects are immediate and delayed.</li> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Causes serious eye irritation.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul> |
| Carcinogenicity:  |   |
| IARC  | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.   |
| ACGIH   | Confirmed animal carcinogen with unknown relevance to<br>humans<br>ethanol 64-17-5  |
| OSHA  | No component of this product present at levels greater than or  |
| NTP   | equal to 0.1% is on OSHA's list of regulated carcinogens.<br>No component of this product present at levels greater than or<br>equal to 0.1% is identified as a known or anticipated carcinogen<br>by NTP.  |
| Acute toxicity  |   |
| Components:   |   |
| ethanol:<br>Acute oral toxicity                         | : LD50 Oral Rat: 7,060 mg/kg  |
| Acute inhalation toxicity                               | : LC50 Rat: 124.7 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour   |
| <b>1,1-difluoroethane:</b><br>Acute inhalation toxicity | : LC50 Mouse: 977,000 mg/l<br>Exposure time: 2 h  |
| Skin corrosion/irritation                               |   |
| Product:  |   |
| Remarks: May cause skin irrita                          | ation in susceptible persons.   |
| Serious eye damage/eye irritatio                        | n   |

#### Product:

Remarks: Irritating to eyes.

Version 1.1

Revision Date 04/08/2021

Print Date 10/31/2022

#### Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: No data available

#### Components:

water: Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

### Persistence and degradability

No data available Bioaccumulative potential

| Product: |  |
|----------|--|
|----------|--|

| Partition coefficient: n-<br>octanol/water<br><u>Components:</u> | : Remarks: No data available |
|--|------------------------------|
| ethanol :<br>Partition coefficient: n-<br>octanol/water          | : Remarks: No data available |
| butane :<br>Partition coefficient: n-                            | : Pow: 2.89                  |

| ection of Environment; Part 82 Protection of<br>Cozone - CAA Section 602 Class I<br>neither contains, nor was manufactured<br>or Class II ODS as defined by the U.S.<br>Section 602 (40 CFR 82, Subpt. A, App.A |
|---|
| able  |
| able  |
| ;<br>r<br>l   |

#### SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods       |  |
|------------------------|--|
| Waste from residues    | <ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with<br/>chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul> |
| Contaminated packaging | <ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>                 |

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Version 1.1

Revision Date 04/08/2021

Print Date 10/31/2022

| Transportation Regulation: TDG (Canada):             |  |
|--|--|
| UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |  |

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING

Causes eye irritation. Do not get in eyes.

Avoid contact with skin.

Avoid contact with skin.

#### TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : | Flammable (gases, aerosols, liquids, or solids)<br>Gases under pressure<br>Serious eye damage or eye irritation   |
|----------------------|---|---|
| SARA 302             | : | No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.   |
| SARA 313             | : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| California Prop. 65  |   |   |

Version 1.1

Revision Date 04/08/2021

Print Date 10/31/2022



WARNING: This product can expose you to chemicals including biphenyl-2-ol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### The components of this product are reported in the following inventories:

DSL TSCA All components of this product are on the Canadian DSL On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

**SECTION 16. OTHER INFORMATION** 

Version 1.1

Revision Date 04/08/2021

Print Date 10/31/2022

#### **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 1.1

Revision Date 04/08/2021

Print Date 10/31/2022

| Version:       | 1.1        |
|----------------|------------|
| Revision Date: | 04/08/2021 |
| Print Date:    | 10/31/2022 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.