

## Safety Data Sheet

Revision Date: 10/15/20 www.restek.com

2 Letter ISO country code/language code: US/EN

#### 1. IDENTIFICATION

Catalog Number / Product Name: Company: Address:

Phone#: Fax#: Emergency#:

Email: Revision Number: Intended use:

#### 30010 / VOA Calibration Mix #5 (Gases) Restek Corporation 110 Benner Circle Bellefonte, Pa. 16823 814-353-1300 814-353-1309 800-424-9300 (CHEMTREC) 703-527-3887 (Outside the US) www.restek.com 8 For Laboratory use only

### 2. HAZARD(S)IDENTIFICATION

**Emergency Overview:** 

GHS Hazard Symbols:





| GHS<br>Classification: | Carcinogenicity Category 1A<br>Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1<br>Flammable Liquid Category 2<br>Acute Toxicity - Dermal Category 3<br>Acute Toxicity - Oral Category 3  |
|------------------------|--|
| GHS Signal<br>Word:    | Danger   |
| GHS Hazard:            | Highly flammable liquid and vapour.<br>Toxic if swallowed or in contact with skin.<br>May cause cancer.<br>Causes damage to organs.  |
| GHS<br>Precautions:    |  |
| Safety<br>Precautions: | Obtain special instructions before use.<br>Do not handle until all safety precautions have been read and understood.<br>Keep away from heat/sparks/open flames/hot surfaces. – No smoking.<br>Keep container tightly closed.<br>Ground/bond container and receiving equipment.<br>Use explosion-proof electrical/ventilation and lighting equipment.<br>Use only non-sparking tools.<br>Take precautionary measures against static discharge.<br>Do not breathe dust/fume/gas/mist/vapours/spray.<br>Wash hands and skin thoroughly after handling.<br>Do not eat, drink or smoke when using this product.<br>Wear protective gloves/protective clothing/eye protection/face protection. |
| First Aid<br>Measures: | IF SWALLOWED: Immediately call a POISON CENTER/doctor/<br>IF ON SKIN: Wash with plenty of soap and water.<br>IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.<br>IF exposed: Call a POISON CENTER or doctor/physician.<br>IF exposed or concerned: Get medical advice/attention.<br>Call a POISON CENTER or doctor/physician if you feel unwell.<br>Specific treatment see section 4.  |

| Storage:   | Rinse mouth.<br>Take off immediately all contaminated clothing and wash it before reuse.<br>In case of fire: Use extinguishing media in section 5 for extinction.<br>Keep container tightly closed.<br>Store in a well-ventilated place. Keep cool.<br>Store locked up.   |
|--|---|
| Disposal:  | Dispose of contents/container according to section 13 of the SDS.   |
| Single<br>Exposure<br>Target Organs:<br>Repeated<br>Exposure<br>Target Organs: | <ul> <li>Specific target organ toxicity - Single exposure - STOT SE 1: H370 Causes damage to organs. (C &gt;= 10 %; No information to prove exclusion of certain routes of exposure); Specific target organ toxicity - Single exposure - STOT SE 2: H371 May cause damage to organs. (3 % &lt;= C &lt;10 %; Concentration limits for acute toxicity cannot be translated into GHS from the DSD especially when minimum classifications are given)</li> <li>Specific target organ toxicity - Repeated exposure - STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Minimum classification, No information to prove exclusion of certain routes of exposure)</li> </ul> |

## 3. COMPOSITION / INFORMATION ON INGREDIENT

| Chemical Name                   | CAS #   | EINEC #   | % Composition |
|---------------------------------|---------|-----------|---------------|
| Methanol                        | 67-56-1 | 200-659-6 | 99.2          |
| chloroethane                    | 75-00-3 | 200-830-5 | 0.2           |
| Vinyl chloride                  | 75-01-4 | 200-831-0 | 0.2           |
| methyl bromide                  | 74-83-9 | 200-813-2 | 0.2           |
| chloromethane (methyl chloride) | 74-87-3 | 200-817-4 | 0.2           |

## 4. FIRST-AID MEASURES

| Inhalation:   | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.   |
|---------------|--|
| Eyes:         | Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention. Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. |
| Skin Contact: | Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.  |
| Ingestion:    | Do not induce vomiting and seek medical attention immediately. Drink two glasses of water<br>or milk to dilute. Provide medical care provider with this SDS. No hazard in normal industrial<br>use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical<br>care provider with this SDS.  |

## 5. FIRE- FIGHTING MEASURES

| Extinguishing Media:<br>Fire and/or Explosion Hazards:                  | Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing<br>agents. Water may be ineffective but water spray can be used extinguish<br>a fire if swept across the base of the flames. Water can absorb heat and<br>keep exposed material from being damaged by fire. Use alcohol resistant<br>foam, carbon dioxide, or dry chemical extinguishing agents. Water spray<br>or fog may also be effective for extinguishing if swept across the base of<br>the fire. Water can also be used to absorb heat and keep exposed<br>material from being damaged by fire.<br>Vapors may be ignited by heat, sparks, flames or other sources of<br>ignition at or above the low flash point giving rise to a Class B fire.<br>Vapors are heavier than air and may travel to a source of ignition and<br>flash back |
|---|--|
| Fire Fighting Methods and Protection:<br>Hazardous Combustion Products: | Do not enter fire area without proper protection including self-contained<br>breathing apparatus and full protective equipment. Fight fire from a safe<br>distance and a protected location due to the potential of hazardous<br>vapors and decomposition products. Flammable component(s) of this<br>material may be lighter than water and burn while floating on the surface.<br>Carbon dioxide, Carbon monoxide  |
| 30010 / VOA Calibration Mix #5  | Page 2 of 6  |

## 6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions and Equipment: | Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. |
|-------------------------------------|--|
| Methods for Clean-up:               | Prevent the spread of any spill to minimize harm to human health and the<br>environment if safe to do so. Wear complete and proper personal<br>protective equipment following the recommendation of Section 8 at a<br>minimum. Dike with suitable absorbent material like granulated clay.<br>Gather and store in a sealed container pending a waste disposal<br>evaluation.   |

| 7. HANDLING AND STOP |
|----------------------|
|----------------------|

| Handling Technical Measures and Precautions:<br>Storage Technical Measures and Conditions: | Toxic or severely irritating material. Avoid contacting and avoid<br>breathing the material. Use only in a well ventilated area. Use<br>spark-proof tools and explosion-proof equipment<br>Store in a cool dry ventilated location. Isolate from |  |
|--|--|--|
|  | incompatible materials and conditions. Keep container(s) closed. Keep away from sources of ignition Keep away from heat, sparks, and flame   |  |

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| United States:   |         |                    |   |  |   |
|--|---------|--------------------|---|--|---|
| Chemical Name  | CAS No. | IDLH               | ACGIH STEL  | ACGIH TLV-TWA  | OSHA Exposure<br>Limit  |
| Methanol   | 67-56-1 | 6000 ppm<br>IDLH   | 250 ppm<br>STEL   | 200 ppm TWA  | 200 ppm TWA; 260<br>mg/m3 TWA   |
| Vinyl chloride   | 75-01-4 | Not<br>established | None Known  | (5) ppm TWA; (13)<br>mg/m3 TWA   | 1 ppm TWA   |
| Personal Protection<br>Engineering Measu<br>Respiratory Protect<br>Eye Protection:<br>Skin Protection: | res:    |                    | when handling of<br>Respiratory prot<br>respirators only<br>exposure to belo<br>effectiveness of<br>experiencing syn<br>provide respirato<br>Wear chemically<br>product. Do not<br>Not normally con<br>practice good per<br>soap and water<br>gloves. Inspect g<br>intervals. Clean | or using this product to aver<br>ection will be required wh<br>if ventilation cannot be us<br>ow acceptable levels.Con-<br>ventilation. If an exposure<br>mptoms of inhalation over<br>ory protection.<br>v resistant safety glasses<br>wear contact lenses.<br>hsidered a skin hazard. We<br>ersonal hygiene. Wash ha<br>before eating, drinking, al<br>gloves for chemical break<br>protective equipment reg | ering controls are normally required<br>oid overexposure.<br>en handling this product. Use<br>sed to eliminate symptoms or reduce the<br>duct air monitoring to determine the<br>e limit is exceeded or if an operator is<br>rexposure as explained in Section 3,<br>with side shields when handling this<br>/here use can result in skin contact,<br>unds and other exposed areas with mild<br>nd when leaving work. Wear protective<br>-through and replace at regular<br>ularly. Wash hands and other exposed<br>ting, drinking, and when leaving work |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance, color:                         | No data available                          |
|--|--|
| Odor:                                      | Mild                                       |
| Physical State:                            | No data available                          |
| pH:  | Not applicable                             |
| Vapor Pressure:                            | No data available                          |
| Vapor Density:                             | 1.1 (air = 1)                              |
| Boiling Point (°C):                        | -13.8 °C (HSDB) 64.7 °C at 760 mmHg (HSDB) |
| Melting Point (°C):                        | -98 °C                                     |
| Flash Point (°F):                          | -108                                       |
| Flammability:                              | Highly Flammable Extremely Flammable       |
| Upper Flammable/Explosive Limit, % in air: | 36   |

| Lower Flammable/Explosive Limit, % in air: | 6                            |
|--|------------------------------|
| Autoignition Temperature (°C):             | 464 deg C                    |
| Decomposition Temperature (°C):            | No data available            |
| Specific Gravity:                          | 0.791 - 0.792 g/cm3 at 20 °C |
| Evaporation Rate:                          | No data available            |
| Odor Threshold:                            | No data available            |
| Solubility:                                | Moderate; 50-99%             |
| Partition Coefficient: n-octanol in water: | No data available            |
| VOC % by weight:                           | 100                          |
| Molecular Weight:                          | 32.04                        |

#### **10. STABILITY AND REACTIVITY**

| Stability:                                      |
|---|
| Conditions to Avoid:                            |
| Materials to Avoid / Chemical Incompatiability: |
| Hazardous Decomposition Products:               |

Stable under normal conditions. None known.High temperatures Strong oxidizing agents Carbon dioxide Carbon monoxide

#### **11. TOXICOLOGICAL INFORMATION**

| Routes of Entry:                                | Inhalation, Skin Contact, Eye Contact, Ingestion   |
|---|--|
| Target Organs Potentially Affected By Exposure: | Eyes, Central nervous system stimulation, Skin, GI |
|   | Tract, Respiratory Tract                           |
| Chemical Interactions That Change Toxicity:     | None Known   |

#### Immediate (Acute) Health Effects by Route of Exposure:

| Inhalation Irritation: | Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.   |
|------------------------|---|
| Inhalation Toxicity:   | Harmful! Can cause systemic damage (see "Target Organs)Methanol can cause central nervous system depression and overexposure can cause damage to the optic nerve resulting in visual impairment or blindness. |
| Skin Contact:          | Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.  |
| Eye Contact:           | Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.  |
| Ingestion Irritation:  | Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Highly toxic and may be fatal if swallowed.  |
| Ingestion Toxicity:    | Toxic if swallowed. May cause target organ failure and/or death.May be fatal if swallowed.  |

#### Long-Term (Chronic) Health Effects:

| Carcinogenicity:                         | Contains a probable or known human carcinogen.  |
|--|---|
| Reproductive and Developmental Toxicity: | Contains a known human reproductive and/or developmental hazard.  |
| Inhalation:                              | Upon prolonged and/or repeated exposure, can cause<br>severe respiratory irritation, dizziness, weakness, fatigue,<br>nausea, headache and possible unconsciousness. Toxic!<br>Can cause systemic damage upon prolonged and/or<br>repeated exposure (see "Target Organs). Harmful! Can<br>cause systemic damage upon prolonged and/or repeated<br>exposure (see "Target Organs) |
| Skin Contact:                            | Upon prolonged or repeated contact, can cause<br>moderate skin irritation, defatting, and dermatitis. Not<br>likely to cause permanent damage.  |
| Skin Absorption:                         | Upon prolonged or repeated exposure, no hazard in normal industrial use.  |
| Ingestion:                               | Toxic if swallowed. May cause target organ failure and/or death.  |
|  |   |

## Component Toxicological Data: NIOSH:

| Chemical Name     | CAS No. | LD50/LC50                                   |
|-------------------|---------|---|
| Vinyl chloride    | 75-01-4 | Inhalation LC50 Rat : 18 pph/15M; Oral LD50 |
| Ethylene, chloro- |         | Rat : 500 mg/kg                             |
| Methanol          | 67-56-1 | Inhalation LC50 Rat 22500 ppm 8 h           |

# Component Carcinogenic Data: OSHA:

| Chemical Name<br>Vinyl chloride   | <b>CAS No.</b><br>75-01-4   | Present  |  |  |
|---|---|--|--|--|
| ACGIH:<br>Chemical Name<br>Vinyl chloride   | <b>CAS No.</b><br>75-01-4   | A1-confirmed human carcinogen  |  |  |
| NIOSH:<br>Chemical Name<br>Vinyl chloride   | <b>CAS No.</b><br>75-01-4   | potential occupational carcinogen  |  |  |
| NTP:<br>Chemical Name<br>Vinyl chloride   | <b>CAS No.</b><br>75-01-4   | Known Carcinogen   |  |  |
| IARC:<br>Chemical Name<br>Monograph 100F [2012];<br>Monograph 97 [2008];<br>Supplement 7 [1987]; Monograph<br>19 [1979] | <b>CAS No.</b><br>75-01-4   | <b>Group No.</b><br>Group 1  |  |  |
| 12. ECOLOGICAL INFORMATIO   | N   |  |  |  |
| Overview:   |   | Moderate ecological hazard. This product may be dangerous  |  |  |
| Mobility:<br>Persistence:<br>Bioaccumulation:<br>Degradability:<br>Ecological Toxicity Data:                            |   | to plants and/or wildlife.<br>No data<br>No data<br>Biodegrades slowly.<br>No data available   |  |  |
| 13. DISPOSAL CONSIDERATIO   | NS  |  |  |  |
| Waste Description of Spent Pro  | oduct:  | Spent or discarded material is a hazardous waste.Mixing<br>spent or discarded material with other materials may<br>render the mixture hazardous. Perform a hazardous |  |  |
| Disposal Methods:   | waste determination on mixtures.<br>Dispose of by incineration following Federal, State, Local,<br>or Provincial regulations. |  |  |  |
| Waste Disposal of Packaging:  |   | Comply with all Local, State, Federal, and Provincial Environmental Regulations.   |  |  |
| 14. TRANSPORTATION INFORM   | IATION  |  |  |  |
| United States:  |   |  |  |  |
| DOT Proper Shipping Name:   |   | Methanol   |  |  |
| UN Number:<br>Hazard Class:   |   | UN1230<br>3  |  |  |
| Packing Group:  |   | 5<br>II  |  |  |
| International:<br>IATA Proper Shipping Name:<br>UN Number:<br>Hazard Class:<br>Packing Group:                           |   | Methanol<br>UN1230<br>3(6.1)<br>II   |  |  |
|   |   |  |  |  |
| Marine Pollutant: No  |   |  |  |  |
| Chemical Name   | CAS#  | Marine Pollutant Severe Marine<br>Pollutant  |  |  |
| No data available   |   |  |  |  |
| 15. REGULATORY INFORMATIO   | ON  |  |  |  |
| United States:  |   |  |  |  |
| Chemical Name CAS#  | CERC  | LA SARA 313 SARA EHS TSCA<br>313   |  |  |

| Methanol       | 67-56-1 | Х | Х | - | Х |
|----------------|---------|---|---|---|---|
| Vinyl chloride | 75-01-4 | Х | Х | - | Х |

### The following chemicals are listed on CA Prop 65:

| Chemical Name   | CAS #   | Regulation          |
|-----------------|---------|---------------------|
| Chloroethane    | 75-00-3 | Prop 65 Cancer      |
| Vinyl chloride  | 75-01-4 | Prop 65 Cancer      |
| Methyl bromide  | 74-83-9 | Prop 65 Devolop Tox |
| Methyl chloride | 74-87-3 | Prop 65 Devolop Tox |
| Methanol        | 67-56-1 | Prop 65 Devolop Tox |
| Methyl chloride | 74-87-3 | Prop 65 Rep Male    |

#### State Right To Know Listing:

| Chemical Name         | CAS#    | New Jersey | Massachusetts | Pennsylvania | California |
|-----------------------|---------|------------|---------------|--------------|------------|
| Methanol              | 67-56-1 | X          | Х             | Х            | Х          |
| chloroethane          | 75-00-3 | Х          | Х             | Х            | Х          |
| Vinyl chloride        | 75-01-4 | Х          | Х             | Х            | Х          |
| methyl bromide        | 74-83-9 | Х          | Х             | Х            | Х          |
| chloromethane (methyl | 74-87-3 | X          | Х             | Х            | Х          |
| chloride)             |         |            |               |              |            |

## 16. OTHER INFORMATION

| Prior Version Date:<br>Other Information: | 12/13/18<br>Any changes to the SDS compared to previous versions are marked by a vertical<br>line in front of the concerned paragraph.   |
|---|--|
| References:                               | No data available  |
| Disclaimer:                               | Restek Corporation provides the descriptions, data and information contained<br>herein in good faith but makes no representation as to its comprehensiveness or<br>accuracy. It is provided for your guidance only. Because many factors may affect<br>processing or application/use, Restek Corporation recommends you perform an<br>assessment to determine the suitability of a product for your particular purpose<br>prior to use. No warranties of any kind, either expressed or implied, including<br>fitness for a particular purpose, are made regarding products described, data or<br>information set forth. In no case shall the descriptions, information, or data provided<br>be considered a part of our terms and conditions of sale. Further, the descriptions,<br>data and information furnished hereunder are given gratis. No obligation or liability<br>for the description, data and information given are assumed. All such being given<br>and accepted at your risk. |