



Close this window

SDS

Common Name: DRY BREEZE LINEN

Manufacturer: ITW PRO BRANDS

SDS Revision Date: 11/24/2014

SDS Format: GHS-US

Item Number(s): 20J975, 2DBZ3, 2DCA2

Manufacturer Model Number(s):

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

[1 IDENTIFICATION](#)

[2 HAZARD\(S\) IDENTIFICATION](#)

[3 COMPOSITION/INFORMATION ON INGREDIENTS](#)

[4 FIRST-AID MEASURES](#)

[5 FIRE-FIGHTING MEASURES](#)

[6 ACCIDENTAL RELEASE MEASURES](#)

[7 HANDLING AND STORAGE](#)

[8 EXPOSURE CONTROLS/PERSONAL PROTECTION](#)

[9 PHYSICAL AND CHEMICAL PROPERTIES](#)

[10 STABILITY AND REACTIVITY](#)

[11 TOXICOLOGICAL INFORMATION](#)

[12 ECOLOGICAL INFORMATION](#)

[13 DISPOSAL CONSIDERATIONS](#)

[14 TRANSPORT INFORMATION](#)

[15 REGULATORY INFORMATION](#)

[16 OTHER INFORMATION](#)

ITW PRO BRANDS

SAFETY DATA SHEET

ACC. TO HCS AND GHS

PRINTING DATE: 11/24/2014

REVIEWED ON: 11/24/2014

1 IDENTIFICATION



PRODUCT IDENTIFIER:

TRADE NAME: DRY BREEZE LINEN

ARTICLE NUMBER: 722

APPLICATION OF THE SUBSTANCE / THE MIXTURE: DRY AIR FRESHENER

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

MANUFACTURER/SUPPLIER:

ITW PRO BRANDS

805 EAST OLD 56 HIGHWAY
OLATHE, KANSAS 66061

PHONE: 1-800-224-4860

EMERGENCY TELEPHONE NUMBER:
INFOTRAC EMERGENCY HOTLINE: 1-800-535-5053

2 HAZARD(S) IDENTIFICATION



CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS 04: GAS CYLINDER

H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

GHS02: FLAME

FLAM. AEROSOL 1:
H222-H229: EXTREMELY FLAMMABLE AEROSOL.
PRESSURIZED CONTAINER: MAY BURST IF HEATED.

GHS07: EXCLAMATION MARK

EYE IRRIT. 2A:
H319: CAUSES SERIOUS EYE IRRITATION.

STOT SE 3:
H336: MAY CAUSE DROWSINESS OR DIZZINESS.

LABEL ELEMENTS:

GHS LABEL ELEMENTS:
THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

HAZARD PICTOGRAMS:
GHS02: FLAME
GHS04: GAS CYLINDER
GHS07: EXCLAMATION MARK

SIGNAL WORD: DANGER

HAZARD-DETERMINING COMPONENTS OF LABELING: ACETONE

HAZARD STATEMENTS:

H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

H222-H229: EXTREMELY FLAMMABLE AEROSOL.
PRESSURIZED CONTAINER: MAY BURST IF HEATED.

H319: CAUSES SERIOUS EYE IRRITATION.

H336: MAY CAUSE DROWSINESS OR DIZZINESS.

PRECAUTIONARY STATEMENTS:

P210: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.

P251:
PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE.

P211: DO NOT SPRAY ON AN OPEN FLAME OR OTHER IGNITION SOURCE.

P261: AVOID BREATHING MIST/VAPOURS/SPRAY.

P280: WEAR PROTECTIVE GLOVES / EYE PROTECTION.

P305+P351+P338:

IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES,
IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P312: CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.

P410+P412:

PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING
50 DEG. C/122 DEG. F.

P501:

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH
LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

ADDITIONAL INFORMATION:

PRESSURIZED CONTAINER: MAY BURST IF HEATED.

HAZARD DESCRIPTION:

WHMIS-SYMBOLS:

A - COMPRESSED GAS

B5 - FLAMMABLE AEROSOL

D2B - TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

CLASSIFICATION SYSTEM:

NFPA RATINGS (SCALE 0 - 4):

HEALTH 1

FIRE 4

REACTIVITY 0

HMIS-RATINGS (SCALE 0 - 4):

HEALTH 1

FIRE 4

REACTIVITY 0

OTHER HAZARDS:

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.

VPVB: NOT APPLICABLE.

3 COMPOSITION/INFORMATION ON INGREDIENTS



CHEMICAL CHARACTERIZATION: MIXTURES

DESCRIPTION:

MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

DANGEROUS COMPONENTS:

67-64-1	ACETONE	FLAM. LIQ. 2, H225 EYE IRRIT. 2A, H319 STOT SE 3, H336	40-60%
72-28-5	ISOBUTANE	FLAM. GAS 1, H220	20-40%
74-98-6	PROPANE	FLAM. GAS 1, H220 PRESS. GAS, H280	5-10%

4 FIRST-AID MEASURES



DESCRIPTION OF FIRST AID MEASURES:

GENERAL INFORMATION: TAKE AFFECTED PERSONS OUT INTO THE FRESH AIR.

AFTER INHALATION:

SUPPLY FRESH AIR; CONSULT DOCTOR IN CASE OF COMPLAINTS.
PROVIDE OXYGEN TREATMENT IF AFFECTED PERSON HAS DIFFICULTY BREATHING.

AFTER SKIN CONTACT:

IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.
IN CASES OF FROSTBITE, RINSE WITH PLENTY OF WATER. DO NOT REMOVE CLOTHING.
IF SKIN IRRITATION CONTINUES, CONSULT A DOCTOR.

AFTER EYE CONTACT:

REMOVE CONTACT LENSES IF WORN.

RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING:

UNLIKELY ROUTE OF EXPOSURE.
DO NOT INDUCE VOMITING; IMMEDIATELY CALL FOR MEDICAL HELP.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

HEADACHE
BREATHING DIFFICULTY
DIZZINESS
COUGHING
FROSTBITE
NAUSEA
IRRITANT TO EYES.
DISORIENTATION

DANGER: NO FURTHER RELEVANT INFORMATION AVAILABLE.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:
IF SWALLOWED, GASTRIC IRRIGATION WITH ADDED, ACTIVATED CARBON.
TREAT FROST-BITTEN AREAS APPROPRIATELY.

5 FIRE-FIGHTING MEASURES



EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING AGENTS:

CO₂, EXTINGUISHING POWDER OR WATER SPRAY. FIGHT LARGER FIRES WITH WATER SPRAY.

FOR SAFETY REASONS UNSUITABLE EXTINGUISHING AGENTS: NONE.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

DANGER OF RECEPTACLES BURSTING BECAUSE OF HIGH VAPOR PRESSURE IF HEATED.
FORMATION OF TOXIC GASES IS POSSIBLE DURING HEATING OR IN CASE OF FIRE.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT:

WEAR SELF-CONTAINED RESPIRATORY PROTECTIVE DEVICE.
WEAR FULLY PROTECTIVE SUIT.

ADDITIONAL INFORMATION:

ELIMINATE ALL IGNITION SOURCES IF SAFE TO DO SO.
LEAKING GAS FIRE: DO NOT EXTINGUISH, UNLESS LEAK CAN BE STOPPED SAFELY.
COOL ENDANGERED RECEPTACLES WITH WATER FOG.

6 ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

USE RESPIRATORY PROTECTIVE DEVICE AGAINST THE EFFECTS OF FUMES/DUST/AEROSOL.

WEAR PROTECTIVE EQUIPMENT. KEEP UNPROTECTED PERSONS AWAY.

ENSURE ADEQUATE VENTILATION. KEEP AWAY FROM IGNITION SOURCES.

ENVIRONMENTAL PRECAUTIONS:

DO NOT ALLOW TO ENTER SEWERS/ SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

ALLOW TO EVAPORATE.

ABSORB LIQUID COMPONENTS WITH LIQUID-BINDING MATERIAL.

PICK UP MECHANICALLY.

ENSURE ADEQUATE VENTILATION.

DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO ITEM 13.

REFERENCE TO OTHER SECTIONS:

SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING.

SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT.

SEE SECTION 13 FOR DISPOSAL INFORMATION.

7 HANDLING AND STORAGE



PRECAUTIONS FOR SAFE HANDLING:

KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.

USE ONLY IN WELL VENTILATED AREAS.

PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES:

KEEP IGNITION SOURCES AWAY - DO NOT SMOKE.

FUMES CAN COMBINE WITH AIR TO FORM AN EXPLOSIVE MIXTURE.

FLAMMABLE GAS-AIR MIXTURES MAY BE FORMED IN EMPTY RECEPTACLES.

DO NOT SPRAY ON A NAKED FLAME OR ANY INCANDESCENT MATERIAL.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES:

OBSERVE OFFICIAL REGULATIONS ON STORING PACKAGINGS WITH PRESSURIZED CONTAINERS.

PROVIDE VENTILATION FOR RECEPTACLES.

AVOID STORAGE NEAR EXTREME HEAT, IGNITION SOURCES OR OPEN FLAME.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY:

STORE AWAY FROM FOODSTUFFS.

STORE AWAY FROM OXIDIZING AGENTS.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS:

STORE IN A COOL PLACE. HEAT WILL INCREASE PRESSURE AND MAY LEAD TO THE RECEPTACLE BURSTING.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION



ADDITIONAL INFORMATION ABOUT DESIGN OF TECHNICAL SYSTEMS:

NO FURTHER DATA; SEE ITEM 7.

CONTROL PARAMETERS:

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

67-64-1 ACETONE:

PEL (USA):

LONG-TERM VALUE: 2400 MG/M3, 1000 PPM

REL (USA):

LONG-TERM VALUE: 590 MG/M3, 250 PPM

TLV (USA):

SHORT-TERM VALUE: (1782) NIC-1187 MG/M3, (750) NIC-500 PPM

LONG-TERM VALUE: (1188) NIC-594 MG/M3, (500) NIC-250 PPM

BEI

EL (CANADA):

SHORT-TERM VALUE: 500 PPM

LONG-TERM VALUE: 250 PPM

EV (CANADA):

SHORT-TERM VALUE: 750 PPM

LONG-TERM VALUE: 500 PPM

LMPE (MEXICO):

SHORT-TERM VALUE: 750 PPM

LONG-TERM VALUE: 500 PPM

A4, IBE

74-98-6 PROPANE:

PEL (USA):

LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

REL (USA):

LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

TLV (USA): REFER TO APPENDIX F

EL (CANADA):

LONG-TERM VALUE: 1000 PPM

EV (CANADA):

LONG-TERM VALUE: 1.000 PPM

LMPE (MEXICO):

LONG-TERM VALUE: 1000 PPM

INGREDIENTS WITH BIOLOGICAL LIMIT VALUES:

67-64-1 ACETONE:

BEI (USA): 50 MG/L

MEDIUM: URINE

TIME: END OF SHIFT

PARAMETER: ACETONE (NONSPECIFIC)

ADDITIONAL INFORMATION:

THE LISTS THAT WERE VALID DURING THE CREATION WERE USED AS BASIS.

EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES:

THE USUAL PRECAUTIONARY MEASURES FOR HANDLING CHEMICALS SHOULD BE FOLLOWED.

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED.

WASH HANDS BEFORE BREAKS AND AT THE END OF WORK.

DO NOT INHALE GASES / FUMES / AEROSOLS.

AVOID CONTACT WITH THE EYES AND SKIN.

BREATHING EQUIPMENT:

NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.

FOR SPILLS, RESPIRATORY PROTECTION MAY BE ADVISABLE.

USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION.

PROTECTION OF HANDS: PROTECTIVE GLOVES

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/THE SUBSTANCE/THE PREPARATION. SELECTION OF THE GLOVE MATERIAL ON CONSIDERATION OF THE PENETRATION TIMES, RATES OF DIFFUSION AND THE DEGRADATION

MATERIAL OF GLOVES:

THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CAN NOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL:

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

EYE PROTECTION: SAFETY GLASSES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

LIMITATION AND SUPERVISION OF EXPOSURE INTO THE ENVIRONMENT:
NO FURTHER RELEVANT INFORMATION AVAILABLE.

9 PHYSICAL AND CHEMICAL PROPERTIES



INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

GENERAL INFORMATION:

APPEARANCE:

FORM: AEROSOL

COLOR: CLEAR TO STRAW COLOR.

ODOR: PLEASANT

ODOR THRESHOLD: NOT DETERMINED.

PH-VALUE: NOT DETERMINED.

CHANGE IN CONDITION:

MELTING POINT/MELTING RANGE: UNDETERMINED.

BOILING POINT/BOILING RANGE: 56 DEG. C (133 DEG. F) (LIQUID COMPONENT)

FLASH POINT: <-17 DEG. C (<1 DEG. F)

FLAMMABILITY (SOLID, GASEOUS): EXTREMELY FLAMMABLE AEROSOL.

AUTO-IGNITION TEMPERATURE: NOT DETERMINED.

DECOMPOSITION TEMPERATURE: NOT DETERMINED.

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING.

DANGER OF EXPLOSION: NOT DETERMINED.

EXPLOSION LIMITS:

LOWER: NOT DETERMINED.

UPPER: NOT DETERMINED.

VAPOR PRESSURE AT 21 DEG. C (70 DEG. F): 95 PSIG
DENSITY AT 20 DEG. C (68 DEG. F): 0.79 G/CM3 (6.593 LBS/GAL)
RELATIVE DENSITY: NOT DETERMINED.
VAPOUR DENSITY: >1 (AIR=1)
EVAPORATION RATE: NOT APPLICABLE.
SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE.
PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED.
VISCOSITY:
DYNAMIC: NOT DETERMINED.
KINEMATIC: NOT DETERMINED.
SOLVENT CONTENT:
VOC CONTENT: 29.93%
OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE.

10 STABILITY AND REACTIVITY



REACTIVITY:

CHEMICAL STABILITY:

THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED:
NO DECOMPOSITION IF USED AND STORED ACCORDING TO SPECIFICATIONS.
DANGER OF RECEPTACLES BURSTING BECAUSE OF HIGH VAPOR PRESSURE IF HEATED.

POSSIBILITY OF HAZARDOUS REACTIONS:
CAN FORM EXPLOSIVE MIXTURES IN AIR IF HEATED ABOVE FLASH POINT AND/OR
WHEN SPRAYED OR ATOMIZED.

REACTS VIOLENTLY WITH OXIDIZING AGENTS.

EXTREMELY FLAMMABLE AEROSOL.

DANGER OF RECEPTACLES BURSTING BECAUSE OF HIGH VAPOR PRESSURE IF HEATED.

CONDITIONS TO AVOID:
KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.
EXCESSIVE HEAT AND CONTACT WITH OXIDIZERS.
KEEP IGNITION SOURCES AWAY - DO NOT SMOKE.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS:
CARBON MONOXIDE AND CARBON DIOXIDE
HYDROCARBONS

11 TOXICOLOGICAL INFORMATION



INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

67-64-1 ACETONE:

ORAL:

LD50: 5800 MG/KG (RAT)

DERMAL:

LD50: 20000 MG/KG (RABBIT)

PRIMARY IRRITANT EFFECT:

ON THE SKIN: SLIGHT IRRITANT EFFECT ON SKIN AND MUCOUS MEMBRANES.

ON THE EYE: IRRITATING EFFECT.

SENSITIZATION: NO SENSITIZING EFFECTS KNOWN.

OTHER INFORMATION (ABOUT EXPERIMENTAL TOXICOLOGY):

INGESTION IS CONSIDERED UNLIKELY.

VAPORS HAVE NARCOTIC EFFECT.

ADDITIONAL TOXICOLOGICAL INFORMATION:

THE PRODUCT SHOWS THE FOLLOWING DANGERS ACCORDING TO INTERNALLY APPROVED CALCULATION METHODS FOR PREPARATIONS:

IRRITANT

INHALATION OF CONCENTRATED VAPORS AS WELL AS ORAL INTAKE WILL LEAD TO ANAESTHESIA-LIKE CONDITIONS AND HEADACHE, DIZZINESS, ETC.

CARCINOGENIC CATEGORIES:

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED.

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION):

NONE OF THE INGREDIENTS IS LISTED.

REPEATED DOSE TOXICITY:

REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.

12 ECOLOGICAL INFORMATION



TOXICITY:

AQUATIC TOXICITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

PERSISTENCE AND DEGRADABILITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ADDITIONAL ECOLOGICAL INFORMATION:

GENERAL NOTES:

AVOID TRANSFER INTO THE ENVIRONMENT.

DO NOT ALLOW UNDILUTED PRODUCT OR LARGE QUANTITIES OF IT TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM.

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.

VPVB: NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

13 DISPOSAL CONSIDERATIONS



WASTE TREATMENT METHODS:

RECOMMENDATION:

MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW

PRODUCT TO REACH SEWAGE SYSTEM. CONTACT WASTE PROCESSORS FOR RECYCLING INFORMATION.

THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES. RESIDUAL MATERIALS SHOULD BE TREATED AS HAZARDOUS.

WASTE DISPOSAL KEY:
EPA RCRA CODE (USA): D001.

UNCLEANED PACKAGINGS:
RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

14 TRANSPORT INFORMATION



UN-NUMBER:

DOT, ADR, IMDG, IATA: UN1950

UN PROPER SHIPPING NAME:
| LIMITED QUANTITY FOR PACKAGES LESS THAN 30 KG (66 LB) AND INNER
| PACKAGINGS LESS THAN 1 L (0.3 GAL).

DOT: AEROSOLS, FLAMMABLE

ADR: 1950 AEROSOLS, FLAMMABLE

IMDG: AEROSOLS

IATA: AEROSOLS, FLAMMABLE

TRANSPORT HAZARD CLASS(ES):

DOT: CLASS 2.1, FLAMMABLE GASES

CLASS: 2.1

LABEL: 2.1

ADR: CLASS 2.1, FLAMMABLE GASES

CLASS: 2 5F GASES

LABEL: 2.1

IMDG: CLASS 2.1 - FLAMMABLE GASES

CLASS: 2 GASES

LABEL: 2.1

IATA: CLASS 2.1, FLAMMABLE GASES

CLASS: 2.1

LABEL: 2.1

PACKING GROUP:

DOT, ADR, IMDG, IATA: NOT REGULATED

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: NO

SPECIAL PRECAUTIONS FOR USER:

WARNING: GASES

DANGER CODE (KEMLER):

EMS NUMBER: F-D, S-U

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:
NOT APPLICABLE.

TRANSPORT/ADDITIONAL INFORMATION:

DOT:

QUANTITY LIMITATIONS:

ON PASSENGER AIRCRAFT/RAIL: 75 KG

ON CARGO AIRCRAFT ONLY: 150 KG

ADR:

EXCEPTED QUANTITIES (EQ):

CODE: E0

NOT PERMITTED AS EXCEPTED QUANTITY

IMDG:

LIMITED QUANTITIES (LQ): 1000 ML

EXCEPTED QUANTITIES (EQ):

CODE: E0

NOT PERMITTED AS EXCEPTED QUANTITY

UN "MODEL REGULATION": UN1950, AEROSOLS, 2.1

15 REGULATORY INFORMATION



SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR
THE SUBSTANCE OR MIXTURE:

SARA:

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES):

NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS):

NONE OF THE INGREDIENTS ARE LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): ALL INGREDIENTS ARE LISTED.

PROPOSITION 65 (CALIFORNIA):

CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:

NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES:

NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:

NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY):

67-64-1 ACETONE

I

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER):

NONE OF THE INGREDIENTS IS LISTED.

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH):

67-64-1 ACETONE A4

NIOSH-CA (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH):
NONE OF THE INGREDIENTS IS LISTED.

STATE RIGHT TO KNOW LISTINGS: SOME INGREDIENTS LISTED.

CANADIAN SUBSTANCE LISTINGS:

CANADIAN DOMESTIC SUBSTANCES LIST (DSL): ALL INGREDIENTS ARE LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 0.1%):
NONE OF THE INGREDIENTS IS LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 1%):

67-64-1 ACETONE

OTHER REGULATIONS, LIMITATIONS AND PROHIBITIVE REGULATIONS:
THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH HAZARD CRITERIA OF THE
CONTROLLED PRODUCTS REGULATIONS AND THE SDS CONTAINS ALL THE INFORMATION
REQUIRED BY THE CONTROLLED PRODUCTS REGULATIONS.

CHEMICAL SAFETY ASSESSMENT:
A CHEMICAL SAFETY ASSESSMENT HAS NOT BEEN CARRIED OUT.

16 OTHER INFORMATION



THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL
NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT
ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.

DATE OF PREPARATION / LAST REVISION: 11/24/2014

ABBREVIATIONS AND ACRONYMS:

ADR:
ACCORD EUROPEEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE
(EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS
GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

WHMIS: WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (CANADA)

VOC: VOLATILE ORGANIC COMPOUNDS (USA, EU)

LC50: LETHAL CONCENTRATION, 50 PERCENT

LD50: LETHAL DOSE, 50 PERCENT

FLAM. GAS 1: FLAMMABLE GASES, HAZARD CATEGORY 1

FLAM. AEROSOL 1: FLAMMABLE AEROSOLS, HAZARD CATEGORY 1

PRESS. GAS:
GASES UNDER PRESSURE: COMPRESSED GAS

FLAM. LIQ. 2: FLAMMABLE LIQUIDS, HAZARD CATEGORY 2

EYE IRRIT. 2A: SERIOUS EYE DAMAGE/EYE IRRITATION, HAZARD CATEGORY 2A

STOT SE 3:
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE, HAZARD CATEGORY 3

SOURCES:

SDS PREPARED BY:
CHEMTEL INC.
1305 NORTH FLORIDA AVENUE
TAMPA, FLORIDA 33602-2902
USA

TOLL FREE NORTH AMERICA: 1-888-255-3924

INTL.: +01 813-248-0573

WEBSITE: WWW.CHEMTELINE.COM