



Page 1/9

Revision: September 22, 2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: <u>Super Lube® Silicone Dielectric Grease</u>

· Article number: No other identifiers

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Lubricant

• 1.3 Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:

Synco Chemical Corporation 24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716 Telephone: 631-567-5300 Email: info@super-lube.com

· 1.4 Emergency telephone number:

ChemTel

1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EU) No 2015/830

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

• Additional information:

0 percent of the mixture consists of component(s) of unknown toxicity

There are no other hazards not otherwise classified that have been identified.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation.

Hazard pictograms Not Regulated

· Signal word Not Regulated

(Contd. on page 2)

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease	
	(Contd. of page 1)
 Hazard-determining components of labelling: None. 	
· Hazard statements Not Regulated	
• Precautionary statements Not Regulated	
· Hazard description:	
· WHMIS-symbols: Not hazardous under WHMIS.	
· NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 1 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0	
· HMIS Long Term Health Hazard Substances	
None of the ingredients are listed.	
· 2.3 Other hazards · Results of PBT and vPvB assessment	
· PBT: Not applicable.	
vPvB: Not applicable.	
	,

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: None in reportable quantities.

Additional information:

For the wording of the listed risk phrases refer to section 16.

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet according to (EU) 2015 / 830 and OSHA GHS

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease

Seek medical treatment in case of complaints.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· Hazards No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Carbon dioxide, dry chemical, foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Store away from oxidising agents.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

Revision: September 22, 2020

	er Lube® Silicone Dielectric Grease
	(Contd. of page
7.2 Condition	s for safe storage, including any incompatibilities
Storage:	
	s to be met by storerooms and receptacles:
	near extreme heat, ignition sources or open flame. bout storage in one common storage facility:
	bogether with oxidising and acidic materials.
	nation about storage conditions: None.
	nd use(s) No further relevant information available.
SECTION 8	: Exposure controls/personal protection
Additional inf	ormation about design of technical facilities: No further data; see item 7.
8.1 Control p	arameters
Ingredients w	ith limit values that require monitoring at the workplace:
	loes not contain any relevant quantities of materials with critical values that have to
monitored at t	
	ther relevant information available.
	ther relevant information available. formation: The lists valid during the making were used as basis.
8.2 Exposure	
	tective equipment:
	ective and hygienic measures:
-	cautionary measures are to be adhered to when handling chemicals.
	with the eyes and skin.
Respiratory p	rotection: Not required under normal conditions of use.
Protection of	
Protection of Gloves not rec Wear protectiv	hands: uired under normal conditions of use. re gloves to handle contents of damaged or leaking units.
Protection of Gloves not rec Wear protectiv The glove mat	hands: uired under normal conditions of use. re gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation.
Protection of Gloves not rec Wear protectiv The glove mat Selection of t	hands: uired under normal conditions of use. re gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation.
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation.	hands: puired under normal conditions of use. The gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material on consideration of the penetration times, rates of diffusion and t
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl	hands: puired under normal conditions of use. The gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material on consideration of the penetration times, rates of diffusion and the oves
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection	hands: puired under normal conditions of use. The gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material on consideration of the penetration times, rates of diffusion and to oves of the suitable gloves does not only depend on the material, but also on further marks
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th	hands: puired under normal conditions of use. re gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and the oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seven the resistance of the glove material can not be calculated in advance and has therefore to
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th checked prior	hands: we gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and the oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seven the resistance of the glove material can not be calculated in advance and has therefore to to the application.
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th checked prior Penetration t	hands: we gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and t oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seve the resistance of the glove material can not be calculated in advance and has therefore to to the application. me of glove material
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th checked prior Penetration t The exact bre	hands: we gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and t oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seve the resistance of the glove material can not be calculated in advance and has therefore to to the application. me of glove material
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th checked prior Penetration t The exact bre be observed.	hands: uired under normal conditions of use. re gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. he glove material on consideration of the penetration times, rates of diffusion and t oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seve he resistance of the glove material can not be calculated in advance and has therefore to to the application. Ime of glove material ak through time has to be found out by the manufacturer of the protective gloves and has
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th checked prior Penetration t The exact bre	hands: uired under normal conditions of use. re gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. he glove material on consideration of the penetration times, rates of diffusion and t oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seve he resistance of the glove material can not be calculated in advance and has therefore to to the application. Ime of glove material ak through time has to be found out by the manufacturer of the protective gloves and has
Protection of Gloves not red Wear protectiv The glove mat Selection of t degradation. Material of gl The selection quality and v substances, th checked prior Penetration t The exact bre be observed. Eye protection	hands: uired under normal conditions of use. re gloves to handle contents of damaged or leaking units. erial has to be impermeable and resistant to the product/ the substance/ the preparation. he glove material on consideration of the penetration times, rates of diffusion and t oves of the suitable gloves does not only depend on the material, but also on further marks aries from manufacturer to manufacturer. As the product is a preparation of seve he resistance of the glove material can not be calculated in advance and has therefore to to the application. Ime of glove material ak through time has to be found out by the manufacturer of the protective gloves and has

(Contd. on page 5)

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease

· Body protection: Not required under normal conditions of use.

· Limitation and supervision of exposure into the environment No special requirements.

· Risk management measures No special requirements.

SECTION 9: Physical and ch	emical properties	
9.1 Information on basic physical a	and chemical properties	
· General Information		
· Appearance: Form:	Semi-solid	
Colour:	Translucent	
· Odour:	Mild	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition	Not Determined.	
Melting point/Melting range: Boiling point/Boiling range:		
	Undetermined.	
Flash point:	>300 °C (>572 °F) TCC	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
[.] Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
[.] Density at 20 °C (68 °F):	0,96 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
 Solvent content: VOC (California) 	<1%	
Viscosity:		
Dynamic:	Not determined.	(Contd. on page
Kinematic:	Not determined.	

(Contd. of page 4)

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease

• 9.2 Other information

No further relevant information available.

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information

available.

• 10.5 Incompatible materials: Strong oxidising agents

• **10.6 Hazardous decomposition products:** Dimethylcylosiloxanes, Formaldehyde

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect:

• on the skin: No irritant effect.

· on the eye: No irritating effect.

• Sensitisation: No sensitising effects known.

• Subacute to chronic toxicity: No further relevant information available.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

May cause acne.

• Repeated dose toxicity: No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): See Section 15.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to (EU) 2015 / 830 and OSHA GHS

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease

Avoid transfer into the environment.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
• 14.2 UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
 14.3 Transport hazard class(es) 		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Not Regulated	
 14.4 Packing group 		
DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:	N1 -	
Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Annex 	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

(Contd. on page 8)

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease

(Contd. of page 7)

 15.1 Safety, health and environmental regulations/legislation speci United States (USA) SARA 	fic for the substance or mixtur
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients are listed.	
 TLV (Threshold Limit Value established by ACGIH) 	
None of the ingredients are listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
[.] Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients are listed.	

and the SDS contains all the information required by the Controlled Products Regulations.

(Contd. of page 8)

Safety Data Sheet according to (EU) 2015 / 830 and OSHA GHS

Revision: September 22, 2020

Trade name: Super Lube® Silicone Dielectric Grease

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Sources SDS created by Environmental Protection Department