| Chlorosorb[®] Medi Safety Data Sheet | a communication revised in 2012 (HazCom 2012) | purafil |
|--|---|----------------------------|
| | f the substance or mixture and of the supplier | |
| 1.1. Product identifier | | |
| Trade name | : Chlorosorb [®] Media | |
| Product code | : PUR-025 | |
| 1.2. Relevant identified uses | of the substance or mixture and uses advised against | |
| Recommended use | : Dry granular medium for use in gas-phase air filtration | |
| Restrictions of use | Only use for the intended purpose. The product is not intended to remove dangerous particula The product is not intended to purify water. | ates or biological agents. |
| 1.3. Details of the supplier of | | |
| Manufacturer | : Purafil, Inc. 2654 Weaver Way Doraville, Georgia 30340 USA Tel: +1-770-662-8545, +1-800-222-6367 (toll-free within th Fax: +1-770-263-6922 www.purafil.com | ne USA & Canada) |
| 1.4. Emergency telephone nu | | |
| CHEMTREC | For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 CCN723586 Outside USA and Canada: +1-703-741-5970 (collect calls) | accepted) |
| Purafil, Inc. | : +1-770-662-8545, +1-800-222-6367 (toll-free within the US | SA and Canada) |
| SECTION 2: Hazards identif | ication | |
| 2.1. Classification of the subs GHS-US classification Not classified | | |
| 2.2. Label elements | | |
| GHS-US labeling No labeling applicable | | |
| 2.3. Other hazards May cause respiratory irritation. | | |

May cause respiratory irritation. Special danger of slipping on spilled product. The components in this mixture do not meet the criteria for classification as PBT or vPvB.

2.4. Unknown acute toxicity (GHS-US)

No data available.

| SECTION 3: Composition/information on ingredients | | | |
|---|--------------------|---------|-----------------------|
| Name | Product identifier | % | GHS-US classification |
| Aluminum oxide (Al ₂ O ₃) | (CAS No) 1344-28-1 | 80 - 95 | Not classified |
| Sodium thiosulfate (Na ₂ S ₂ O ₃ ·5H ₂ O) | (CAS No) 7772-98-7 | 2 - 9 | Not classified |

| SECTION 4: First aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| General information | : First aider: Pay attention to self-protection! |
| After inhalation | : Provide fresh air. In case of respiratory tract irritation, consult a physician. |
| After contact with skin | : After contact with skin, wash with water and soap. Change contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| After contact with eyes | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist. |
| After ingestion | : If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately. |
| | |

Safety Data Sheet according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)



| 4.2. | Most important symptoms and effects, | , both acute and delayed |
|------------|---|---|
| | | Following inhalation: Coughing, asthmatic complaints. Repeated and prolonged contact may aggravate asthma and dermatitis. |
| | : | After skin contact: Irritation and reddening. Skin rashes. |
| | : | Following eye contact: Irritation and reddening. Causes serious eye irritation. |
| | : | After ingestion: May cause irritation of the gastrointestinal mucosa, abdominal pain, vomiting |
| | | and diarrhea. |
| 4.3. | Indication of any immediate medical at | ttention and special treatment needed Treat symptomatically. |
| | | noa symptomatoany. |
| SECTI | ON 5: Firefighting measures | |
| 5.1. | Extinguishing media | |
| Suitable | extinguishing media : | If involved in a fire, flood with plenty of water. Coordinate firefighting measures to the fire surroundings. |
| Unsuitab | le extinguishing media : | None known. |
| 5.2. | Special hazards arising from the subst | |
| | : | This material does not contribute fuel when attacked by flame and emits only negligible amounts of smoke). |
| 5.3. | Advice for firefighters | |
| | : | Wear NIOSH approved self-contained breathing apparatus and chemical protective clothing. |
| 5.4. | Additional information | Suppress gases/vapors/mists with water spray jet. |
| | | Contaminated firefighting water must be collected separately. Do not allow to enter into surface |
| | | water or drains. |
| SECTI | ON 6: Accidental release measu | res |
| 6.1. | Personal precautions, protective equip | |
| | : | Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. |
| 6.2. | Environmental precautions | |
| | : | None known. |
| 6.3. | Methods and material for containment | and cleaning up |
| | : | Pick up dry. Take up mechanically. Avoid generation of dust. Treat the recovered material as |
| | | prescribed in section 13 on waste disposal. |
| 6.4. | Reference to other sections | Protection measures in accordance with section 8. |
| | | Disposal in accordance with section 13. |
| SECTI | ON 7: Handling and storage | |
| 7.1. | Precautions for safe handling | |
| Advice of | n safe handling : | Avoid generation of dust. Use air conveying (vacuum) for bulk removal. If manual handling is |
| | | used for transfer (from vessel, slingbags, boxes, or pails), use mechanical ventilation or other measures to remove airborne dust. |
| | | |
| 7.2. | Conditions for safe storage, including nents for storage rooms and vessels | any incompatibilities Store only in original container. Keep container tightly closed in a cool, well-ventilated place. |
| Requirem | 5 | Protect from water and exposure to contaminated air (gaseous, particulate, and aerosol contaminated), otherwise the product may be rendered useless. |
| Eurther :- | formation on atorogo conditions | Performanded performanterials: |
| runner II | nformation on storage conditions : | Recommended packaging materials: - Corrugated double wall boxes with plastic liners. |
| | | - Injection molded polystyrene pails and lids including a neoprene seal. |
| 7.3. | Specific end use(s) | |
| | : | Dry granular medium for use in gas-phase air filtration. |

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)



SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** Aluminum oxide (1344-28-1) 15 mg/m³ (total dust) OSHA OSHA PEL (TWA) (mg/m3) 5 mg/m³ (respirable fraction) 8.2. **Exposure controls** Appropriate engineering controls If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid breathing dust. Protective and hygiene measures Remove contaminated, saturated clothing immediately. After work, wash hands and face. : When using, do not eat or drink. Eye and face protection : Tightly fitting safety glasses with side shields. Hand protection Protect skin by using skin protective cream. : Wear suitable gloves. : Suitable material: NR (natural rubber (India rubber, caoutchouc), natural latex). Thickness of glove material: >= 0.1 mm Penetration time (maximum wearing period): >480 Min. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Skin protection : Full cover clothing covering arms and legs. Respiratory protection : Dust mask: NIOSH N95; identification color: white. Observe the wear time limits. **SECTION 9: Physical and chemical properties**

| 9.1. Information on basic physical a | | |
|---|--|---|
| Physical state (appearance) | : Solid, roughly spherical pellets or granules, 1/16 | 5 - ¼" (1.6 – 6.4 mm) in diameter |
| Color | : White | |
| Odor | : No specific odor | |
| Odor threshold | : No data available | |
| рН | : No data available | |
| Changes in the physical state | | |
| Melting point/freezing point | : No data available | |
| Initial boiling point and boiling range | : No data available | |
| Flash point | : No data available | |
| Evaporation rate | : No data available | |
| Flammability | | |
| Solid | : Not flammable under normal use conditions | |
| Upper/lower flammability | : No data available | |
| Explosive properties | | |
| Lower explosion limit | : No danger of explosion under normal conditions | , high concentrations of carbon dust in the air |
| Upper explosion limit | can form an explosive dust/air mixture. | |
| Ignition temperature | : No data available | |
| Auto-ignition temperature | | |
| Solid | : No data available | |
| Decomposition temperature | : No data available | |
| Vapor pressure | : No data available | |
| Vapor density | : No data available | |
| Relative density | : ca. 50 lb/ft ³ , 0.8000 g/cc, 800 kg/m ³ | |
| Water Solubility | : Partially soluble | |
| Solubility in other solvents | : No data available | |
| Soluble in | : Insoluble | |
| Partition coefficient | | |
| n-octanol/water | : No data available | |
| Viscosity, dynamic | : No data available | |
| Viscosity, kinematic | : No data available | |
| Revision No: 1.01 | SDS ID: PUR-025 | Revision Date June 1, 2015 |
| Page 3 of 6 | US - EN (English) | Replaces Version 1.00 from 05/28/2015 |

Safety Data Sheet according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

purafil

| 9.2. | Other information | |
|--------------------|--|---|
| | | : No data available. |
| | ON 10: Stability and reactivity | |
| 10.1. | Reactivity | : No dangerous reactivity under normal conditions. |
| 10.2. | Chemical stability | : The product is stable under normal conditions. |
| 10.3. | Possibility of hazardous reactions | : Fire may occur in contact with strong oxidizing agents. |
| 10.4. | Conditions to avoid | : Liquid water, moisture. Heat sources, open flames and other ignition sources. |
| 10.5. | Incompatible materials | : Strong oxidizing agents. |
| 10.6. | Hazardous decomposition products | : Carbon monoxide may be generated during combustion of this material. |
| SECT | ION 11: Toxicological information | on |
| 11.1. | Information on toxicological effects | |
| | num oxide (1344-28-1) | |
| LD ₅₀ o | ral rat | > 5,000 mg/kg |
| Acute to | xicity | : Based on available data, the classification criteria are not met. |
| Irritation | and corrosivity | : Based on available data, the classification criteria are not met. |
| Sensitiz | ing effects | : Based on available data, the classification criteria are not met. |
| STOT-s | ingle exposure | : Based on available data, the classification criteria are not met. |
| Severe | effects after repeated or prolonged exposu | : Based on available data, the classification criteria are not met. |
| Carcino | genic/mutagenic/toxic effects for reproduc | tion : Based on available data, the classification criteria are not met. |
| Aspirati | on hazard | : Based on available data, the classification criteria are not met. |
| SECT | ION 12: Ecological information | |
| 12.1. | Toxicity | · No data available |
| Algae to | | No data available. No data available. |
| - | - | |
| 12.2. | Persistence and degradability | : No data available. |
| 12.3. | Bioaccumulative potential | : No data available. |
| 12.4. | Mobility in soil | : No data available. |
| 12.5. | Results of PBT and vPvB assessmen | t : The components in this mixture do not meet the criteria for classification as PBT or vPvB. |
| 12.6. | Other adverse effects | · No data available |

: No data available.

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)



| SECTION 13: Disposal consideratio | ns |
|--|---|
| 13.1. Waste treatment methods | |
| Advice on disposal | : Waste disposal should be in accordance with existing federal, state, and local environmental control regulations. Spent media that has removed toxic chemicals should be examined for specific hazards. Spilled product may be recovered for use if it has not come in contact with liquids or been exposed to significant amounts of gaseous contaminants. |
| Disposal of residues/unused products | : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant. Avoid release to the environment. |
| Disposal of packaging | : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant. Avoid release to the environment. |
| SECTION 14: Transport information | |
| 14.1. Land transport (DOT) | |
| UN number | : None on finished product. |
| UN proper shipping name | : Not regulated. |
| Transport hazard classes | None on finished product. |
| Packing group | : None on finished product. |

| Marine pollutant | : No |
|---|--|
| 14.2. Water transport (IMDG / IMO) UN number UN proper shipping name Transport hazard classes Packing group Marine pollutant | None on finished product. Not regulated. None on finished product. None on finished product. None on finished product. No |
| 14.3.Air transport (IATA / ICAO)UN numberUN proper shipping nameTransport hazard classesPacking groupMarine pollutant | None on finished product. Not regulated. None on finished product. None on finished product. No |
| 14.4. Environmental hazards Environmentally hazardous | : No |
| 14.5. Special precautions for user | : No special precautions known. |

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| Aluminum oxide (1344-28-1) | |
|--|-----------------------|
| Listed on United States SARA Section 313 | |
| SARA Section 313 - Emission Reporting | 1.0 % (fibrous forms) |
| | |
| 15.2 International regulations | |

| ι.Δ | ٩D | 4 |
|-----|----|---|
| | | ~ |

| CANADA | | |
|--|--|--|
| Aluminum oxide (1344-28-1) | | |
| Listed on the Canadian DSL (Domestic Sustances List) | | |
| WHMIS Classification Uncontrolled product according to WHMIS classification criteria | | |
| | | |
| Sodium thiosulfate (7772-98-7) | | |
| Listed on the Canadian DSL (Domestic Sustances List) | | |
| WHMIS Classification Uncontrolled product according to WHMIS classification criteria | | |

Safety Data Sheet

according to the federal final rule of hazard communication revised in 2012 (HazCom 2012)

purafil

EU-Regulations

Aluminum oxide (1344-28-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium thiosulfate (7772-98-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.2.2. National regulations

Aluminum oxide (1344-28-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Sodium thiosulfate (7772-98-7) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIOC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm.

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

- ATE: acute toxicity estimate
- CAS: Chemical Abstracts Service
- CLP: Classification, Labeling, Packaging
- DOT: United States Department of Transportation
- DNEL: Derived No Effect Level

EC₅₀: median effective concentration for immobilization

 ErC_{50} : effective concentration of a substance that causes 50% reduction in growth rate

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

IMO: International Maritime Organization

 LC_{50} : Lethal concentration, 50% of test population

OECD: Organization for Economic Co-operation and Development

 $\textbf{LD}_{50}\text{:}$ Lethal dose, 50% of test population

PNEC: Predicted No Effect Concentration

STOT: Specific Target Organ Toxicity

TLV: Threshold Limiting Value

TWA-TLV: Threshold Limit Value for the Time Weighted Average 8 hour day (ACGIH Standard)

Full text of H-statements:

| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
|---------------------|-----------------------------------|
| Ox. Sol. 2 | Oxidising Solids, Category 2 |
| H272 | May intensify fire; oxidiser |
| H302 | Harmful if swallowed |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.