

SAFETY DATA SHEET

1. Product and Company Identification

Marine Hand Held Orange Smoke Signal (HHOS)

Identified Use: Emergency signal Use Advised Against: Do not use indoors or inside of a vehicle.

Manufacturers Information: Orion Safety Products

3157 N 500 W EMERGENCY CHEMTREC
Peru, Indiana 46970 RESPONSE 1-800-424-9300
US 1-800-851-5260 1-703-527-3887
Int'l (11) 1-765-472-4375

2. Hazards Identification

GHS Classifications

Explosive Category 1.4 H204
Skin Irritation Category 2 H315
Eye Irritation Category 2A H319
Skin Sensitization Category 1 H317
STOT-Repeated Exposure Category 1 H372

GHS Label Elements

Pictograms

Hazard Statements

H204

H315

Causes skin irritation

H319

Causes serious eye irritation

H317

May cause an allergic skin reaction

H319
H317
Causes skill illiation
Causes serious eye irritation
May cause an allergic skin reaction
Causes damage to lungs through
prolonged or repeated exposure

			prolonged of repeated exposure
Sig	nal Word Danger		
Precaut	tionary Statements	P370	In case of fire: use water deluge.
P102	Keep out of reach of children.	P301/315	IF SWALLOWED: Get immediate medical advice /attention.
P103	Read carefully and follow all instructions.	P302/352	IF ON SKIN: Wash with plenty of soap and water.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking	P304/340/342	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a
P232	Protect from moisture		POISON CENTER or doctor/physician.
P261	Avoid breathing dust/fumes.	P305/338/351	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P264	Wash hands thoroughly after handling.		contact lenses, if present and easy to do. Continue rinsing.
P270	Do not eat, drink or smoke when using this product.	P333/313	If skin irritation or rash occurs, get medical advice/attention.
P271	Use only outdoors.	P501	Dispose of contents / container in accordance with local and national
P280	Wear protective eye protection.		Regulations.

Hazards Not Otherwise Classified (HNOC): produces hot flame and copious amount of smoke

3. Composition / Information on Ingredients

<u> </u>	O		
Component	CAS#	EINCS #	Percentage
Solvent Yellow Dye	842-07-9	212-668-2	<40%
Lactose	63-42-3	200-559-2	<40%
Potassium Chlorate	3811-04-9	231-100-4	<25%
Solvent Orange 7 Dye	3118-97-6	221-490-4	<20%
Strontium Carbonate	1633-05-2	216-643-7	<1%
Calcium Carbonate	1317-65-3	215-279-6	<1%
Charcoal	7440-44-0	231-153-3	<1%
Umber	12713-03-0	235-784-5	<1%
Strontium Nitrate	10042-76-9	233-131-9	<1%
Shellac	9000-59-3	232-549-9	<1%
Potassium Nitrate	7757-79-1	231-818-8	<1%
Sawdust (cellulose)	9004-34-6	232-674-9	<1%

Note: Due to Confidential Business Information, "Trade Secrets", the exact percentage of each ingredient has not been disclosed.

CBI information will be shared with appropriate authorities if circumstances warrant.

HHOS March 2019 1



4. First Aid Measures

Description of first aid measures

If contents are inhaled, remove to fresh air. Watch for signs of allergic reaction. If other symptoms develop, Inhalation

get medical aid immediately.

If contents are contacted, wash with area with soap and water for 15 minutes. Remove contaminated clothing Skin

and wash before reuse. Get medical aid if irritation occurs.

If contents get into eyes, flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Eyes

No data available

Remove contact lenses if easily possible. Get medical aid immediately.

Get medical aid immediately. Ingestion

See section 2 labeling and section 11 Most important symptoms and effects both acute and delayed

Indication of any immediate medical attention and special treatment needed

5. Firefighting Measures

Foam and dry chemical extinguishers Extinguishing Media Water deluge Unsuitable Extinguishing Media and suffocation are ineffective.

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated Protective Equipment and in the pressure demand or other positive pressure mode. Prevent further propagation of fire by spraying unburnt **Precautions for Firefighters**

nearby product with water. Combat fire from a sheltered position.

Only use outdoors. Contents / dust may form explosive mixtures. Flame and copious amounts of smoke are ejected Specific Hazards Arising from the Chemical out the open end of the signal when it functions. Do not point signal at any part of the body or flammable material.

Further Information No data available

6. Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures

Do not breathe smoke or contents. Avoid contact with skin and eyes. Wear flame retardant clothing with long sleeves, dust mask, rubber or nitrile gloves, safety goggles, safety shoes when cleaning up contents. Avoid friction on the released product. Keep away from ignition sources. Contains strong dyes which will color all exposed areas.

Environmental Precautions

Prevent dispersion of contents on soil and in water. Prevent contents from spreading or entering into drains, ditches, groundwater or rivers by using appropriate barriers.

Methods for Containment and Clean-up

Use caution when cleaning up spilled contents. Remove heat, flames, sparks and other sources of ignition. Use non-sparking tools and equipment. Prevent buildup of electrostatic charges by grounding. Clean spills in a manner that does not disperse dust into the air. When cleaning up contents, use local and/or general exhaust. Clean up avoiding dust generation and place in a well identified container. Do not absorb in sawdust or other combustible absorbents. Mop up exposed area with bleach to destroy color. Wash away remainder with plenty of water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for Safe Handling

Hold and point signal away from body when igniting. Hold signal downwind when burning. Avoid breathing smoke. Avoid contact with clothing and other combustible materials. Use outdoors only! Do not ignite or burn product inside a vehicle, boat cabin or building. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with skin and eyes. Avoid contact with heat, sparks, and flame. Contains strong dyes which will color all exposed areas. Signals should be allowed to burn to completion. Unburned and partially burned signals should not be allowed to come into contact with surface and ground water.

Conditions for Safe Storage, Including Any Incompatibilities

Store in a dry place away from direct sunlight, heat and incompatible materials. Store away from food and beverages. Store away from flammable materials, sources of heat, flame and sparks. Store at ambient temperature. Do not store partially burned signals in a vehicle, boat, closed container, warehouse, or any other building.

8. Exposure Controls / Personal Protection

Control Parameters

Potassium Nitrate

Sawdust (cellulose)

Exposure Limits OSHA PEL ACGIH TLV Solvent Yellow Dye no information found none Nuisance particulate, 15 mg/m3 of total dust Nuisance particulate 10 mg/m³ of total dust Lactose Potassium Chlorate No Airborne Exposure Limits established No Airborne Exposure Limits established Solvent Orange 7 Dye No information found No information found Strontium Carbonate 15 mg/m³ 10 mg/m³ Calcium Carbonate 15 mg/m³ 10 mg/m³ Charcoal Nuisance dust 15 mg/m³. Nuisance dust 15 mg/m³. Umber 30 mg/m³ No information found Strontium Nitrate Not Established Not Established Shellac 1000 ppm 1000 ppm Nuisance dust 15 mg/m³.

5 mg/m³

HHOS March 2019 2

Nuisance dust 15 mg/m³.

10 mg/m³



Exposure Controls

Use product outdoors only! When cleaning up contents, use local and/or general exhaust. **Engineering Controls**

Eye / Face Protection Safety glasses or goggles

Skin Protection None under normal conditions when using product unless prolonged handling is anticipated. Contains strong dyes

which will color all exposed areas. When cleaning up spilled contents, wear full length impervious protective clothing, including gloves, boots, and a lab coat, apron or coveralls, as appropriate. Wash hands and face before eating,

drinking or using tobaccoproducts

None under normal conditions when using product. A particulate respirator (NIOSH t N95 or better filters) **Respiratory Protection**

may be worn during the cleanup of spilled contents.

Use product outdoors away from combustible products. For cleanup of spilled contents, emergency showers and eye wash stations should be available. Educate and train employees in the safe use and handling of hazardous materials. Maintain good housekeeping and safety practices. Do not let contents accumulate in storage or work areas. Clean

spills up promptly.

9. Physical and Chemical Properties

General Hygiene

Appearance (color, physical form, shape):

Melting Point: Solubility: No data available No data available No data available pH: **Boiling Point / Range:** Not applicable Freezing Point: Not applicable **Evaporation Rate:** Not applicable Vapor Pressure: Not applicable Specific Gravity: Not applicable Vapor Density: Not applicable Odor: No data available Odor Threshold: No data available Flash Point: No data available Flammability Limits: Flammability: No data available No data available Relative Density: No data available Partition Coefficient: No data available Viscosity: No data available

Auto Ignition Temperature: >167°F **Decomposition Temperature:** No data available

10. Stability and Reactivity

Chemical Stability: Stable Reactivity: No information available Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid Incompatible Materials **Hazardous Decomposition Products** Excessive temperatures, Strong oxidizers, strong acids, oxidizing or reducing agents. Carbon monoxide, carbon dioxide, moisture, water, acids and Liquid acids of any kind. Hydrogen Fluoride, Ammonia Salts. nitrogen oxides. ignition sources.

11. Toxicology Information

Ingredient acute toxicity information

Toxicology	Oral LD50	Skin LD50	LC50
Solvent Yellow Dye	Rat: 5000 mg/kg	No information found	No information found
Lactose	Rat: 10000 mg/kg	No information found	No information found
Potassium Chlorate	Rat: 1870 mg/kg	2000 mg/kg (Rabbit)	No information found
Solvent Orange 7 Dye	Rat: 5000 mg/kg	No information found	No information found
Strontium Carbonate	No information found	No information found	No information found
Calcium Carbonate	Rat 6450 mg/kg	Rabbit 500 mg/kg	No information found
Charcoal	Rat: > 15400 mg/kg	Rabbit: 3 g/kg	No information found
Umber	No information found	No information found	No information found
Strontium Nitrate	Rat: 2750 mg/kg	No information found	No information found
Shellac	Rat: 5000 mg/kg	No information found	No information found
Potassium Nitrate	Rat: 3750 mg/kg	No information found	No information found
Sawdust (cellulose)	Rat: > 5000 mg/kg	Rabbit: >2000 mg/kg	Rat 758 mg/m³
	4.		

Product toxicological information

Acute Toxicity	Not classified – Acute Toxicity Estimate yields oral LD ₅₀ over 5000 mg/kg bw
Skin Irritation / Corrosion	Category 2 – over 10% of ingredients classified as a Category 2 skin irritant
Serious Eye Damage / Irritation	Category 2A – over 10% of ingredients classified as a Category 2A eye irritant
Respiratory / Skin Sensitization	Category 1 Skin - over 0.1% of ingredients are classified as a Category 1 skin sensitizer
Germ Cell Mutagen	Not classified (Based on available data, the classification criteria are not met)
Carcinogen	Not classified (Based on available data, the classification criteria are not met)
Reproductive Toxicity	Not classified (Based on available data, the classification criteria are not met)
STOT – single exposure	Not classified (Based on available data, the classification criteria are not met)
STOT – repeated exposure	Category 1 – lungs over 1% of ingredients classified as a Category 1 STOT hazard
Achiration Hazard	Not elegified (Pased on available data, the elegification criteria are not mot)

Aspiration Hazard Not classified (Based on available data, the classification criteria are not met) Likely routes of exposure Skin, ingestion, inhalation

Symptoms related to the physical, Irritation to the eyes will cause watering and redness. Reddening, scaling, and itching are chemical and toxicological characteristics characteristics of skin inflammation. Ingestion of contents may cause gastrointestinal irritation with nausea, vomiting and diarrhea. Inhalation will cause irritation to the lungs and mucus membrane.

Delayed and immediate effects and chronic Both the solvent yellow and orange dyes may cause dermatitis in sensitive individuals. effects from short and long term exposure

No information found

Interactive effects

HHOS March 2019 3



12. Ecological Information

Ingredient toxicity / persistence / degradability / bioaccumulation / mobility in soil and water

Strontium Nitrate: Acute toxicity - Fishes, Carassius auratus, LC100, 9,615 mg/l; Chronic toxicity - Fishes,

Gasterosteus aculeatus, LC100, 2.912 mg/l

Aquatic Toxicity Potassium Chlorate: fish: LC50 oncorhynchus mykiss (rainbow trout) 1750 mg/l – 96 hr, EC50 daphnia

magna (water flea) 1093 mg/l 24 hr

Potassium Nitrate: fish: Guppy (Poecilia Reticulata) LC50 180 mg/L (96 h); zooplankton: Daphnia magna

LC50 490mg/I - 48hr

Persistence / Degradability Potassium Nitrate: Soluble in water Persistence is unlikely based on information available.

Bioaccumulation / Accumulation No information found

Mobility in Environmental Media

Strontium Nitrate: Water:: considerable solubility and mobility; Soil/sediments non-significant adsorption

Pateria in Nitrate: Will likely be mabile in the environmental due to its united solubility.

Potassium Nitrate: Will likely be mobile in the environment due to its water solubility.

Other adverse effects No information found

13. Disposal Considerations (for spills and leakage)

Flares should be allowed to burn to completion. Dispose of partially burned flares, ash, spilled contents, contaminated product and materials used in cleaning up spills or leaks in the manner approved for pyrotechnic material in accordance with federal, state and local requirements. Open burning is preferred method of disposal for pyrotechnic materials.

14. Transportation Information

	ID Number	Proper Shipping Name	Hazard Class		EX Number	Reportable Quantities	
Domestic & International	UN0373	Signal devices, hand	1.4S	n/a	EX1997080126	none	
Marine pollutant: n	10		Special preca	able			

15. Regulatory Information

US Regulations	TS CA	CERCLA	CWA	CAA	SARA 313	SARA 302	Acute	Chronic	Fire	Reactivity	Pressure
Solvent	V00	no	no	no	VOC	no	VOC	V00	no	no	no
Yellow Dye	yes	110	no	no	yes	110	yes	yes	no	no	no
Lactose	yes	no	no	no	no	no	no	no	no	no	no
Potassium Chlorate	yes	no	no	no	no	no	yes	no	no	yes	no
Solvent	yes	no	no	no	yes	no	no	yes	no	no	no
Orange 7 Dye	you	110	110	110	you	110	110	you	110	110	110
Strontium Carbonate	yes				no	no	no	no	no	yes	no
Calcium Carbonate	yes	no			no		no	no	no	yes	no
Charcoal	yes	no	no	no	no	no	no	no	no	no	no
Umber	yes	no			yes		no	no	no	no	no
Strontium Nitrate	yes	no	no	no	no	no	yes	no	no	yes	no
Shellac	yes	no	no	no	no	no	no	no	no	no	no
Potassium Nitrate	yes	no	no	no	yes	no	no	no	no	yes	no
Sawdust (cellulose)	yes	no	no	no	no	no	no	no	no	no	no

Prop 65	NJ	PA	Canada	WHMIS	DLS	Europe	Wgk
yes	0509	yes		D2A Very toxic materials D2B Toxic materials	yes		not listed
no	no	no		Non controlled	yes		not listed
no	1560	yes		C Oxidizing materials D1B Toxic materials	yes		2
no	0506	yes		D2B Toxic materials	yes		3
no	no		yes	No information found			nwg
no		yes	yes	No information found			nwg
VAC	VAC	VAC		D2A Very toxic materials	VAC		nwa
yes	yes	yes		D2B Toxic materials	yes		nwg
	yes	yes	yes	No information found			not listed
				C Oxidizing materials			
no	1743	no		D1B Toxic materials	yes		2
				D2B Toxic materials			
no	0844	yes		No information found			not listed
no	1574	yes		C Oxidizing materials	yes		1
yes	no	no		No results	yes		not listed
	yes no no no no no yes	yes 0509 no no no 1560 no 0506 no no no yes yes yes no 1743 no 0844 no 1574	yes 0509 yes no no no no 1560 yes no 0506 yes no no yes yes yes yes yes yes yes no 1743 no no 0844 yes no 1574 yes	yes 0509 yes no no no no 1560 yes no 0506 yes no no yes no ves yes yes yes yes yes yes yes no 1743 no no 0844 yes no 1574 yes	yes 0509 yes D2A Very toxic materials D2B Toxic materials D2B Toxic materials D2B Toxic materials D2B Toxic materials Non controlled C Oxidizing materials D1B Toxic materials D2B Toxic materials	yes 0509 yes D2A Very toxic materials yes no no no no Non controlled yes C Oxidizing materials yes D1560 yes D1560 yes D2B Toxic materials yes no 0506 yes D2B Toxic materials yes no no no yes No information found no yes yes No information found D2A Very toxic materials yes yes yes yes yes No information found C Oxidizing materials yes no 1743 no D15 Toxic materials yes D2B Toxic materials yes D2B Toxic materials yes No information found C Oxidizing materials yes D2B Toxic materials yes	yes 0509 yes D2A Very toxic materials yes D2B Toxic materials yes Non controlled yes C Oxidizing materials yes D1B Toxic materials yes D1B Toxic materials yes D1B Toxic materials yes D2B Toxic materials yes No information found no yes yes No information found D2A Very toxic materials yes yes yes yes yes D2B Toxic materials yes

HHOS March 2019 4



16. Other Information

Revision Information: March 2019

NFPA RatingHMIS RatingFlammability2Flammability1Health2Health3Reactivity1Physical Hazard1

Key / Legend

HMIS: hazardous material identification system NFPA: national fire protection association CAS: Chemical Abstracts Service number

EINECS: European inventory of existing chemical substances

OSHA PEL: occupational safety and health administration permissible exposure limit NIOSH TLV: national institute of occupational safety

and health Threshold Limit Value NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

CWA: clean water act - US

TSCA: toxic substance control act - US CERCLA: comprehensive environmental response

compensation and liability act – US CAA: clean air act - US

SARA: superfund amendments and reauthorization

act - US

PROP 65:California's Proposition 65 list WHMIS: workplace hazardous materials

information system - Canada

DSL: Domestic Substances List - Canada WGK: water hazard classes - Germany

Legal Statement

This information is accurate to the best knowledge of Orion Safety Products. Orion Safety Products makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability or fitness for a particular purpose, with respect to the information set forth herein or the product to which the information refers. Accordingly, Orion Safety Products will not be responsible for damages resulting from use of or reliance upon this information. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation

HHOS March 2019 5