

# **SAFETY DATA SHEET**

Version 6.4 Revision Date 09/28/2020 Print Date 05/30/2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Product name	<sup>:</sup> <i>p</i> -Xylene
Product Number	: 134449
Brand	: SIGALD
Index-No.	: 601-022-00-9
CAS-No.	: 106-42-3

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Emergency telephone		
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Company	:	Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES OF AMERICA (THE)

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Aspiration hazard (Category 1), H304 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

SIGALD - 134449

1.4

Page 1 of 10



Pictogram	
Signal word	Danger
Hazard statement(s) H226 H304 H312 + H332 H315 H335 H401 H412	Flammable liquid and vapor. May be fatal if swallowed and enters airways. Harmful in contact with skin or if inhaled. Causes skin irritation. May cause respiratory irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240 P241	Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P241 P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

3.1	<b>Substances</b> Synonyms	:	1,4-Dimethylbenzene
	Formula Molecular weight CAS-No. EC-No.	:	C <sub>8</sub> H <sub>10</sub> 106.17 g/mol 106-42-3 203-396-5

SIGALD - 134449

Page 2 of 10



Index-No.

Component	Classification	Concentration
p-xylene		
	Flam. Liq. 3; Acute Tox. 4;	<= 100 %
	Skin Irrit. 2; STOT SE 3;	
	Asp. Tox. 1; Aquatic Acute	
	2; Aquatic Chronic 3;	
	H226, H332, H312, H315,	
	H335, H304, H401, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** Carbon dioxide (CO2) Foam Dry powder

**Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

SIGALD - 134449

Page 3 of 10



Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. For precautions see section 2.2.

### For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities
Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and
sources of ignition.
Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

SIGALD - 134449

Page 4 of 10



Component	CAS-No.	Value	Control parameters	Basis		
p-xylene	106-42-3	TWA	100 ppm 435 mg/m3	USA. NIOSH Recommended Exposure Limits		
		ST	150 ppm 655 mg/m3	USA. NIOSH Recommended Exposure Limits		
		TWA	100 ppm 435 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	Remarks	The value i	The value in mg/m3 is approximate.			
		TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)				
		Central Nervous System impairment Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen				
			150 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Central Nervous System impairment Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen				

### **Biological occupational exposure limits**

Biological occupational exposule inities					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
p-xylene	106-42-3	Methylhippu ric acids	1.5g/g creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (	As soon as	possible after exp	osure ceases)

#### 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

SIGALD - 134449

Page 5 of 10



### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties Form: liquid, clear a) Appearance No data available b) Odor c) Odor Threshold No data available d) pH No data available e) Melting Melting point/range: 12 - 13 °C (54 - 55 °F) - lit. point/freezing point Initial boiling point 138 °C 280 °F - lit. f) and boiling range 27 °C (81 °F) - closed cup g) Flash point h) Evaporation rate No data available Flammability (solid, No data available i) gas) Upper/lower Upper explosion limit: 7 %(V) j) flammability or Lower explosion limit: 1.1 %(V) explosive limits k) Vapor pressure 124.1 hPa at 2.6 °C (36.7 °F) I) Vapor density No data available m) Relative density 0.861 g/cm3 at 20 °C (68 °F) 146 g/l at 25 °C (77 °F) - partly soluble n) Water solubility log Pow: 3.15 at 20 °C (68 °F) - Bioaccumulation is not o) Partition coefficient: n-octanol/water expected. 529.0 °C (984.2 °F) at 1,013 hPa p) Autoignition temperature q) Decomposition No data available temperature No data available r) Viscosity s) Explosive properties No data available t) Oxidizing properties No data available 9.2 Other safety information Surface tension

n 28.01 mN/m at 25 °C (77 °F) 28.3 mN/m at 20.0 °C (68.0 °F)

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Vapor/air-mixtures are explosive at intense warming.

SIGALD - 134449

Page 6 of 10



### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Heating.

**10.5 Incompatible materials** Strong oxidizing agents

### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

### **Acute toxicity**

LD50 Oral - Rat - male - 3,523 mg/kg (EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)) Inhalation: No data available LC50 Inhalation - Rat - male and female - 4 h - 27.12 mg/l (US-EPA) Dermal: No data available LD50 Dermal - Rabbit - male - 12,126 mg/kg Remarks: (ECHA) No data available No data available

### Skin corrosion/irritation

Skin - Rabbit Result: Moderate skin irritation - 4 h (Regulation (EC) No. 440/2008, Annex, B.4) Drying-out effect resulting in rough and chapped skin. Dermatitis

### Serious eye damage/eye irritation

No data available

### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity

No data available Ames test Salmonella typhimurium Result: negative (National Toxicology Program) sister chromatid exchange assay Chinese hamster ovary cells Result: negative Mutagenicity (mammal cell test): chromosome aberration.

SIGALD - 134449

Page 7 of 10



Chinese hamster ovary cells Result: negative OECD Test Guideline 474 Mouse - male - Red blood cells (erythrocytes) Result: negative (IUCLID) OECD Test Guideline 478 Mouse - male and female Result: negative

### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available No data available May cause reproductive disorders.

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. Acute inhalation toxicity - Inhalation may lead to the formation of oedemas in the respiratory tract.

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

May be fatal if swallowed and enters airways.

### Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 Days - NOAEL (No observed adverse effect level) - 200 mg/kg RTECS: ZE2625000

narcosis, Lung irritation, chest pain, pulmonary edema, Central nervous system depression, Gastrointestinal disturbance, Liver injury may occur., Kidney injury may occur., Blood disorders

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### **12.1 Toxicity**

No data available

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 2.60 mg/l - 96 h

SIGALD - 134449

Page 8 of 10



Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 35.50 - 63.10 mg/l - 48 h Remarks: (ECOTOX Database)
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata - 4.36 mg/l - 73 h (OECD Test Guideline 201)
Toxicity to bacteria	static test NOEC - activated sludge - 16.2 mg/l - 28 h

Remarks: (ECHA) 12.2 Persistence and degradability

aerobic - Exposure time 28 d Biodegradability Result: 98 % - Readily biodegradable. (OECD Test Guideline 301F)

#### 12.3 Bioaccumulative potential

Bioaccumulation

Oncorhynchus mykiss (rainbow trout) - 56 d at 10 °C - 1.3 mg/l(p-xylene)

Bioconcentration factor (BCF): 7.4 - 18.5

### **12.4 Mobility in soil**

No data available

### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Product

Waste material must be disposed of in accordance with the national and loc No mixing with other waste. Handle uncleaned containers like the product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

### DOT (US)

UN number: 1307 Class: 3 Packing group: III Proper shipping name: Xylenes Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No IMDG Packing group: III

UN number: 1307 Class: 3 Proper shipping name: XYLENES

EMS-No: F-E, S-D

### IATA

SIGALD - 134449

Page 9 of 10



### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
p-xylene	106-42-3	2007-07-01

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 09/28/2020

Print Date: 05/30/2021

SIGALD - 134449

Page 10 of 10



