

SAFETY DATA SHEET

Creation Date 05-Feb-2014 Revision Date 27-Feb-2019 Revision Number 79

1. Identification

Product Name

10% Neutral Buffered Formalin

Cat No.:

5701, 5705, 5705EXL, 5725, 5735, 5735SS, 5735CSS, 5755, 9400-1, 9400-5, 51201, 51201CT, 51401, 51401 PL, 51601, 51601 PL, 51901, 53151, 53301, 53601, 53901, 56201, 56201CT, 56401, 56601, 56901, 59201, 59201CT, 59201G, 59401, 59401R, 59401PMC, 59601, 59601B, 59601PMC, 59901, 59901Y, 511201, 531201, 531801, 534801, 561201, 591201, 591201PMC, 591801, 594801, 599601, 5912001, 59601BC, 5745C, 51201INC, 51201INCCT, 51201AACT, 51201BMTCT, 51201PMDCT, 51201CPLCT, 51401INC, 51901INC, C4320-30BCM, C4320-60BCM, C4320-10CX, C4320-10H, C4320-15B, C4320-180B, C4320-20CX, C4320-20H, C4320-240B, C4320-300, C4320-30B, C4320-30CX, C4320-20H, C4320-450C, C4320-46B, C4320-60BCM, C4320-30B, C4320-30CX, C4320-30H, C4320-46B, C4320-300, C4320-30B, C4320-30CX, C4320-30H, C4320-46B, C4320-300, C4320-30B, C4320-30CX, C4320-30H, C4320-46B, C4320-46B, C4320-60BCM, C4320-30B, C4320-30CX, C4320-30H, C4320-46B, C4320-46B, C4320-60BCM, C4320-30B, C4320-30CX, C4320-30H, C4320-46B, C4320-46B, C4320-60BCM, C4320-60BCM, C4320-30B, C4320-30CX, C4320-30H, C4320-46B, C4320-46B, C4320-60BCM, C4

C4320-30CX, C4320-30H, C4320-450C, C4320-45H, C4320-60B, C4320-60H, C4320-7.5B, C4320-90B, C4320-101, C4320-105, LC-0020,

LC-0020CT, LC-0040, LC-0060, LC-0090, LC-0120, LC-0020-15; 599601-9, RBBP-0240, RBBP-0240INC, RBBP-0480, RBBP-0960,

RBBP-1500, RBBP-4300, RBH-0180-S

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific 4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270

Emergency Telephone Number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

10% Neutral Buffered Formalin

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Carcinogenicity

Specific target organ toxicity (single exposure)

Category 2

Category 1

Category 2

Category 1

Category 2

Target Organs - Optic nerve.

Label Elements

Signal Word

Danger

Hazard Statements

Causes skin irritation
May cause an allergic skin reaction
Causes serious eye damage
Suspected of causing genetic defects
May cause cancer
May cause damage to organs



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Response

IF exposed or concerned: Get medical attention/advice

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Lyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
-----------	--------	----------

Water	7732-18-5	94 - 95
Formaldehyde	50-00-0	3.5 - 4
Methyl alcohol	67-56-1	1.2
Sodium phosphate dibasic	7558-79-4	< 1
Sodium phosphate, monobasic	7558-80-7	< 1

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and

effects

None reasonably foreseeable. . Causes severe eye damage. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble

breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Use:. Dry chemical. Carbon dioxide (CO₂). Water spray. alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point $> 93.3 \, ^{\circ}\text{C} \, / > 199.9 \, ^{\circ}\text{F}$

Method - No information available

Autoignition Temperature

Explosion Limits

Notes to Physician

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. Contact with metals may evolve flammable gas.

Hazardous Combustion Products

Formaldehyde Methanol

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards310N/A

6. Accidental release measures

Personal Precautions

Use personal protective equipment. Ensure adequate ventilation. Keep people away from

and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental PrecautionsDo not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

7. Handling and storage

Handling Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only

under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest.

Storage Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep away from heat and sources of ignition. Keep containers tightly closed in a

cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Formaldehyde	TWA: 0.1 ppm	(Vacated) TWA: 3 ppm	IDLH: 20 ppm	Ceiling: 2 ppm
	STEL: 0.3 ppm	(Vacated) STEL: 10 ppm	TWA: 0.016 ppm	Ceiling: 3 mg/m ³
		(Vacated) Ceiling: 5 ppm	Ceiling: 0.1 ppm	
		TWA: 0.75 ppm		
		STEL: 2 ppm		
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm	TWA: 200 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m ³	TWA: 200 ppm	TWA: 260 mg/m ³
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m ³	STEL: 250 ppm
		(Vacated) STEL: 325 mg/m ³	STEL: 250 ppm	STEL: 310 mg/m ³
			STEL: 325 mg/m ³	
		TWA: 200 ppm		
		TWA: 260 mg/m ³		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Site-specific risk assessments

should be conducted to determine the appropriate exposure control measures. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Ensure that eyewash stations and

safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Tightly fitting safety goggles.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. Physical and chemical properties

Physical State Liquid

Appearance Clear Colorless

Odor Characteristic formaldehyde
Odor Threshold No information available

pH 6.90-7.10

Melting Point/RangeNo data availableBoiling Point/RangeNot applicable

Flash Point > 93.3 °C / > 199.9 °F Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper
Lower
No data available
No data available
No data available
No information available
Vapor Density
No information available
Specific Gravity
No information available
No information available
No information available
No information available
No data available

Autoignition Temperature

No information available
No information available

Decomposition Temperature

No information available

Viscosity

No information available

Molecular Formula Solution VOC Content(%) 5.2

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Heating in air.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases

Hazardous Decomposition Products Formaldehyde, Methanol

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information No acute toxicity information is available for this product

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	- Not listed	
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat)4 h
Methyl alcohol	Calc. ATE 60 mg/kg LD50 > 1187 – 2769 mg/kg (Rat)	Calc. ATE 60 mg/kg LD50 = 17100 mg/kg (Rabbit)	Calc. ATE 0.6 mg/L (vapours) or 0.5 mg/L (mists)

			LC50 = 128.2 mg/L (Rat) 4 h
Sodium phosphate dibasic	LD50 = 17 g/kg (Rat)	Not listed	Not listed
Sodium phosphate, monobasic	LD50 = 8290 mg/kg (Rat)	LD50 > 7940 mg/kg (Rabbit)	Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-5	Not listed					
Formaldehyde	50-00-0	Group 1	Known	A1	X	A2	
Methyl alcohol	67-56-1	Not listed					
Sodium phosphate dibasic	7558-79-4	Not listed					
Sodium phosphate, monobasic	7558-80-7	Not listed					

IARC: (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects Mutagenic effects have occurred in humans.

Reproductive Effects No information available.

No information available. **Developmental Effects**

Teratogenicity No information available.

STOT - single exposure Optic nerve None known STOT - repeated exposure

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Formaldehyde	Not listed	Leuciscus idus: LC50 = 15	Not listed	EC50 = 20 mg/L 96h
-		mg/L 96h		EC50 = 2 mg/L 48h
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	_
			EC50 = 43000 mg/L 5 min	

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation No information available.

Mobility

Component	log Pow
Formaldehyde	-0.35
Methyl alcohol	-0.74

13. Disposal considerations

Waste Disposal Methods

Should not be released into the environment.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes	
Formaldehyde - 50-00-0	U122	-	
Methyl alcohol - 67-56-1	U154	-	

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	X	Х	-	231-791-2	-		X	-	Х	X	KE-3540 0
Formaldehyde	Х	Х	-	200-001-8	-		Х	Х	Х	Х	KE-1707 4
Methyl alcohol	Х	Х	-	200-659-6	-		Х	Х	Х	Х	KE-2319 3
Sodium phosphate dibasic	Х	Х	-	231-448-7	-		Х	Х	Х	Х	KE-1234 4
Sodium phosphate, monobasic	Х	Х	-	231-449-2	-		Х	Х	Х	Х	KE-3157 7

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %	
Formaldehyde	50-00-0	3.5 - 4	0.1	
Methyl alcohol	67-56-1	1.2	1.0	

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous CWA - Reportable (CWA - Toxic Pollutants	CWA - Priority Pollutants	
•	Substances	Quantities			
Formaldehyde	Х	100 lb	-	-	
Sodium phosphate dibasic	X	5000 lb	-	-	

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Formaldehyde	X		-
Methyl alcohol	X		-

OSHA Occupational Safety and Health Administration Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Formaldehyde	2 ppm STEL	TQ: 1000 lb
· ·	0.5 ppm Action Level	
	0.75 ppm TWA	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Formaldehyde	100 lb	100 lb
Methyl alcohol	5000 lb	-
Sodium phosphate dibasic	5000 lb	-

California Proposition 65

This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Formaldehyde	50-00-0	Carc. (Gaseous only)	40 μg/day	Carcinogen
Methyl alcohol	67-56-1	Developmental	-	Developmental

U.S. State Right-to-Know

Regulations

.094.400					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Formaldehyde	X	Χ	X	X	X
Methyl alcohol	X	Χ	X	X	X
Sodium phosphate dibasic	X	X	X	-	-

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Formaldehyde	11250 lb STQ (solution)
Sodium phosphate, monobasic	2000 lb STQ

Other International Regulations

Mexico - Grade Slight risk, Grade 1

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270
Creation Date Revision Date Print Date Revision Summary	05-Feb-2014 27-Feb-2019 27-Feb-2019 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS