

SAFETY DATA SHEET

Issue Date 21-02-2020 Revision Date Version 4.2 Page 1 / 12

10-Aug-2021

1. IDENTIFICATION

Product identifier

Product Name Silicon Oil

Other means of identification

Product Code(s) 7724700A

Safety data sheet number M00833

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Lubricant.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 2A

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Warning



Hazard statements

EN / AGHS Page 1/12

Product Name Silicon Oil **Revision Date** 10-Aug-2021

Page 2/12

H319 - Causes serious eye irritation

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical attention

Other Hazards Known

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name Poly(dimethylsiloxane)

Chemical Family

Formula

CAS No

Silicones.

Proprietary

63148-62-9

Chemical name	CAS No	Percent Range	HMRIC #
Poly(dimethylsiloxane)	63148-62-9	100%	ı

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the No information available.

EN / AGHS Page 2/12

Product Name Silicon Oil **Revision Date** 10-Aug-2021

Page 3 / 12

chemical

Hazardous combustion products Silicon oxide. Carbon monoxide, Carbon dioxide.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class IIIB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

EN / AGHS Page 3/12

Product Code(s) 7724700A Issue Date 21-02-2020

Version 4.2

Product Name Silicon Oil Revision Date 10-Aug-2021

Page 4/12

Appropriate engineering controls

Engineering Controls

Showers

Evewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves.

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

Local authorities should be advised if significant spillages cannot be contained. Do not **Environmental exposure controls**

allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

aqueous solution

Color colorless

Odor None

Odor threshold No data available

Property Values Remarks • Method

No information available Molecular weight

pН No data available

No data available Melting point/freezing point

Boiling point / boiling range > 140 °C / 284 °F

Evaporation rate < 1 (ether = 1)

Vapor pressure $< 5.026 \text{ mm Hg} / < 0.67 \text{ kPa} \text{ at } 25 \,^{\circ}\text{C} / 77$

Relative vapor density > 1

Specific gravity (water = 1 / air = 1) 0.98

Partition Coefficient (n-octanol/water) No data available

Soil Organic Carbon-Water Partition

Coefficient

No data available

No data available **Autoignition temperature**

Decomposition temperature No data available

Dynamic viscosity No data available

Kinematic viscosity No data available

EN / AGHS Page 4/12

Product Name Silicon Oil
Revision Date 10-Aug-2021

Page 5 / 12

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
No information available	No data available	No information available

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

Volatile Organic Compounds (VOC) Content

This Product is by Weight 100% an Individual Pure Chemical Substance

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Poly(dimethylsiloxane)	63148-62-9	No data available	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point > 204 °C / 399 °F

Method OC (open cup)

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

EN / AGHS Page 5/12

Product Name Silicon Oil **Revision Date** 10-Aug-2021

Page 6/12

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Silicon oxide. Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms May cause redness and tearing of the eyes.

Acute toxicity

Based on available data, the classification criteria are not met

Product Acute Toxicity Data

If available, see ingredient data below.

Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Poly(dimethylsiloxane	Rat	> 35000	None	None reported	Vendor SDS
)	LD50	mg/kg	reported		
(100%)					
CAS#: 63148-62-9					
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Poly(dimethylsiloxane	Rabbit	> 3000 mg/kg	None	None reported	Vendor SDS
	LD50		reported		
(100%)					
CAS#: 63148-62-9					
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Poly(dimethylsiloxane	Rat	> 3 mg/L	4 hours	None reported	Vendor SDS

EN / AGHS Page 6/12

Product Name Silicon Oil Revision Date 10-Aug-2021

Page 7/12

)	LC50		
(100%)			
CAS#: 63148-62-9			

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

Not applicable

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

May cause skin irritation.

Product Skin Corrosion/Irritation Data

If available, see ingredient data below.

Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Poly(dimethylsiloxane) (100%) CAS#: 63148-62-9	Standard Draize Test	Rabbit	500 mg	24 hours	Mild skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Product Serious Eye Damage/Eye Irritation Data

If available, see ingredient data below.

Ingredient Eye Damage/Eye Irritation Data

No data available.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Product Sensitization Data

If available, see ingredient data below.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

EN / AGHS Page 7/12

Product Name Silicon Oil Revision Date 10-Aug-2021

Page 8 / 12

Product Specific Target Organ Toxicity Repeat Dose Data

If available, see ingredient data below.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

If available, see ingredient data below.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Poly(dimethylsiloxane)	63148-62-9	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity invitro Data

If available, see ingredient data below.

Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Product Germ Cell Mutagenicity invivo Data

If available, see ingredient data below.

Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

EN / AGHS Page 8/12

Product Name Silicon Oil Revision Date 10-Aug-2021

Page 9/12

Product Ecological Data

Aquatic Acute Toxicity

If available, see ingredient data below.

Aquatic Chronic Toxicity

If available, see ingredient data below.

Ingredient Ecological Data

Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Poly(dimethylsiloxane	96 hours	None reported	LC ₅₀	10000 mg/L	ERMA (New Zealands
)					Environmental Risk Management
(100%)					Authority)
CAS#: 63148-62-9					

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Product Biodegradability Data

No data available.

Product Bioaccumulation Data

No data available.

Mobility

Soil Organic Carbon-Water Partition Coefficient

No data available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

TDG

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Not regulated

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

EN / AGHS Page 9/12

Product Name Silicon Oil **Revision Date** 10-Aug-2021

Page 10 / 12

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Complies Complies **IECSC** Complies **KECL - Existing substances PICCS** Complies **TCSI** Complies **AICS** Complies **NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

EN / AGHS Page 10/12

Product Name Silicon Oil **Revision Date** 10-Aug-2021

Page 11 / 12

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Poly(dimethylsiloxane)	180.0960	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 1	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2	Flammability - 1	Physical hazards - 0	Personal protection -
				X
				- I

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

WA TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
--------------------------------	------	----------------------------------

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant
M mutagen

Prepared By Hach Product Compliance Department

EN / AGHS Page 11/12

Product Name Silicon Oil Revision Date 10-Aug-2021

Page 12 / 12

Issue Date 21-02-2020

Revision Date 10-Aug-2021

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2021

End of Safety Data Sheet

EN / AGHS Page 12/12