



SAFETY DATA SHEET.

Issuing date 8-May-2019

Revision Date 04-Jan-2020

Version 1.06

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name Decon 7 PART 1

Recommended use of the chemical and restrictions

on use

Product code A-0284

Product Type Non-flammable liquid

Synonyms None

Supplier's details

Recommended Use No information available.

Uses advised against No information available

Manufactured For:

Decon7 Systems, LLC
8541 E. Anderson Dr. #106
Scottsdale, Az 85255

Emergency telephone number

Chemical Emergency Phone Number Chemtrec 1-800-424-9300 CCN681371

Company Emergency Phone Number 480-339-2860

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

GHS Label elements, including precautionary statements

Emergency Overview

WARNING

Hazard Statements

Causes skin irritation

Causes serious eye irritation



Appearance Clear to Light Brown

Physical state Liquid

Odor Mild

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse

If skin irritation occurs: Get medical advice/attention

Hazards not otherwise classified (HNOC)

None

Other information

0.0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
PROPYLENE GLYCOL	57-55-6	20-30
POTASSIUM BICARBONATE	298-14-6	10-20
QUAT.AMMONIUM COMPOUNDS C12-16	68424-85-1	3.20

PART 1 QUAT BULK

DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	1-10
QUATERNARY AMMONIUM COMPOUNDS		1-10
ISOBUTYL ALCOHOL	78-83-1	1-10

POTASSIUM HYDROXIDE	1310-58-3	0.5-5
---------------------	-----------	-------

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Avoid contact with eyes, skin, and clothing. Avoid breathing, vapors, mist, or gas.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.
Ingestion	Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Main Symptoms Not applicable.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact none.

Sensitivity to Static Discharge none.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

A-0284 - PART 1 QUAT BULK

Personal precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental precautions

Environmental precautions Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out of the reach of children.

Incompatible products Strong acids, alkalis, or oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
DIBUTYLENE GLYCOL N-BUTYL ETHER 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
ISOBUTYL ALCOHOL 78-83-1	TWA: 50 ppm	TWA: 100 ppm TWA: 300 mg/m ³ (vacated) TWA: 50 ppm (vacated) TWA: 150 mg/m ³	IDLH: 1600 ppm TWA: 50 ppm TWA: 150 mg/m ³
POTASSIUM HYDROXIDE 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration)

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Chemical resistant apron. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	Liquid	Odor	Mild
Appearance	Clear to Light Brown	Odor Threshold	No information available
Color	Clear to Light Brown		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	10.5	
Melting/freezing point	No information available	
Boiling point/boiling range	No information available	
Flash Point	> 93 °C / > 200 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
upper flammability limit	No information available	
lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	1.091	
Water solubility	Soluble in water	
Partition coefficient:	n-No information available	
octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity	No information available	
Explosive properties		

Other information

3.4

VOC Content(%)

10. STABILITY AND REACTIVITY

A-0284 - PART 1 QUAT BULK

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, or oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Avoid breathing vapors or mists.

Eye contact

Irritating to eyes. Avoid contact with eyes.

Skin contact

Irritating to skin. Repeated exposure may cause skin dryness or cracking. Prolonged skin contact may defat the skin and produce dermatitis. Avoid contact with skin.

Ingestion

May be harmful if swallowed.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
PROPYLENE GLYCOL 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
DIBUTYLENE GYCOL N-BUTYL ETHER 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
ISOBUTYL ALCOHOL 78-83-1	= 2460 mg/kg (Rat)	= 3400 mg/kg (Rabbit)	> 6.5 mg/L (Rat) 4 h
POTASSIUM HYDROXIDE 1310-58-3	= 284 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

May cause mild irritation to eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Irritating to skin.

Eye damage/irritation

Irritating to eyes.

Irritation

Irritating to eyes and skin.

Sensitization

None known.

Germ Cell Mutagenicity

None known.

Carcinogenicity

There are no known carcinogenic chemicals in this product.

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards.

Specific target organ systemic toxicity (single exposure)

None under normal use conditions.

Specific target organ systemic toxicity (repeated exposure)

None under normal use conditions.

A-0284 - PART 1 QUAT BULK

Chronic toxicity Prolonged skin contact may defat the skin and produce dermatitis.
Target Organ Effects Central nervous system, Eyes, Respiratory system, Skin.
Aspiration hazard Not applicable.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity **The following values are calculated based on chapter 3.1 of the GHS document .**

ATEmix (oral) 9868 mg/kg
ATEmix (dermal) 282041 mg/kg
ATEmix (inhalation-dust/mist) 539.7 mg/l

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL 57-55-6	19000 mg/L EC50 Pseudokirchneriella subcapitata 96h	51600 mg/L LC50 Oncorhynchus mykiss 96h static 41 - 47 mL/L LC50 Oncorhynchus mykiss 96h static 51400 mg/L LC50 Pimephales promelas 96h static 710 mg/L LC50 Pimephales promelas 96h	-	1000 mg/L EC50 Daphnia magna 48h Static
DIBUTYLENE GYCOL N-BUTYL ETHER 112- 34-5	100 mg/L EC50 Desmodesmus subspicatus 96h	1300 mg/L LC50 Lepomis macrochirus 96h static	-	100 mg/L EC50 Daphnia magna 48h
ISOBUTYL ALCOHOL 78-83-1	-	1370 - 1670 mg/L LC50 Pimephales promelas 96h flow-through 375 mg/L LC50 Pimephales promelas 96h static 1480 - 1730 mg/L LC50 Lepomis macrochirus 96h flow-through 1120 - 1520 mg/L LC50 Oncorhynchus mykiss 96h flow-through	-	1300 mg/L EC50 Daphnia magna 48h 1070 - 1933 mg/L EC50 Daphnia magna 48h Static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
ISOBUTYL ALCOHOL 78-83-1	0.79
POTASSIUM HYDROXIDE 1310-58-3	0.65 0.83

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment****Waste Disposal Methods**

Dispose of in accordance with federal, state, and local regulations.

A-0284 - PART 1 QUAT BULK

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PROPYLENE GLYCOL	X	X	X	X	X	X	X	X
POTASSIUM BICARBONATE	X	X	X	X	X	X	X	X
QUAT.AMMONIUM COMPOUNDS C12-18	X	X	X	X	X	X	X	X
DIBUTYLENE GLYCOL N-BUTYL ETHER	X	X	X	X	X	X	X	X
QUATERNARY AMMONIUM COMPOUNDS	X	X	X	Not listed	X	X	X	X
ISOBUTYL ALCOHOL	X	X	X	X	X	X	X	X
POTASSIUM HYDROXIDE	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations**SARA 313**

A-0284 - PART 1 QUAT BULK

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
DIBUTYLENE GLYCOL N-BUTYL ETHER - 112-34-5	112-34-5	1-10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
POTASSIUM HYDROXIDE 1310-58-3	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ISOBUTYL ALCOHOL 78-83-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
POTASSIUM HYDROXIDE 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHANOL - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL 57-55-6	X		X
DIBUTYLENE GLYCOL N-BUTYL ETHER 112-34-5	X		X
ISOBUTYL ALCOHOL 78-83-1	X	X	X
POTASSIUM HYDROXIDE 1310-58-3	X	X	X

EPA Pesticide Registration Number Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

NFPA	Health Hazard 2	Flammability 1	Instability 0	Physical and chemical hazards -
HMIS	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal protection B

Prepared By Regulatory Affairs

Issuing date 26-Aug-2015

Revision Date 04-Jan-2020

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet