

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of Issue: 03/19/2021

Version: 1.1

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: MERCSORB® Mercury Amalgamation Powder

Product Code: 5200 Series

Synonyms: SPILFYTER Products MERCSORB; Amalgamation Powder, Zinc

1.2. Intended Use of the Product

Use of the Substance/Mixture: Used to convert elemental mercury into an amalgam, which stops dangerous mercury vapors from being emitted. For professional use only.

1.3. Name, Address, and Telephone of the Responsible Party

Company

FyterTech Nonwovens 2121-B American Boulevard De Pere. WI 54115

800-615-8699

web: www.liquidsafety.com email: cs@fytertech.com

1.4. Emergency Telephone Number

Emergency Number : (800) 424-9300 (USA); +1 (703) 527-3887 (International and Maritime)

CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Eye Irrit. 2A H319 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Comb. Dust

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



GH509

Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : May form combustible dust concentrations in air.

H319 - Causes serious eye irritation. H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

Supplemental Information: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. Proper grounding procedures to avoid static electricity should be followed. Prevent dust accumulation (to minimize explosion hazard). Avoid

generating dust.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

03/19/2021 EN (English US) 1/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
Zinc	C.I. Pigment Black 16 / C.I. Pigment Metal 6 / Zinc (metallic) / Pigment Black 16 / Zinc powder - zinc dust (stabilised) / Zinc powder - zinc dust (pyrophoric) / ZINC / zinc	(CAS-No.) 7440-66-6	91.95	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Comb. Dust
Citric acid	Citric acid, anhydrous / 2- Hydroxy-1,2,3- propanetricarboxylic acid / 1,2,3- Propanetricarboxylic acid, 2- hydroxy- / CITRIC ACID / 2- Hydroxypropane-1,2,3- tricarboxylic acid / anhydrous citric acid / Anhydrous citric acid	(CAS-No.) 77-92-9	8.05	Eye Irrit. 2A, H319 Comb. Dust

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

First-aid Measures After Skin Contact: Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes serious eye irritation.

Symptoms/Injuries After Inhalation: Dust may be harmful or cause irritation. Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic or sweet taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Repeated or prolonged contact will cause mechanical irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva. May cause mechanical eye irritation.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known. Zinc: Prolonged exposure to high concentrations of zinc fumes may cause "zinc shakes", an involuntary twitching of the muscles.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use Class D Extinguisher or dry table salt on metal powder fire. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water or halogenated extinguishing media. Do not use water on molten metal: Explosion hazard could result. Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Combustible Dust.

Explosion Hazard: Dust explosion hazard in air.

03/19/2021 EN (English US) 2/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity: Hazardous reactions will not occur under normal conditions. May form explosive hydrogen gas on contact with acids or alkalis. Citric acid reacts with oxidizing agents, bases, reducing agents and metal nitrates. Material is hygroscopic and will slowly absorb moisture.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use class D extinguishing media on metal powder fires. Use other appropriate extinguishing media for surrounding fire. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Zinc oxides, Metal oxides, Carbon oxides (CO, CO₂).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses. Risk of dust explosion.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing dust. Avoid generating dust. Remove ignition sources. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations. If heated to the point of fume generation, zinc fumes may cause metal fume fever. Otherwise, zinc is non-toxic. Contains a hygroscopic material which can absorb moisture from the air. This product is designed to convert elemental mercury spills into an amalgam. Please refer to the SDS of the spilled elemental mercury for appropriate mercury hazard communication information.

Precautions for Safe Handling: Avoid contact with skin, eyes and clothing. Avoid breathing dust. Avoid creating or spreading dust. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Use appropriate personal protective equipment (PPE). **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Protect from moisture.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Metal nitrates. Sulfur. Halogens. Halogenated compounds. Alkalis.

7.3. Specific End Use(s)

Used to convert elemental mercury into an amalgam, which stops dangerous mercury vapors from being emitted. For professional use only.

03/19/2021 EN (English US) 3/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygendeficient environment. Ensure all national/local regulations are observed.

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing

Hand Protection

Eye and Face Protection

Skin and Body Protection

Respiratory Protection

Other Information

: Chemically resistant materials and fabrics.

: Wear protective gloves.: Chemical safety goggles.

: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls

: Avoid release to the environment.: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid

Appearance : White - Gray, fine blue, gray, or white powder

Odor : Odorless

Odor Threshold : No data available рΗ : 1.18 (1% solution) **Evaporation Rate** : No data available **Melting Point** 787 °F (419.44 °C) **Freezing Point** : No data available **Boiling Point** : 1666 °C (3030.8 °F) Flash Point : No data available **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available **Vapor Pressure** : No data available

Relative Vapor Density at 20°C : No data available
Relative Density : 7.11 (water=1)
Solubility : Water: Light soluble
Partition Coefficient: N-Octanol/Water : No data available
Viscosity : No data available

9.2. Other Information

VOC Content : < 1 %

03/19/2021 EN (English US) 4/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions. May form explosive hydrogen gas on contact with acids or alkalis. Citric acid reacts with oxidizing agents, bases, reducing agents and metal nitrates. Material is hygroscopic and will slowly absorb moisture.
- **10.2.** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- **10.3.** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Dust accumulation (to minimize explosion hazard).
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Metal nitrates. Sulfur. Halogens. Halogenated compounds. Alkalis.
- **10.6. Hazardous Decomposition Products:** None expected under normal conditions of use. Thermal decomposition may produce: Metal oxides. Oxides of zinc. Carbon oxides (CO, CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

, ,		
Citric acid (77-92-9)		
LD50 Oral Rat	5400 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	

Skin Corrosion/Irritation: Not classified.

pH: 1.18 (1% solution)

Serious Eye Damage/Irritation: Causes serious eye irritation.

pH: 1.18 (1% solution)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified
Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Dust may be harmful or cause irritation. Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic or sweet taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Repeated or prolonged contact will cause mechanical irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva. . May cause mechanical eye irritation.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known. Zinc: Prolonged exposure to high concentrations of zinc fumes may cause "zinc shakes", an involuntary twitching of the muscles.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Very toxic to aquatic life with long lasting effects.

Zinc (7440-66-6)	
LC50 Fish 1	2.16 – 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-
	through])
EC50 Daphnia 1	0.139 – 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	0.211 – 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-
	static])
ErC50 (Algae)	0.15 mg/l
Citric acid (77-92-9)	
LC50 Fish 1	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

03/19/2021 EN (English US) 5/7

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and Degradability

MERCSORB® Mercury Amalgamation Powder	
Persistence and Degradability May cause long-term adverse effects in the environment.	
Citric acid (77-92-9)	
Persistence and Degradability	Readily biodegradable in water.

12.3. **Bioaccumulative Potential**

MERCSORB® Mercury Amalgamation Powder	
Bioaccumulative Potential Not established.	
Citric acid (77-92-9)	
Partition coefficient n-octanol/water (Log -1.72 (at 20 °C)	
Pow)	

12.4. Mobility in Soil No additional information available

12.5. **Other Adverse Effects**

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. **Waste Treatment Methods**

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (Zinc mixture) **Proper Shipping Name**

Hazard Class : 9 **Identification Number** : UN3077 **Label Codes** : 9

Packing Group : 111 **Marine Pollutant**

: Marine pollutant

ERG Number : 171 14.2. In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc mixture)

Hazard Class : 9 **Identification Number** : UN3077 : 111 **Packing Group Label Codes** . 9 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F



Marine Pollutant : Marine pollutant

MFAG Number : 171 14.3. In Accordance with IATA

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc mixture) **Proper Shipping Name**

Packing Group : 111 **Identification Number** : UN3077 **Hazard Class** : 9 **Label Codes** : 9 **ERG Code (IATA)** : 9L



SECTION 15: REGULATORY INFORMATION

15.1. **US Federal Regulations**

MERCSORB® Mercury Amalgamation Powder

03/19/2021 EN (English US) 6/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SARA Section 311/312 Hazard Classes	Health hazard - Serious eye damage or eye irritation	
	Physical hazard - Combustible dust	
Zinc (7440-66-6)		
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory	
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	454 kg no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100~\mu m$	
SARA Section 313 - Emission Reporting	1% (dust or fume only)	
Citric acid (77-92-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. US State Regulations

Zinc (7440-66-6)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 03/19/2021

 Other Information
 : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

GHS Full Text Phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

03/19/2021 EN (English US) 7/7