Safety Data Sheet



Section 1: Identification

Product identifier

Product Name · Ferric Sulfate Solution

- Synonyms
- Iron (III) Sulfate
- Molecular
- Fe₂(SO4)₃
- Formula
- 1 02(001)0
- Trade Names: Ferric Sulfate 10%; Ferric Sulfate 11%; Ferric Sulfate 12%; Ferric Sulfate 13%; 50% Ferric Sulfate; 55% Ferric Sulfate; 60% Ferric Sulfate; 65% Ferric Sulfate.

Relevant identified uses of the substance or mixture and uses advised against

- **Recommended** Water and Wastewater Treatment; Odor Removal use
- Details of the supplier of the safety data sheet

Manufacturer • ALTIVIA Chemicals, LLC

1100 Louisiana Street, Suite 4800 Houston, TX 77002 United States www.altivia.com customerservice@altivia.com

Telephone • (713) 658-9000

(General)

Emergency telephone number

Manufacturer • (800) 424-9300 - CHEMTREC for Transportation Emergencies: Account # CCN 1045

Section 2: Hazard Identification

United States (US) According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012	Corrosive to Metals 1 Acute Toxicity Oral 4
Label elements OSHA HCS 2012	
	WARNING
Hazard statements	• May be corrosive to metals Harmful if swallowed
Precautionary statements	
Prevention	 Keep only in original container. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
Response	 Absorb spillage to prevent material damage. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
Storage/Disposal	 Store in corrosive resistant/ container with a resistant inner liner. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Other hazards	
OSHA HCS 2012	 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

• Material does not meet the criteria of a substance.

Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Iron(III) sulfate	CAS :10028-22- 5	40% TO 70%	NDA	OSHA HCS 2012: Axute Tox. 4 (Orl)
Sulfuric acid	CAS: 7664-93-9	< 0.25%	Inhalation-Rat LC50 • 510 mg/m³ 2 Hour(s) Ingestion/Oral-Rat LD50 • 2140 mg/kg	OSHA HCS 2012: Eye Dam. 1; Skin Corr. 1B

Section 4: First-Aid Measures

Description of first aid measures

Inhalation • Move victim to fresh air. Administer oxygen if breathing is difficult. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device. Give artificial respiration if victim is not breathing. Get medical attention immediately.

- Skin For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Get medical attention immediately.
- **Eye** In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. Get medical attention immediately.
- Ingestion
 If swallowed, rinse mouth with water (only if the person is conscious) Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Obtain medical attention immediately if ingested.

Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to
 All treatments should be based on observed signs and symptoms of distress in the patient.
 Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media	 LARGE FIRES: Dry chemical, CO2, alcohol-resistant foam or water spray. SMALL FIRES: Dry chemical, CO2 or water spray.
Unsuitable Extinguishing Media	No data available
Special hazards arisi	ng from the substance or mixture
Unusual Fire and Explosion Hazards	Containers may explode when heated.
Hazardous Combustion • Products	 Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive fumes.
Advice for firefighters	S
	• Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
	Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
	Wear positive pressure self-contained breathing apparatus (SCBA).
	SMALL FIRES: Move containers from fire area if you can do it without risk.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	 Ventilate enclosed areas. Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE) Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Emergency Procedures	• ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container.

Environmental precautions

• Avoid run off to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up • Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Section 7 - Handling and Storage

Precautions for safe handling

Handling • Review the label, this SDS and any other applicable information before use. Handle and open container with care. Use only with adequate ventilation. Keep separated from incompatible substances. Use appropriate Personal Protective Equipment per Section 8. Handle only with equipment, materials and supplies specified by their manufacturer as being compatible and appropriate for use with this product. Do not get in eyes. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Conditions for safe storage, including any incompatibilities

Storage
 Prevent material from coming in contact with common metals. Ensure that all storage vessels are labeled. Store only in dry rubber-lined, plastic, FRP (fiberglass) or stainless steel (304,316) Keep storage temperatures between 10° and 40°C Store away from incompatible materials such as alkalis. Keep smaller containers (drums and totes) tightly closed when not in use or when empty. Product should be used within one year. Storage facilities should have secondary containment as required by law or regulation. Storage tanks, piping and offloading points should be labeled with appropriate signage to avoid accidents. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines						
	Result ACGIH NIOSH OSHA					
Sulfuric acid (7664-93-9)	TWAs	0.2 mg/m3 TWA (thoracic fraction)	1 mg/m3 TWA	1 mg/m3 TWA		

Exposure controls	
Engineering Measures/Controls	• Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Personal Protective Eq	uipment
Respiratory	 In case of insufficient ventilation, wear suitable respiratory equipment.
Eye/Face	 Wear protective eyewear (goggles, face shield, or safety glasses).
Skin/Body	 Wear appropriate gloves. Wear long sleeves and/or protective coveralls.
Environmental Exposure Controls	 Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description Physical Form Liquid Appearance/Description Red-brown liquid with acidic odor. Color Red-brown Odor Acidic Odor. Odor Threshold No data available General Properties **Boiling Point** Melting Point/Freezing Point 105 to 110 °C(221 to 230 °F) < -18 °C(< -0.4 °F) **Decomposition Temperature** No data available pН < 2 1.38 to 1.65 @ 25 °C(77 °F) Specific Gravity/Relative Density Water Solubility Appreciable 10 to 99 % Water=1 No data available Viscosity Volatility Vapor Pressure No data available Vapor Densitv No data available 50 % **Evaporation Rate** Volatiles (Wt.) Similar to water Volatiles (Vol.) 50 % Flammability Flash Point None UEL None _EL None Autoignition None Flammability (solid, gas) None Environmental Octanol/Water Partition None coefficient Section 10: Stability and Reactivity

Reactivity

• No dangerous reaction known under conditions of normal use.

Chemical stability

• Stable under normal temperatures and pressures.

Possibility of hazardous reactions

• Hazardous polymerization will not occur.

Conditions to avoid

• Excess heat.

Incompatible materials

• Carbon Steel, Brasses, Aluminum, & Nylon.

Hazardous decomposition products

• Thermal decomposition; after completely dry and heated to decomposition will produce oxides and sulfur.

Section 11 - Toxicological Information

Information on toxicological effects

• Although Ferric Sulfate is manufactured with the use of Sulfuric Acid, the residual amount of sulfuric acid is less than 0.25% active in the finished Ferric Sulfate product. The following statements in regards to Sulfuric Acid are indicative of concentrated acid level of greater than 5% and are not anticipated as potential health effects of the Sulfuric Acid concentrations in the finished product known as Ferric Sulfate.

Components			
Sulfuric acid (< 0.25%)	7664- 93-9	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2140 mg/kg; Inhalation-Rat LC50 • 510 mg/m ³ 2 Hour(s); Irritation: Eye-Rabbit • 5 mg 30 Second(s)-Rinse • Severe irritation; Multi-dose Toxicity: Inhalation-Rat TCLo • 0.2 mg/m ³ 6 Hour(s) 4 Week(s)-Intermittent; <i>Lungs, Thorax, or</i>	

Respiration:Other changes; Mutagen: Cytogenetic analysis • Unreported Route-Hamster • Ovary (Somatic cell) • 4 mmol/L:
Reproductive: Inhalation-Rabbit TCLo • 20 mg/m ³ 7 Hour(s)(6-18D preg); <i>Reproductive Effects:Specific Developmental Abnormalities</i> : Musculoskeletal system

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012•Acute Toxicity - Oral 4 - ATEmix (oral) = 714 mg/kg
Skin corrosion/Irritation	OSHA HCS 2012•No data available
Serious eye damage/Irritation	OSHA HCS 2012•No data available
Skin sensitization	OSHA HCS 2012•No data available
Respiratory sensitization	OSHA HCS 2012•No data available
Aspiration Hazard	OSHA HCS 2012•No data available
Carcinogenicity	OSHA HCS 2012•No data available
Germ Cell Mutagenicity	OSHA HCS 2012•No data available
Toxicity for Reproduction	OSHA HCS 2012•No data available
STOT-SE	OSHA HCS 2012•No data available
STOT-RE	OSHA HCS 2012•No data available

• Concentrated sulfuric acid can be corrosive to the nose, mucous membranes, and respiratory tract.

Potential Health Effects

Inhalation Acute

Chronic	pulmonary function. • No data available	
(Delayed)		
Skin		
Acute (Immediate)	 Sulfuric acid is corrosive to the skin. 	
Chronic (Delayed)	• No data available	
Eye		
Acute (Immediate)	• Sulfuric acid is corrosive to the eyes.	
Chronic (Delayed)	• No data available	
Ingestion		
Acute (Immediate)	• Harmful if swallowed.	
Chronic (Delayed)	• No data available	
Other		
Chronic (Delayed)	 Chronic exposure to sulfuric acid has been reported to be assoc bronchitis, gastritis, erosion of dental enamel, conjunctivitis, incr infections and cancer of the larynx, lungs and upper respiratory 	iated with dermatitis, chronic eased frequency of respiratory tract tract.
Carcinogenic Effects	 The International Agency for Research on Cancer (IARC) has cl containing sulfuric acid" as a known human carcinogen (Catego 	assified "strong inorganic acid mists ry 1). This classification is for
Preparation Date: 04 Revision Date: 05/M	4/March/2016 Iarch/2019	Format: GHS Language: English (US) OSHA HCS 2012

inorganic acid mists only and does not apply to sulfuric acid or sulfuric acid solutions. The basis for the IARC classification rests on several epidemiology studies which have several deficiencies. These studies did not account for exposure to other substances, some known to be animal or potential human carcinogens, social influences (smoking or alcohol consumption) and included small numbers of subjects. Based on the overall weight of evidence from all human and chronic animal studies, no definitive causal relationship between sulfuric acid mist exposure and respiratory tract cancer has been shown.

Key to abbreviations

LC = Lethal Concentration LD = Lethal Dose TC = Toxic Concentration

Section 12 - Ecological Information

Toxicity

• Non-mandatory section - information about this substance not compiled.

Persistence and degradability

• Non-mandatory section - information about this substance not compiled.

Bioaccumulative potential

• Non-mandatory section - information about this substance not compiled.

Mobility in Soil

• Non-mandatory section - information about this substance not compiled.

Other adverse effects

• Non-mandatory section - information about this substance not compiled.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste	• Dispose of content and/or container in accordance with local, regional, national, and/or
	international regulations.

Packaging • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	UN3264	Corrosive liquid, acidic, inorganic, n.o.s. (Contains ferric sulfate)	8	=	NDA

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

Acute

None specified.

Inventory

Component	CAS	TSCA
Iron(III) sulfate	10028-22- 5	Yes
Sulfuric acid	7664-93-9	Yes

United States

Labor		
U.S USHA - Process Safety Management - Highly Hazardous Chemicals	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
U.S OSHA - Specifically Regulated Chemicals	1004 00 0	Not Elotod
•lron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
•Iron(III) sulfate	10028-22-5	1000 lb final RQ; 454 kg final RQ
•Sulfuric acid	7664-93-9	1000 lb final RQ; 454 kg final RQ
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities	40000 00 5	
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	10029 22 5	Not Listed
•Sulfuric acid	7664_93_9	
U.S CERCI A/SARA - Section 302 Extremely Hazardous Substances TPOs	1004-30-3	
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	1000 lb TPQ
U.S CERCLA/SARA - Section 313 - Emission Reporting		
•Iron(III) sulfate		
	10028-22-5	Not Listed
		1.0 % de minimis
•Sulfuric acid	7664-93-9	including mists, vapors, gas.
		fog, and other airborne
		forms of any particle size)
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
United States - California		
Environment		
U.S California - Proposition 65 - Carcinogens List		
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	7664-93-9	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
•Iron(III) sulfate	10028-22-5	Not Listed
•Sulfuric acid	/664-93-9	NOT LISTED
U.S Gamornia - Proposition 65 - NO SIGNITICANT KISK LEVEIS (NSKL)	10028.22.5	Not Listed
•Sulfuric acid	7664_03_0	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female	10030-3	Not Listed
•lron(III) sulfate	10028-22-5	Not Listed

Iron(III) sulfate

Preparation Date: 04/March/2016 Revision Date: 05/March/2019

Ferric Sulfate Solution

•Sulfuric acid U.S. - California - Proposition 65 - Reproductive Toxicity - Male •Iron(III) sulfate •Sulfuric acid

7664-93-9 Not Listed 10028-22-5 Not Listed 7664-93-9 Not Listed

Section 16 - Other Information

Revision Date	• 05/March/2019
Preparation Date	• 04/March/2016
Disclaimer/Statement	 The technical d
of Liability	belief at the dat
	for safe handlin

The technical data given herein is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. No guarantee is being given as to the end use performance. The product is sold on the basis that buyers test the product for their specific purposes. This information related to the material designated and may not be valid for such material used in combination with any other materials or in any process.

Key to abbreviations NDA = No data available