

Printing date 03/09/2018

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

1 Identification

- · Product identifier
- · Trade name: Magnesium Standard
- Part number: ICP-112
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: ULTRA Scientific, Inc.
 250 Smith Street
 North Kingstown, RI 02852
 USA
- Information department: Telephone: (401) 294-9400
 Fax: (401) 295-2300
 E-mail: regulatory@ultrasci.com
 Emergency telephone number: US: +1-800-424-9300
 Outside US: +1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Warning
Hazard statements

Causes skin irritation.
Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

US



Safety Data Sheet acc. to OSHA HCS


Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

(Contd. of page 1)

1.4%



Health = 2

Printing date 03/09/2018

Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH ² Health = 2FIRE 0 Fire = 0**REACTIVITY** Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 7697-37-2 nitric acid

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Analytical Solutions

Printing date 03/09/2018

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

		(Contd. of page 2
	d material for containment and cleaning up:	
	liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
· Reference to	o other sections	
See Section	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
• Protective A	Action Criteria for Chemicals	
· PAC-1:		
13446-18-9	magnesium nitrate hexahydrate	16 mg/m ³
7697-37-2	nitric acid	0.16 ppm
• PAC-2:		
13446-18-9	magnesium nitrate hexahydrate	180 mg/m ³
7697-37-2	nitric acid	24 ppm
· PAC-3:		
13446-18-9	magnesium nitrate hexahydrate	1,100 mg/m ³
7697-37-2	nitric acid	92 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: 10 mg/m³, 4 ppm
 - Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 4)





Printing date 03/09/2018

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

· Vapor pressure at 20 °C (68 °F):

Density at 20 °C (68 °F):
Relative density

· Vapor density

(Contd. of page 3)

 Breathing equipment: Not required. Protection of hands: 	
Protective gloves	
 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: 	ce of
Tightly sealed goggles	
9 Physical and chemical properties	
· Information on basic physical and chemical properties · General Information	
· Appearance:	
Form: Fluid	
Color: According to product specification	
Odor: Characteristic	
· Odor threshold: Not determined.	
· Odor threshold: Not determined. · pH-value: Not determined.	
· pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined.	
• pH-value: Not determined. • Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F)	
· pH-value: Not determined. · Change in condition Undetermined. Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) · Flash point: Not applicable.	
· pH-value: Not determined. · Change in condition Undetermined. Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable.	
· pH-value:Not determined.· Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)· Flash point:Not applicable.· Flammability (solid, gaseous):Not applicable.· Decomposition temperature:Not determined.	

23 hPa (17.3 mm Hg)

Not determined.

Not determined.

1.053 g/cm³ (8.78729 lbs/gal)

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

Printing date 03/09/2018

		(Contd. of page
· Evaporation rate	Not determined.	
[·] Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
 Solvent content: Water: VOC content: 	88.1 % 0.00 % 0.0 g/l / 0.00 lb/gl	
Solids content: • Other information	10.5 % No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 4,786 mg/L (rat)

7697-37-2 nitric acid

Inhalative LC50/4 h 67 mg/L (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

[•] US

OLTRA SCIENTIFIC Analytical Solutions

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

Printing date 03/09/2018

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN3264
[·] UN proper shipping name [·] DOT [·] IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es) · DOT	
· Class	8 Corrosive substances



Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

	(Contd. of page
Label	8
IMDG, IATA	
\sim	
ar 2	
Class Label	8 Corrosive substances 8
	δ
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
5	(NITRIC ACID), 8, III

15 Regulatory information

*

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances): 7697-37-2 nitric acid · Section 313 (Specific toxic chemical listings): 13446-18-9 magnesium nitrate hexahydrate 7697-37-2 nitric acid · TSCA (Toxic Substances Control Act): 7697-37-2 nitric acid 7732-18-5 water (Contd. on page 8) US

CIENTIFIC Analytical Solutions

Safety Data Sheet acc. to OSHA HCS

Printing date 03/09/2018

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

• TSCA new (21st Century Act) (Substances not listed)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Document Control / Regulatory

· Contact: regulatory@ultrasci.com

· Date of preparation / last revision 03/09/2018 / 1

(Contd. of page 7)



Printing date 03/09/2018

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 01/19/2018

Trade name: Magnesium Standard

(Contd. of page 8	.)
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage	
of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	
	us –