

# SAFETY DATA SHEET

Revision Date 17-Feb-2015 Revision Number 1

1. Identification

Product Name Ferric Chloride 10%

Cat No.: R21218

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Remel INFOTRAC - 24 Hour Number: 1-800-535-5053

12076 Santa Fe Drive Outside of the United States, call 24 Hour Number: 001-352-323-3500 (Call Collect)

Lenexa, KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals
Skin Corrosion/irritation
Serious Eye Damage/Eye Irritation
Skin Sensitization
Category 1
Category 1
Category 1

### Label Elements

# Signal Word

Danger

### **Hazard Statements**

May be corrosive to metals Causes skin irritation May cause an allergic skin reaction Causes serious eye damage



# **Precautionary Statements**

### Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Keep only in original container

### Response

Get medical attention/advice if you feel unwell

### Skin

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Spills

Absorb spillage to prevent material damage

### Storage

Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place

### Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Iron (III) chloride hexahydrate	10025-77-1	10.7
Hydrochloric acid	7647-01-0	2.5

# 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing. Get medical

attention immediately if irritation persists.

**Skin Contact**Consult a physician. Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Wash off immediately with plenty of water for at least 15

minutes.

**Inhalation** Move to fresh air. Call a physician or Poison Control Center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion**Do not induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or

Poison Control Center immediately.

Most important symptoms/effects None reasonably foreseeable. Causes eye burns. May cause allergic skin reaction. .

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

**Notes to Physician** 

No information available

Upper
Lower
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No data available
No information available
No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

### 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Refer to protective measures listed in Sections 7 and 8

**Environmental Precautions** 

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

	7. Handling and storage
Handling	Avoid contact with skin. No information available. Ensure adequate ventilation. Do not taste or swallow. Do not get in eyes, on skin, or on clothing. This material should be handled at the biosafety level 2 (BSL2) as required by OSHA Bloodborne Pathogen Rule (29 CFR 1910.1030.7).
Storage	Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

### properly labeled containers.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron (III) chloride hexahydrate	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Hydrochloric acid	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV	
Iron (III) chloride hexahydrate	TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m³ STEL: 2 mg/m³	TWA: 1 mg/m <sup>3</sup>	
Hydrochloric acid	Ceiling: 5 ppm Ceiling: 7.5 mg/m <sup>3</sup>	Ceiling: 5 ppm Ceiling: 7 mg/m³	CEV: 2 ppm	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

### **Personal Protective Equipment**

**Eye/face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection** Impervious gloves. impervious clothing. Boots. Chemical resistant apron.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection remove and wash all contaminated protective equipment before re-use. Wear suitable

gloves and eye/face protection.

# Physical and chemical properties

Physical State Liquid

AppearanceNo information availableOdorNo information availableOdor ThresholdNo information available

**pH** < 2

Melting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information availableEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits
Upper
Lower
No data available
No data available
No information available
Vapor Density
No information available

Specific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information available

Decomposition Temperature
Viscosity

No information available
No information available

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Exposure to air or moisture over prolonged periods.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Iron (III) chloride hexahydrate	(III) chloride hexahydrate LD50 = 900 mg/kg (Rat)		Not listed		
Hydrochloric acid	LD50 238 - 277 mg/kg (Rat)	LD50 > 5010 mg/kg (Rabbit)	LC50 = 1.68 mg/L (Rat) 1 h		

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Component	CAS-No IARC		NTP	ACGIH	OSHA	Mexico
Iron (III) chloride hexahydrate	10025-77-1	Not listed				
Hydrochloric acid	7647-01-0	Not listed				

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects No information available

**Reproductive Effects** No information available.

Revision Date 17-Feb-2015 Ferric Chloride 10%

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

# 12. Ecological information

### **Ecotoxicity**

Harmful to aquatic organisms.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
	Iron (III) chloride hexahydrate	Not listed	22 mg/l 96H (anh subst)	Not listed	9.6 mg/l 48H (anh subst)
ı	Hydrochloric acid	-	282 mg/L LC50 96 h	-	-

**Persistence and Degradability Bioaccumulation/ Accumulation**  No information available No information available.

**Mobility** 

Component	log Pow
Iron (III) chloride hexahydrate	4

# 13. Disposal considerations

**Waste Disposal Methods** 

Should not be released into the environment.

# 14. Transport information

DOT

**UN-No** 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. **Proper Shipping Name** 

Proper technical name (Hydrochloric acid, Ferric chloride)

**Hazard Class** 8 **Packing Group** Ш

**TDG** 

**UN-No** 3264

**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

**Hazard Class Packing Group** Ш

**IATA** 

**UN-No** 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. **Proper Shipping Name** 

**Hazard Class** 8 Ш **Packing Group** 

IMDG/IMO

3264 **UN-No** 

**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

**Hazard Class Packing Group** Ш

# 15. Regulatory information

### All of the components in the product are on the following Inventory lists: X = listed

#### **International Inventories**

Component	TSCA	DSL	NDSL	<b>EINECS</b>	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Iron (III) chloride hexahydrate	-	-	-	-	1		Χ	-	Χ	Χ	-
Hydrochloric acid	Х	Х	-	231-595-7	-		Χ	Χ	Χ	Χ	Χ

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	2.5	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
Hydrochloric acid	X	5000 lb	-	-	

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrochloric acid	X		-

# **OSHA** Occupational Safety and Health Administration Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals	
Hydrochloric acid	-	TQ: 5000 lb	

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hvdrochloric acid	5000 lb	5000 lb

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Iron (III) chloride	-	-	X	-	X
hexahydrate					
Hydrochloric acid	X	X	X	X	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard		
Hydrochloric acid	0 lb STQ (anhydrous); 11250 lb STQ (37% concentration or		
	greater)		


### **Other International Regulations**

Mexico - Grade No information available

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class E Corrosive material D2B Toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Remel

Tel: 1-800-255-6730

**Revision Date** 17-Feb-2015 **Print Date** 17-Feb-2015

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**