

# **SAFETY DATA SHEET**

Version 6.5 Revision Date 04/18/2021 Print Date 11/13/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Hydrogen peroxide solution

Product Number : 88597

Brand : Sigma-Aldrich

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram none Signal word none

Hazard statement(s)

H402 Harmful to aquatic life.

Precautionary statement(s)

P273 Avoid release to the environment.

P501 Dispose of contents/ container to an approved waste disposal

plant.

Sigma-Aldrich - 88597

Millipore SigMa

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Synonyms : Catalase Test

Formula : H<sub>2</sub>O<sub>2</sub>

Molecular weight : 34.01 g/mol

Component		Classification	Concentration
Hydrogen Peroxide	e		
CAS-No. EC-No. Index-No.	7722-84-1 231-765-0 008-003-00-9	Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H271, H302, H332, H314, H318, H335, H401, H412  Concentration limits: >= 70 %: Ox. Liq. 1, H271; 50 - < 70 %: Ox. Liq. 2, H272; >= 70 %: Skin Corr. 1A, H314; 50 - < 70 %: Skin Corr. 1B, H314; 35 - < 50 %: Skin Irrit. 2, H315; 8 - < 50 %: Eye Dam. 1, H318; 5 - < 8 %: Eye Irrit. 2, H319; >= 35 %: STOT SE 3, H335;	>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 88597

Millipore SigMa

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Not combustible.

Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Light sensitive.

Storage class (TRGS 510): 12: Non Combustible Liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 88597

Page 3 of 10



# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hydrogen Peroxide	7722-84-1	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to humans		
		TWA	1 ppm 1.4 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	1 ppm 1.4 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	1 ppm 1.4 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

## **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

# Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

# **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.



Sigma-Aldrich - 88597

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odor No data available

c) Odor Threshold No data available

d) pH 6.0 - 8.0 at 25 °C (77 °F)

e) Melting 0.0 °C (32.0 °F)

point/freezing point

f) Initial boiling point 100.0 °C 212.0 °F

and boiling range

g) Flash point ()No data available
h) Evaporation rate No data available

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

No data available

j) Upper/lower flammability or explosive limits

k) Vapor pressure 31.1 hPa at 30 °C (86 °F)

I) Vapor density No data availablem) Relative density No data available

n) Water solubility completely misciblesoluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition temperature

Not applicable

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Sigma-Aldrich - 88597

# 10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

## 10.4 Conditions to avoid

Light.

no information available

# 10.5 Incompatible materials

Iron and iron salts., Powdered metals, Copper, Iron, Zinc, Nickel

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

No data available

Inhalation: No data available

Acute toxicity estimate Inhalation - 4 h - > 200 mg/l

(Calculation method)

Dermal: No data available

Acute toxicity estimate Dermal - > 5,000 mg/kg

(Calculation method)

No data available

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

Sigma-Aldrich - 88597

Page 6 of 10



on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure No data availableSpecific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Stomach - Irregularities - Based on Human Evidence

# **Components**

# **Hydrogen Peroxide**

# **Acute toxicity**

Acute toxicity estimate Oral - 500.1 mg/kg (Expert judgment)
No data available

Inhalation: Corrosive to respiratory system.

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA)

## Skin corrosion/irritation

# Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitization

# Germ cell mutagenicity

OECD Test Guideline 474 Mouse - male and female - Bone marrow Result: negative

#### Carcinogenicity

# Reproductive toxicity

## Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

# Specific target organ toxicity - repeated exposure

**Aspiration hazard** 



## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Mixture**

No data available

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# **Components**

## **Hydrogen Peroxide**

Toxicity to fish semi-static test LC50 - Pimephales promelas (fathead minnow)

- 16.4 mg/l - 96 h

(US-EPA)

semi-static test NOEC - Pimephales promelas (fathead minnow)

- 5 mg/l - 96 h

(US-EPA)

Toxicity to daphnia and other aquatic invertebrates

semi-static test LC50 - Daphnia pulex (Water flea) - 2.4 mg/l -

48 h

(US-EPA)

semi-static test NOEC - Daphnia pulex (Water flea) - 1 mg/l -

48 h (US-EPA)

Toxicity to algae IC50 - Pseudokirchneriella subcapitata (green algae) - 5.7 mg/l

- 72 h

Remarks: (ECOTOX Database)

Growth rate NOEC - Skeletonema costatum (marine diatom) -

0.63 mg/l - 72 h

Remarks: (External MSDS)

Toxicity to bacteria static test EC50 - activated sludge - 466 mg/l - 30 min

(OECD Test Guideline 209)

static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

# DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

## **SARA 302 Components**

Hydrogen Peroxide

CAS-No. 7722-84-1 Revision Date 2014-05-05

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any

Sigma-Aldrich - 88597

Millipore SigMa damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5 Revision Date: 04/18/2021 Print Date: 11/13/2021

