Printing date November 6, 2015

Revision: November 6, 2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: Instantaneous Blast Grenade, OC
 Article number: 1040 (1012489) 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture Crowd Control Device Uses advised against Contact manufacturer.
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 1.4 Emergency telephone number: ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585
 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200). The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.
exploding bomb
Expl. 1.4H204Fire or projection hazard.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. • Additional information: There are no other hazards not otherwise classified that have been identified. 0 % of the mixture consists of component(s) of unknown toxicity.
2.2 Label elements
• Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the
United States (GHS). (Cont'd. on page 2)

(Cont'd. on page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015

Revision: November 6, 2015

	(Cont'd. from pacture classified and labelled according to the CLP regulation.
Hazard pictog	rams
GHS01 GHS07	
Signal word W	/aming
-	nining components of labelling:
Oleoresin Caps	
Hazard statem	
	Hazard Statements are applicable only to the EU regulations and not the US
regulation: H41	
	ojection hazard.
H315 Causes s	
	erious eye irritation.
	se respiratory irritation.
	o aquatic life with long lasting effects.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
D261	smoking.
P261 P264	Avoid breathing dust. Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P271	Use only outdoors or in a well-ventilated area.
	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens
1 000 1 001 1	present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P362+P364	Take off contaminated clothing and wash it before reuse.
P401	Store in accordance with local/regional/national/international regulations.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internat regulations.
Additional info	
	ghly flammable in use.
NFPA ratings	
A Hea	lth = 2
Fire	
	ctivity = 3
• •	,
This substance	possesses oxidizing properties.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 2)

· HMIS-ratings (scale 0 - 4)

HEALTHImage: Constraint of the sector of the se

* - Indicates a long term health hazard from repeated or prolonged exposures.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Product will contain various combinations of the following substances. Not all substances will be in each product.

. Mixture of substances listed below with nonhazardous additions.

CAS: 8023-77-6	Oleoresin Capsicum	<10
EINECS: 288-920-0	 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 	
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate Ox. Sol. 1, H271 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 57-50-1 EINECS: 200-334-9	sucrose, pure substance with a Community workplace exposure limit	
CAS: 598-62-9 EINECS: 209-942-9	manganese carbonate substance with a Community workplace exposure limit	

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

	(Cont'd. from page	ige 3)
CAS: 100-21-0	terephthalic acid	
EINECS: 202-830-0	substance with a Community workplace exposure limit	
CAS: 78-11-5	pentaerythritol tetranitrate (PETN)	
EINECS: 201-084-3	🔗 Unst. Expl., H200	
Index number: 603-035-00-5		
CAS: 7440-50-8	copper	
EINECS: 231-159-6	substance with a Community workplace exposure limit	
CAS: 13424-46-9	lead diazide / lead azide	
EINECS: 236-542-1	🔗 Unst. Expl., H200	
Index number: 082-003-00-7		
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 7440-66-6	zinc metal	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 9004-70-0	Nitrocellulose, colloided, granular	
EC number: 603-037-0	🔗 Expl. 1.1, H201	
CAS: 7778-74-7	potassium perchlorate	
EINECS: 231-912-9	🛞 Ox. Sol. 1, H271	
Index number: 017-008-00-5	Acute Tox. 4, H302	
CAS: 557-04-0	magnesium distearate, pure	
EINECS: 209-150-3	substance with a Community workplace exposure limit	
CAS: 592-87-0	lead dithiocyanate	
EINECS: 209-774-6	& Repr. 1A, H360Df; STOT RE 2, H373	
Index number: 082-001-00-6	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 10294-40-3	barium chromate	
EINECS: 233-660-5	🚯 Acute Tox. 4, H302; Acute Tox. 4, H332	
Index number: 056-002-00-7		
SVHC		
13424-46-9 lead diazide / lea	ad azide	
Additional information:		
	Hazard Statements refer to section 16.	
For the listed ingredient(s), th	ne identity and exact percentages are being withheld as a trade secret.	
• Notable Trace Components	s (≤ 0,1% w/w)	
CAS: 7758-97-6	lead chromate	
	& Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373	·
EINECS: 231-846-0 Index number: 082-004-00-2		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from p	
Symptoms of poisoning may even occur after several hours; therefore medical observation for at lea hours after the accident.	4514
After inhalation:	
Supply fresh air.	
Seek immediate medical advice.	
In case of irregular breathing or respiratory arrest provide artificial respiration.	
Provide oxygen treatment if affected person has difficulty breathing.	
After skin contact:	
Immediately rinse with water.	
If skin irritation continues, consult a doctor.	
After eye contact:	
Protect unharmed eye.	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing:	
Unlikely route of exposure.	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
4.2 Most important symptoms and effects, both acute and delayed	
Blast injury if mishandled.	
Irritating to eyes, respiratory system and skin.	
Breathing difficulty	
Coughing	
Allergic reactions	
Disorientation	
Hazards	
Danger of blast or crush-type injuries.	
Danger of impaired breathing.	
4.3 Indication of any immediate medical attention and special treatment needed	
If necessary oxygen respiration treatment.	5 th
Product may produce physical injury if mishandled. Treatment of these injuries should be based or blast and compression effects.	ли

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

• For safety reasons unsuitable extinguishing agents: None.

 $^{\circ}$ 5.2 Special hazards arising from the substance or mixture

Fire or projection hazard.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

Hazardous combustions products: Metal Compounds, Carbon Monoxide, Carbon Dioxide, Nitrous Oxides, Various complex oxides of metals, Nitrogen.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

(Cont'd. from page 5)

Trade name: Instantaneous Blast Grenade, OC

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit. • Additional information Evacuate area and fight fire from from the upwind side. Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Isolate area and prevent access. Keep people at a distance and stay on the windward side. Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Keep away from ignition sources. · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Suppress gases/fumes/haze with water spray. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to section 13. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Keep away from heat and direct sunlight. Use only in well ventilated areas.
Information about fire - and explosion protection: Prevent impact and friction. Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire. Protect from heat. Keep ignition sources away - Do not smoke.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

(Cont'd. from page 6)

Trade name: Instantaneous Blast Grenade, OC

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame.
Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances. Do not store together with oxidising and acidic materials. Store away from water.
Further information about storage conditions: Protect from heat and direct sunlight. Store in dry conditions. Store receptacle in a well ventilated area.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

0.1 0011101 p		
· Ingredients v	Ingredients with limit values that require monitoring at the workplace:	
100-21-0 tere	phthalic acid	
TLV (USA)	Long-term value: 10 mg/m ³	
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust; **respirable fraction	
EV (Canada)	Long-term value: 10 mg/m ³	
57-50-1 sucre	ose, pure	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 10 mg/m ³	
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
598-62-9 mar	nganese carbonate	
PEL (USA)	Ceiling limit: 5 mg/m³ as Mn	
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn	
	(Cont'd. on page 8)	

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

		(Cont'd. from page
TLV (USA)	Long-term value: 0,02* 0,1* mg/m ³ as Mn; *respirable **inhalable fraction	
EL (Canada)	Long-term value: 0,2 mg/m³ as Mn; R	
7440-50-8 co	pper	
PEL (USA)	Long-term value: 1* 0,1** mg/m ³	
	as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists	
13424-46-9 🤅	ead diazide / lead azide	
PEL (USA)	Long-term value: 0,05 mg/m ³ as Pb; See 29 CFR 1910.1025	
REL (USA)	Long-term value: 0,05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C	
TLV (USA)	Long-term value: 0,05 mg/m³ as Pb; BEI	
EL (Canada)	Long-term value: 0,05 mg/m³ as Pb; IARC 2A, R	
557-04-0 mag	gnesium distearate, pure	
TLV (USA)	Long-term value: 10 mg/m ³	
592-87-0 lead	I dithiocyanate	
PEL (USA)	Long-term value: 5 mg/m ³ as CN; Skin	
EV (Canada)	Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds)	
10294-40-3 b	arium chromate	
PEL (USA)	Long-term value: 0,005* mg/m³ Ceiling limit: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026	
REL (USA)	Long-term value: 0,0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C	
TLV (USA)	Long-term value: 0,01 mg/m ³ as Cr	
EL (Canada)	Long-term value: 0,01 mg/m³ as Cr; ACGIH A1, IARC 1	
· DNELs No fu	rther relevant information available.	
· PNECs No fu	rther relevant information available.	
		(Cont'd. on page

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

In one des	(Cont'd. from page
-	ts with biological limit values:
	9 lead diazide / lead azide
BEI (USA)	30 µg/100 ml
	Medium: blood
	Time: not critical Parameter: Lead
10201-10-	3 barium chromate
BEI (USA)	
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Total chromium (fume)
	10 μg/L
	Medium: urine
	Time: increase during shift
	Parameter: Total chromium (fume)
Do not inh Immediate Wash han Store prote Do not inh Respirato	act with the eyes. ale dust / smoke / mist. Ity remove all soiled and contaminated clothing. ds before breaks and at the end of work. ective clothing separately. ale gases / fumes / aerosols. ry protection: itive pressure NIOSH or European EN149 vapor respirators when deploying product in la
Protection	n of hands: rotective gloves
Due to m preparatio	material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ t n/ the chemical mixture. of the glove material on consideration of the penetration times, rates of diffusion and t

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 9)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

· Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

SECTION 9: Physical and chemical properties	
• 9.1 Information on basic physical a • General Information • Appearance:	and chemical properties
Form:	Solid material
Colour:	Grey
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

		(Cont'd. from page 10)
· Vapour density	Not applicable.	
• Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octano	I/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

 \cdot 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Fire or projection hazard. Contact with acids releases toxic gases.

Toxic fumes may be released if heated above the decomposition point.

Strong exothermic reaction with acids.

Develops toxic gases/fumes.

10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidising agents.

Keep away from heat and direct sunlight.

Cartridge may detonate if case is punctured or severely damaged.

• 10.5 Incompatible materials: Contact with acids liberates toxic gas.

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Hydrocarbons Leadoxide vapour Bariumoxide vapour Nitrogen oxides (NOx) Chlorine compounds Poisonous gases/vapours

Irritant gases/vapours

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Cont'd. on page 12)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 11)

LD/LC50 values relevant for classification: 3811-04-9 potassium chlorate LD50 1870 mg/kg (rat) Oral 8023-77-6 Oleoresin Capsicum Oral LD50 3000 mg/kg (rat) Dermal LD50 >2500 mg/kg (mouse) 7758-97-6 lead chromate LD50 12000 mg/kg (mouse) Oral Primary irritant effect: · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eve irritation. • Respiratory or skin sensitisation May cause sensitisation by inhalation and skin contact. · Additional toxicological information: Toxic and/or corrosive effects may be delayed up to 24 hours. • Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes, respiratory system and skin. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • **Reproductive toxicity** Based on available data, the classification criteria are not met. · STOT-single exposure May cause respiratory irritation. • STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:
- Toxic for aquatic organisms

The product contains materials that are harmful to the environment.

- **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- **12.3 Bioaccumulative potential** May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

(Cont'd. on page 13)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 12)

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN0301
 14.2 UN proper shipping name DOT, IMDG, IATA ADR 	AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge 0301 AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge
 14.3 Transport hazard class(es) 	
·DOT	
· Class	1 Explosive substances and articles.
	(Cont'd. on page 14)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

Revision: November 6, 2015

(Cont'd. from page 13) · Label 1.4G, 6.1, 8 · ADR 1.4 · Class 1 Explosive substances and articles. · Label 1.4G+6.1+8 · IMDG · Class 1 Explosive substances and articles. · Label 1.4G/6.1/8 ·IATA · Class 1 Explosive substances and articles. · Label 1.4G (6.1, 8) · 14.4 Packing group DOT, ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Special marking (IATA): Cargo Aircraft Only. · 14.6 Special precautions for user Warning: Explosive substances and articles. · Danger code (Kemler): F-B,S-Z · EMS Number: · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. • Transport/Additional information: · ADR · Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category 2 (Cont'd. on page 15)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 14) · Tunnel restriction code Е · UN "Model Regulation": UN0301, AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge, _ (1.4G+6.1+8), II

SECTION 15: Regulatory information
 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA
· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
598-62-9 manganese carbonate
7440-50-8 copper
13424-46-9 lead diazide / lead azide
7440-66-6 zinc metal
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65 (California):
· Chemicals known to cause cancer:
13424-46-9 lead diazide / lead azide
592-87-0 lead dithiocyanate
10294-40-3 barium chromate
7758-97-6 lead chromate
 Chemicals known to cause reproductive toxicity for females: Present in trace quantities.
10294-40-3 barium chromate
7758-97-6 lead chromate
 Chemicals known to cause reproductive toxicity for males: Present in trace quantities.
10294-40-3 barium chromate
7758-97-6 lead chromate
Chemicals known to cause developmental toxicity:
Present in trace quantities.
13424-46-9 lead diazide / lead azide
10294-40-3 barium chromate
7758-97-6 lead chromate
(Cont'd. on page 16)

Printing date November 6, 2015

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

· EPA (Environmental Protection Agency	
598-62-9 manganese carbonate	D
7440-50-8 copper	D
13424-46-9 lead diazide / lead azide	B2
7440-66-6 zinc metal	D, I, II
7778-74-7 potassium perchlorate	NL
10294-40-3 barium chromate	A(inh), D(oral), K/L(inh), CBD(ora
· IARC (International Agency for Researc	h on Cancer)
13424-46-9 lead diazide / lead azide	2
10294-40-3 barium chromate	1
TLV (Threshold Limit Value established	I by ACGIH)
57-50-1 sucrose, pure	A
13424-46-9 lead diazide / lead azide	A
10294-40-3 barium chromate	A
NIOSH-Ca (National Institute for Occup	ational Safety and Health)
10294-40-3 barium chromate	
Canada	
· Canadian Domestic Substances List (D	SL)
All ingredients are listed.	
· Canadian Ingredient Disclosure list (lim	nit 0.1%)
598-62-9 manganese carbonate	
10294-40-3 barium chromate	
Canadian Ingredient Disclosure list (lim	nit 1%)
100-21-0 terephthalic acid	
7440-50-8 copper	
Directive 2012/18/EU	
Named dangerous substances - ANNEX	()
None of the ingredients are listed.	
• Other regulations, limitations and proh	ibitivo rogulations
• Substances of very high concern (SVH	-
13424-46-9 lead diazide / lead azide	of according to NEACH, Article 37

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 17)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 16) · Relevant phrases H200 Unstable explosives. H201 Explosive; mass explosion hazard. H271 May cause fire or explosion; strong oxidiser. Harmful if swallowed. H302 H315 Causes skin irritation. H318 Causes serious eve damage. Harmful if inhaled. H332 H350 May cause cancer. H360Df May damage the unborn child. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. H373 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4 Unst. Expl.: Explosives, Unstable explosives Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 18)

Printing date November 6, 2015

Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

Website: www.chemtelinc.com

(Cont'd. from page 17)