

Printing date: September 26, 2014 Revision: September 26, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: 40MM Liquid Ferret Inert
- · Article number: 1263
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Explosive product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.



health hazard

Carc. 2 H351 Suspected of causing cancer.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

Limited evidence of a carcinogenic effect. R40:

Heating may cause an explosion. Risk of explosion if heated under confinement.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

(Contd. on page 2)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS01 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

dichloromethane

· Hazard statements

H204 Fire or projection hazard.

H351 Suspected of causing cancer.

· Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P281 Use personal protective equipment as required.

P202 Do not handle until all safety precautions have been read and understood.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P372 Explosion risk in case of fire.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Contains Rosin. May produce an allergic reaction.

Can become highly flammable in use.

- · Hazard description:
- · WHMIS-symbols:

D2A - Very toxic material causing other toxic effects

F - Dangerously reactive material





· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 2 Reactivity = 3

(Contd. on page 3)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 2)

(Contd. on page 4)

· HMIS-ratings (scale 0 - 4)

REACTIVITY 3 Reactivity = 3

*2 Health = *2 2 Fire = 2

Warning: Contains lead salt(s). Long-term health hazard.

· HMIS Long Term Health Hazard Substances

75-09-2 dichloromethane

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 75-09-2 dichloromethane >75% EINECS: 200-838-9 **★** Xn R40 Index number: 602-004-00-3 | Carc. Cat. 3 Carc. 2, H351 CAS: 9004-70-0 Nitrocellulose, colloided, granular 5-10% EC number: 603-037-0 **E** R3

Expl. 1.1, H201

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

CAS: 112945-52-5	Silicon Dioxide (Amorphous)	td. of page 5-109
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate	5-109
	Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225	
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 Cox. Sol. 2, H272	1-5%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-	Rosin Xi R43	< 1,0
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5		< 1,0
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-50-8 EINECS: 231-159-6	copper	< 1,0
Additional information: Fo	or the wording of the listed risk phrases refer to section 16.	
Notable Trace Componen	ts (≤ 0,1% w/w)	
CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-	lead 2,4,6-trinitro-m-phenylene dioxide ☐ T Repr. Cat. 1, 3 R61; Xn R62-20/22; E R3; N R50/53 4 R33	
	Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

(Contd. on page 5)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 4)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.
- · Hazards

Danger of blast or crush-type injuries.

Suspected of causing cancer.

· 4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

• **6.2 Environmental precautions:** No special measures required.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact.
- · Information about fire and explosion protection:

Protect from heat.

Emergency cooling must be available in case of nearby fire.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

PEL (USA) Short-term value: 125 ppm

Long-term value: 25 ppm see 29 CFR 1910,1052

REL (USA) See Pocket Guide App. A

TLV (USA) Long-term value: 174 mg/m³, 50 ppm

BEI

EL (Canada) Long-term value: 25 ppm

IARC 2B

EV (Canada) Long-term value: 175 mg/m³, 50 ppm

(Contd. on page 7)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 6) 55-63-0 glycerol trinitrate PEL (USA) Ceiling limit: 2 mg/m³, 0,2 ppm Skin REL (USA) Short-term value: 0,1 mg/m³ Skin TLV (USA) Long-term value: 0,46 mg/m³, 0,05 ppm Skin EL (Canada) Long-term value: 0,05 ppm Skin EV (Canada) Long-term value: 0,5 mg/m³, 0,05 ppm 8050-09-7 Rosin DSEN, RSEN, L TLV (USA) EL (Canada) S 122-39-4 diphenylamine REL (USA) Long-term value: 10 mg/m³ TLV (USA) Long-term value: 10 mg/m³ EL (Canada) Long-term value: 10 mg/m³ EV (Canada) Long-term value: 10 mg/m³ · **DNELs** No further relevant information available. · PNECs No further relevant information available. · Ingredients with biological limit values: 75-09-2 dichloromethane BEI (USA) 0,3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Respiratory protection: Suitable respiratory protective device recommended.

· Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 8)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 7)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Solid metal containing liquid and solid contents.

Colour: According to product specification

Odour:
 Odour threshold:
 pH-value:
 Odourless
 Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not applicable.
Not determined.

Not determined.

· **Self-igniting**: Product is not self-igniting.

• **Danger of explosion:** Heating may cause an explosion.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not determined.

Not determined.

(Contd. on page 9)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 8)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0,0 %

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidising agents.

Reacts with strong acids and alkali.

Reacts with certain acids.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SOx)

Chlorine compounds

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

75-09-2 dichloromethane

Oral LD50 1600 mg/kg (rat) Inhalative LC50/4h 88 mg/l (rat)

(Contd. on page 10)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 9)

55-63-0 glycerol trinitrate

LD50 115 mg/kg (mouse)

105 mg/kg (rat)

Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin:

Oral

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

· on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

- · Acute effects (acute toxicity, irritation and corrosivity): Danger through skin adsorption.
- · Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 2

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential May be accumulated in organisms.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 11)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 10)

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA UN0362

· 14.2 UN proper shipping name

DOT, IMDG, IATA
 ADR
 Ammunition, practice
 0362, Ammunition, practice

· 14.3 Transport hazard class(es)

· DOT, ADR, IMDG, IATA



· Class· Label1.41.4G

· 14.4 Packing group · DOT, ADR, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable. • EMS Number: F-A,S-Q

Segregation groups
 Liquid halogenated hydrocarbons

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN0362, Ammunition, Practice, 1.4G, II

(Contd. on page 12)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 11)

SECTION 15: Regulatory information	
15.1 Safety, health and environmental regulations/legislation specific for the su United States (USA) SARA	ıbstance or mixtur
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
75-09-2 dichloromethane	
55-63-0 glycerol trinitrate	
7757-79-1 potassium nitrate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
75-09-2 dichloromethane	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity: Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	
IARC (International Agency for Research on Cancer)	<u> </u>
75-09-2 dichloromethane	2
TLV (Threshold Limit Value established by ACGIH)	<u> </u>
75-09-2 dichloromethane	Α
NIOSH-Ca (National Institute for Occupational Safety and Health)	
75-09-2 dichloromethane	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
75-09-2 dichloromethane	

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 12)

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H200 l	Jnstable exp	losives.
--------	--------------	----------

- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R33 Danger of cumulative effects.

R40 Limited evidence of a carcinogenic effect. R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R8 Contact with combustible material may cause fire.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 14)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - Inert

(Contd. of page 13)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 1: Acute toxicity, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com