according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

	Revision Date 02/20/2020	Version 3.0
SECTION 1.Identification Product identifier		
Product number	NX0407	
Product name	Nitric Acid 67 - 70% OmniTrace®	
Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of	the safety data sheet	
Company	EMD Millipore Corporation 400 Summit Drive Burlington Massachusetts 01803 United States of America Genera Inquiries: +1 800-645-5476 Monday to Friday, 9:00 AM 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.	I .
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Oxidizing liquid, Category 3, H272 Corrosive to Metals, Category 1, H290 Acute toxicity, Category 3, Inhalation, H331 Skin corrosion, Category 1A, H314 Serious eye damage, Category 1, H318 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Page 1 of 15



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

NX0407

Product name

Nitric Acid 67 - 70% OmniTrace®

Version 3.0

Signal Word Danger

Hazard Statements H272 May intensify fire; oxidizer. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled.

Precautionary Statements

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P390 Absorb spillage to prevent material damage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner. P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Aqueous solution



Page 2 of 15

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Hazardous ingredients

Chemical name (Concentration) CAS-No. nitric acid (>= 50 % - < 70 %) 7697-37-2 Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice First aider needs to protect himself.

Inhalation After inhalation: fresh air. Call in physician.

If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Bloody vomiting, death, Risk of blindness!

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapors. Fire may cause evolution of: nitrous gases, nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Conditions for safe storage, including any incompatibilities

Page 4 of 15



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Requirements for storage areas and containers No metal or light-weight-metal containers.

Tightly closed. Do not store near combustible materials. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Components			
Basis	Value	Threshold limits	Remarks
nitric acid 76	97-37-2		
ACGIH	Time Weighted Average (TWA):	2 ppm	
	Short Term Exposure Limit (STEL):	4 ppm	
NIOSH/GUIDE	Recommended	2 ppm	
	exposure limit (REL):	5 mg/m ³	
	Short Term Exposure	4 ppm	
	Limit (STEL):	10 mg/m³	
OSHA_TRANS	PEL:	2 ppm	
		5 mg/m ³	
Z1A	Time Weighted	2 ppm	
	Average (TWA):	5 mg/m ³	
	Short Term Exposure	4 ppm	
	Limit (STEL):	10 mg/m ³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Tightly fitting safety goggles

Page 5 of 15



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407		Version 3.0
Product name	Nitric Acid 67	- 70% OmniTrace®	
Hand protection			
full contact:			
	Glove material:	Viton (R)	
	Glove thickness:	0.7 mm	
	Break through time:	> 480 min	
splash contact:			
	Glove material:	natural latex	
	Glove thickness:	0.6 mm	
	Break through time:	> 120 min	
The protective gl	loves to be used must o	comply with the specifications of EC Directive	

89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Acid-resistant protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: Filter E-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	stinging
Odor Threshold	0.27 ppm (anhydrous substance)
рН	< 1 at 68 °F (20 °C)



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	
Melting point	ca26 °F (-32 °C)	
Boiling point/boiling range	e 250 °F (121 °C) at 1,013 hPa	
Flash point	Not applicable	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	No information available.	
Upper explosion limit	No information available.	
Vapor pressure	ca.9.4 hPa at 68 °F (20 °C)	
Relative vapor density	No information available.	
Density	1.39 g/cm3 at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	at 68 °F (20 °C) soluble	
Partition coefficient: n-	No information available.	
octanol/water Autoignition temperature	No information available.	
Decomposition temperatu	re Distillable in an undecomposed state at normal pressure.	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	The substance or mixture is classified as oxidizing wit the category 3.	h
Ignition temperature	Not applicable	



Page 7 of 15

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	
Corrosion	May be corrosive to metals.	

SECTION 10. Stability and reactivity

Reactivity

strong oxidizing agent

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion with:

Acetone, acetonitrile, acetylidene, Alcohols, ANILINE, antimony hydride, arsenic hydride, Organic Substances, Benzene, phosphides, anilines, Amines, Halogenated hydrocarbon, Diethyl ether, dimethyl ether, hydrazines, Nitro compounds, Sulfides, Dioxane, acetic acid, Acetic anhydride, ethanol, Ethylene glycol, Fluorine, formaldehyde, rubber, oils, Hydrazine hydrate, Hydrocarbons, Copper, lithium silicide, organic solvents, Manganese, Cyanides, Powdered metals, Methanol, petrol, PHOSPHORUS TRICHLORIDE, phosphorus hydrogen, anhydrides, Reducing agents, sulfur dioxide, Boranes, thiocyanates, Titanium, toluene, Impurities, Nitric acid, hydrogen peroxide, Tin, sugars, xylene, dichloromethane, carbon/soot

potassium chlorate, with, Organic Substances

mercury(II) nitrate, with, ethanol

Organic Substances, with, sulfuric acid

Nitrobenzene, with, sulfuric acid

potassium permanganate, with, Alcohols

glycerol, with, sulfuric acid

Risk of ignition or formation of inflammable gases or vapors with:

Amines, Ammonia, combustible substances, Aldehydes, furfuryl alcohol, hydrogen iodide, Potassium, Lithium, magnesium, phosphides, sodium, hydrides, phosphorus, pyridine, hydrogen sulfide, THIOPHENE

Violent reactions possible with:

Nitriles, antimony, arsenic, Boron, ferric oxide, alkalines, sodium hypochlorite, formic acid, halogen-halogen compounds, Germanium, glycerol, nitrides, Sodium hydroxide solution, Sodium hydroxide, sulfuric acid, selenium, Bismuth, chlorates

Conditions to avoid

no information available

Incompatible materials



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Cellulose, Metals

Contact with metals may lead to the formation of nitrous gases and hydrogen.

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact

Target Organs Eyes Skin Respiratory system teeth

Acute oral toxicity Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, After a latency period:, Inhalation may lead to the formation of oedemas in the respiratory tract.

Acute toxicity estimate: 4.62 mg/l; 4 h ; vapor Calculation method

Skin irritation

Mixture causes severe burns.

Eye irritation Mixture causes serious eye damage. Risk of blindness!

Specific target organ systemic toxicity - single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.


Specific target organ systemic toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible

Page 9 of 15





according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	
	or confirmed human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	

Further information

After uptake:

Bloody vomiting, strong pain (risk of perforation!), tissue damage, death The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities. Other dangerous properties can not be excluded. This substance should be handled with particular care.

Components

nitric acid

Acute inhalation toxicity LC50 Rat: > 2.65 mg/l; 4 h ; vapor OECD Test Guideline 403

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.



Page 10 of 15

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Additional ecological information Biological effects: Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. Does not cause biological oxygen deficit. Hazard for drinking water supplies. Discharge into the environment must be avoided.

Components

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water log Pow: -2.3 OECD Test Guideline 107 Bioaccumulation is not expected.

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant 2482 Pa*m³/mol Method: (calculated) (Lit.) Distribution preferentially in air.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

nation
UN 2031
NITRIC ACID
8 (5.1)
II
UN 2031
NITRIC ACID
8 (5.1)
II
yes Not permitted for transport
UN 2031
NITRIC ACID WITH AT LEAST 65% BUT NOT MORE THAN 70%
8 (5.1)
II
yes
F-A S-Q

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA TitleIII, Section 313:Componentsnitric acid7697-37-265 %

Page 12 of 15

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

roduct number	NX0407	Version 3
roduct name	Nitric Acid 67 - 70% OmniTrace®	
SARA 302		
The following comp III, Section 302:	onents are subject to reporting levels established b	oy SARA Title
<i>Components</i> nitric acid	7697-37-2	
Clean Water Act The following Hazar 116.4A: <i>Components</i> nitric acid	dous Substances are listed under the U.S. CleanW	ater Act, Section 311, Tabl
The following Hazar 117.3: <i>Components</i> nitric acid	dous Chemicals are listed under the U.S. CleanWa	
This product does n 307	ot contain any toxic pollutants listed under the U.S	S. Clean Water Act Section
DEA List I Not listed		
DEA List II Not listed		
JS State Regulation	15	
Massachusetts Rig	ght To Know	
nitric acid		
Pennsylvania Rig	ht To Know	
<i>Components</i> nitric acid		
New Jersey Right	To Know	
Components		
nitric acid		
California Prop 65	•	
-	ot contain any chemicals known to the State of Ca	lifornia to cause
Notification status	y other reproductive defects.	
TSCA:	All components of the product are listed in	the TSCA-
	inventory.	
DSL:	All components of this product are on the C	Canadian DSL

Training advice


Page 13 of 15



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Provide adequate information, instruction and training for operators.



Signal Word Danger

Hazard Statements H272 May intensify fire; oxidizer. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. EUH071 Corrosive to the respiratory tract.

Precautionary Statements

Prevention P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	NX0407	Version 3.0
Product name	Nitric Acid 67 - 70% OmniTrace®	

Revision Date02/20/2020

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information. *All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*

