## **Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.

## FRONTIERSMAN

Quick Identifier 08.22.2019

SECTION 1 - CHE	MICAL PRODUCT & COMPANY IDEN	TIFICATION					
PRODUCT NAME:	FRONTIERSMAN Bear Attack Deterrent						
SYNONYMS:	Bear Spray, Bear Pepper Spray						
CHEMICAL NAME:	Oleoresin Capsicum (Red Pepper)						
CHEMICAL FAMILY:	Deterrent, Irritant Agent						
PRODUCT USE:	Handheld aerosol canister that sprays an irritating formula in the eyes, nose and mouth of a bear threatening your personal safety.						
MODEL #'s:	FBAD-03; FBAD-03-00; FBAD-03-03; FBAD-04; FBAD-04-04; FBAD-05; FBAD-06; FBAD-06-00; FBAD-06-06; FBAD-07; FBAD-07; FBAD-08; JFBAD-01; JFBAD-02; FBAD-07-JP; FBAD-03-MB; FBAD-06-MB						
Manufacturer's Name:	SECURITY EQUIPMENT CORPORATION	RITY EQUIPMENT CORPORATION Emergency Phone Number: 800-325-9568					
Address:	747 SUN PARK DRIVE	Other Calls: 636-343-0200					
City, State, Zip	FENTON, MO 63026	Fax Number: 636-343-1318					
EPA Registration No:	72265-1	EPA Establishment No. 72265-MO-1					
Further Information ob	tainable from Info Trac.	Tel.: +1-800-535-5053					
Information in case of emergency: Tel.: +1-352-323-3500 Fax: +1-352							
<b>SECTION 2 - HAZ</b>	ARD IDENTIFICATION						
Pictogram: Signal Word:	Warning						
Hazard Staten	nent(s)						
H229	Pressurized container, may burst if heated						
H223	Flammable Aerosol						
H315	Causes skin irritation						
H319	Causes serious eye irritation						
H335	May cause respiratory irritation						
Precautionary Sta	atement(s)						
P102	Keep out of reach of children	Keep out of reach of children					
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING						
D014							

P211	Do not spray on an open flame or other ignition source
P251	Pressurized container: Do NOT pierce or burn even after use
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention
P410	Protect from sunlight
P412	Do NOT expose to temperatures exceeding 50°C / 122°F

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS						
Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA PEL	ACGIH TLV	Carcinogen (Yes / No)		
Oleoresin Capsicum	~10%*	N/A	N/A	No		
Inert Ingredients	**					
HFC-134A CAS# 811-97-2	**	1000 ppm	N/A	No		
*~10% @ 2.0% Major Capsaicinoids						
Major Capsaicinoids are determined via A.O.A.C. Method 995.03. ** Other ingredients are trade secrets as defined in Hazard Communications ACT						
29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).						

## SECTION 4 - FIRST AID MEASURES Remove victim from contaminated area and remove contaminated clothing. Provide fresh air, **Emergency & First Aid Procedures:** irrigate with copious amounts of cool water. Obtain medical advice is symptoms persist. Remove from contaminated area immediate. Provide fresh air. If breathing is 1. Inhalation difficult, administer oxygen. If the victim is not breathing, administer CPR. Seek immediate medical attention. Only exposed subject or EMS should remove subject's contact lenses. Irrigate with 2. Eyes cool water for at least 15 minutes, or until relieved. Seek medical attention if irritation persists. Routes of Entry Flush with cool water for at least 15 minutes. Wash with mild soap and water. Seek 3. Skin medical attention if irritation persists. DO NOT INDUCE VOMITING. If victim is conscious and not convulsing, rinse mouth with water. Ingest milk or water. Call 800-535-5053 or obtain medical advice immediately. If victim is convulsing or unconscious, do not give anything by 4. Ingestion mouth, ensure the victim's airway is open and lay the victim on his/her side with the head lower than the body. IMMEDIATELY transport the victim to a hospital. **SECTION 5 - FIRE-FIGHTING MEASURES** Flammability Classification 16 CFR 1500.45: FLAMMABLE Extinguishing Media: Halon, Carbon Dioxide, Dry Chemical or Water Special Fire Fighting Procedures: Wear respirator or self-contained breathing apparatus. Unusual Fire and Explosion Hazards: Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire. **SECTION 6 - ACCIDENTAL RELEASE MEASURES** Steps to follow if material is spilled Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid irritation, or released: and collect absorbent materials. Ventilate area and after absorbent process, wash area with soap and cold water If inside: If outside: Stay upwind Dispose of in accordance with current laws and regulations. Waste Disposal Method: **SECTION 7 - HANDLING AND STORAGE** Store upright in a cool, dry area. Avoid direct light and heat. Precautions to be taken in handling & DO NOT expose to temperatures over 120° F / 50° C. storage: DO NOT puncture or incinerate container. Other Precautions: Assure can is in a secure place to prevent accidental rupture. **SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION** Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection **Respiratory Protection:** may be required when the material is used in confined areas. Avoid overexposure for long periods in enclosed areas. Ventilation: Yes Suggested (not required) Protective Gloves: Eye Protection: Yes. Exposure without protection in training environment is acceptable. Other Protective Clothing/Equipment: Not required Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at Work/Hygienic Practices: once. Do not eat, drink, or smoke while handling product. **Engineering Controls:** Provide ventilation if working in confined areas. SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES Appearance & Odor: Red/Orange in color. Odor is pungent Physical State: Liquid 370° F Specific Gravity (H20 = 1) 0.8144 @ 25° C **Boiling Point:** Solubility in Water: Insoluble Vapor Pressure: 110 PSI pH: 41

SECTION 10 - STABILITY AND REACTIVITY					
Stability	Unstable		Conditions To Avoid	Incompatibility (Materials To Avoid)	N/A
	Stable	Х			
Hazardous	May Occur				
Polymerization:	Will Not Occur	Х	Conditions To Avoid	Hazardous Decomposition Products:	N/A

Not Listed

SECTION 11 - T	OXICOLOGICAL INFO	RMATION					
Standard Draize Te	Severity:	Moderate					
Standard Draize Test: Eye, rabbit, 100 mg		Severity:	Moderate	Moderately Irritating			
ACUTE INHALATION LC50 (rat):			> 100.5 mg/L				
SECTION 12 - E	COLOGICAL INFORM	ATION		•			
This product has not	been tested for environme	ntal effects.					
SECTION 13 - D	ISPOSAL CONSIDER	ATIONS					
Waste Disposal Me	Consult Fe	ederal, State, a	and Local Re	gulations			
-	Evacuate		afe area, &	dispose of container.			
	RANSPORT INFORM	ATION					
DOT HM-181 INFOR	RMATION						
		GROUND		AIR			
Proper Shipping Na		Aerosol, Fl	ammable	Aerosol, Flammable			
Hazard Class or Div		2.1		2.1			
Identification Num	ber:	UN1950		UN1950			
Packaging Group:		none		none			
Label(s) Required:		2.1		FLAMMABLE GAS			
	RANSPORTATION REGU						
Regulations vary fr	om country to country. (		ions for yo				
		<u>GROUND</u>		<u>AIR</u>	<u>OCEAN</u>		
Proper Shipping Na		Aerosol, Fl	ammable	Aerosol, Flammable	Aerosols, Flammable		
Hazard Class or Div	vision:	2.1		2.1	2.1		
Identification Num	ber:	UN1950		UN1950	UN1950		
Packaging Group:		none		none	none		
Label(s) Required:		2.1		FLAMMABLE GAS	2.1		
SECTION 15 - R	REGULATORY INFOR	MATION					
Information concer	ning particular hazards f	or human and	d environme	ent:			
Contact with skin an	d inhalation of aerosols/vap	oors should be	avoided. T	he product has to be label	led due to the calculation procedure		
of the "General Clas	sification guideline for prep	arations of the	EU" in the I	atest valid version.			
Health hazard syml	bol:						
Xi	IRRITANT	—					
R36/37/38	IRRITATING TO EYES,	RESPIRATORY SYSTEM AND SKIN.					
S2	KEEP OUT OF REACH						
S24/25	AVOID CONTACT WITH E	EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MDEICAL ADVICE.					
S36/37	WEAR SUITABLE PRC	TECTIVE CLO	OSTHING A	ND GLOVES.			
Warning! Pressuriz	ed container.						
Pressurized container:	protect from sunlight and do r	not expose to ter	mperatures ex	ceeding 50°C. Do not pierce	e or burn, even after use.		
POISONS SCHEDU	JLE: None						
TOXIC SUBSTANCES CONTROL ACT:			This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.				
SARA TITI E III. SECTION 313-			Not Listed				
SARA TITLE III, SECTION 313:			Not Listed				
CLEAN AIR ACT (CAA):			Not Listed				
CLEAN WATER ACT (CWA):			Not Listed				

## **SECTION 16 - OTHER INFORMATION**

**CALIFORNIA PROPOSITION 65:** 

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200(g). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical data sheets, outside of those outlined above. For more information on those standards, please visit http://www.osha.gov/dcsp/osp/statestandards.html.

Not Listed