

Safety Data Sheet Revision Date: 11/03/20

www.restek.com

2 Letter ISO country code/language code: US/EN

1. IDENTIFICATION

Catalog Number / Product Name: 30243 / 624 Surrogate Standard

Company:

Address:

110 Benner Circle
Bellefonte, Pa. 16823

Phone#:

814-353-1300

 Phone#:
 814-353-1300

 Fax#:
 814-353-1309

Emergency#: 800-424-9300 (CHEMTREC) 703-527-3887 (Outside the US)

Email: www.restek.com

Revision Number: 10

Intended use: For Laboratory use only

2. HAZARD(S)IDENTIFICATION

Emergency Overview:







Symbols:

GHS Hazard

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1

Classification: Flammable Liquid Category 2

Acute Toxicity - Inhalation Dust / Mist Category 3

Acute Toxicity - Dermal Category 3 Acute Toxicity - Oral Category 3

GHS Signal

Word:

GHS

Danger

GHS Hazard: Highly flammable liquid and vapour.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to organs.

GHS

Precautions:

Safety Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Precautions: Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilation and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands and skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

First Aid IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

Measures: IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Specific treatment see section 4.

Rinse mouth.

Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use extinguishing media in section 5 for extinction.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal: Dispose of contents/container according to section 13 of the SDS.

Single Exposure Target Organs: Specific target organ toxicity - Single exposure - STOT SE 1: H370 Causes damage to organs. (C >= 10 %; No information to prove exclusion of certain routes of exposure); Specific target organ toxicity - Single exposure - STOT SE 2: H371 May cause damage to organs. (3 % <= C <10 %; Concentration limits for acute toxicity cannot

be translated into GHS from the DSD especially when minimum classifications are given)

Repeated

No data available

Exposure Target Organs:

3. COMPOSITION / INFORMATION ON INGREDIENT

| Chemical Name | CAS# | EINEC # | % Composition |
|-------------------------|----------|-----------|---------------|
| Methanol | 67-56-1 | 200-659-6 | 99.4 |
| pentafluorobenzene | 363-72-4 | 206-658-7 | 0.2 |
| fluorobenzene | 462-06-6 | 207-321-7 | 0.2 |
| 1-bromo-4-fluorobenzene | 460-00-4 | 207-300-2 | 0.2 |

4. FIRST-AID MEASURES

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not

breathing, give artificial respiration and have a trained individual administer oxygen. Get

medical attention immediately

Eyes: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to

prevent chemical from transferring to the uncontaminated eye. Get immediate medical

attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder. Get medical

attention if irritation develops or persists.

Ingestion: Do not induce vomiting and seek medical attention immediately. Drink two glasses of water

or milk to dilute. Provide medical care provider with this SDS.

5. FIRE- FIGHTING MEASURES

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing

agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and

keep exposed material from being damaged by fire.

Fire and/or Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition if

material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.

Fire Fighting Methods and Protection: Do not enter fire area without proper protection including self-contained

breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: Exposure to the spilled material may be severely irritating or toxic. Follow

personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure

limits.

Methods for Clean-up: Prevent the spread of any spill to minimize harm to human health and the

environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal

evaluation.

7. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Toxic or severely irritating material. Avoid contacting and avoid

breathing the material. Use only in a well ventilated area. Use

spark-proof tools and explosion-proof equipment

Storage Technical Measures and Conditions: Store in a cool dry ventilated location. Isolate from

incompatible materials and conditions. Keep container(s)

closed. Keep away from sources of ignition

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

United States:

Chemical Name IDLH ACGIH STEL ACGIH TLV-TWA CAS No. **OSHA Exposure** Limit

67-56-1 6000 ppm Methanol 250 ppm 200 ppm TWA 200 ppm TWA; 260 **IDLH STEL** mg/m3 TWA

Personal Protection:

Local exhaust ventilation is recommended when generating excessive levels of **Engineering Measures:**

vapours from handling or thermal processing.

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this

> product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. If an exposure limit is exceeded or if an operator is experiencing symptoms of inhalation overexposure as explained in Section 3,

provide respiratory protection.

Eve Protection: Wear chemically resistant safety glasses with side shields when handling this

product. Do not wear contact lenses.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at

> regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when

leaving work

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance, color: No data available

Odor: Mild **Physical State:** Liquid pH: Not applicable Vapor Pressure: No data available Vapor Density: 1.1 (air = 1)

Boiling Point (°C): 64.7 °C at 760 mmHg (HSDB)

Melting Point (°C): -98 °C Flash Point (°F): 52

Flammability: Highly Flammable

Upper Flammable/Explosive Limit, % in air: 36 Lower Flammable/Explosive Limit, % in air: 6

Autoignition Temperature (°C): 464 deg C **Decomposition Temperature (°C):** No data available

Specific Gravity: 0.791 - 0.792 g/cm3 at 20 °C

Evaporation Rate: No data available **Odor Threshold:** No data available Solubility: Moderate: 50-99% Partition Coefficient: n-octanol in water: No data available

VOC % by weight: 99.4 Molecular Weight: 32.04

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: None known.

Materials to Avoid / Chemical Incompatiability: Strong oxidizing agents

Hazardous Decomposition Products: Carbon dioxide Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalation, Skin Contact, Eye Contact, Ingestion Target Organs Potentially Affected By Exposure: Eyes, Central nervous system stimulation, Skin, GI

Tract, Respiratory Tract

Chemical Interactions That Change Toxicity: None Known Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea

and headache.

Inhalation Toxicity: Harmful! Can cause systemic damage (see "Target Organs)Methanol can cause

central nervous system depression and overexposure can cause damage to the

optic nerve resulting in visual impairment or blindness.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to

permanently injure eye tissue.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort,

nausea, vomiting and diarrhea. Highly toxic and may be fatal if swallowed.

Ingestion Toxicity: Toxic if swallowed. May cause target organ failure and/or death. May be fatal if

swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity: No data.

Reproductive and Developmental Toxicity: No data available to indicate product or any components

present at greater than 0.1% may cause birth defects. Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatique.

nausea and headache.Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see

"Target Organs)

Skin Contact: Upon prolonged or repeated contact, can cause

moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Ingestion: Toxic if swallowed. May cause target organ failure

and/or death.

Component Toxicological Data:

NIOSH:

Inhalation:

Chemical Name CAS No. LD50/LC50

Methanol 67-56-1 Inhalation LC50 Rat 22500 ppm 8 h

Component Carcinogenic Data:

OSHA:

Chemical Name CAS No.

No data available

ACGIH:

Chemical Name CAS No.

No data available

NIOSH:

Chemical Name CAS No.

No data available

NTP:

Chemical Name CAS No.

No data available

IARC:

Chemical Name CAS No. Group No.

12. ECOLOGICAL INFORMATION

Overview: Moderate ecological hazard. This product may be dangerous

to plants and/or wildlife.

Mobility:No dataPersistence:No dataBioaccumulation:No data

Degradability: Biodegrades slowly. Ecological Toxicity Data: No data available

13. DISPOSAL CONSIDERATIONS

Waste Description of Spent Product: Spent or discarded material is a hazardous waste. Mixing

spent or discarded material with other materials may render the mixture hazardous. Perform a hazardous

waste determination on mixtures.

Disposal Methods: Dispose of by incineration following Federal, State, Local,

or Provincial regulations.

Waste Disposal of Packaging: Comply with all Local, State, Federal, and Provincial

Environmental Regulations.

14. TRANSPORTATION INFORMATION

United States:

DOT Proper Shipping Name:
UN Number:
Hazard Class:
Packing Group:

Methanol
UN1230
3
II

International:

IATA Proper Shipping Name:MethanolUN Number:UN1230Hazard Class:3(6.1)Packing Group:II

Marine Pollutant: No

| Chemical Name | CAS# | Marine Pollutant | Severe Marine Pollutant |
|-------------------|------|------------------|----------------------------|
| No data available | | | |

15. REGULATORY INFORMATION

 United States:
 Chemical Name
 CAS#
 CERCLA
 SARA 313
 SARA EHS
 TSCA

 Methanol
 67-56-1
 X
 X
 X

The following chemicals are listed on CA Prop 65:

| Chemical Name | CAS# | Regulation |
|---------------|---------|---------------------|
| Methanol | 67-56-1 | Prop 65 Devolop Tox |

State Right To Know Listing:

| Chemical Name | CAS# | New Jersey | Massachusetts | Pennsylvania | California |
|--------------------|----------|------------|---------------|--------------|------------|
| Methanol | 67-56-1 | Χ | X | Χ | Χ |
| pentafluorobenzene | 363-72-4 | - | - | - | - |
| fluorobenzene | 462-06-6 | Χ | X | Χ | - |
| 1-bromo-4- | 460-00-4 | - | - | - | - |
| fluorobenzene | | | | | |

16. OTHER INFORMATION

Prior Version Date: 01/07/20

Other Information: Any changes to the SDS compared to previous versions are marked by a vertical

line in front of the concerned paragraph.

References: No data available

Disclaimer: Restek Corporation provides the descriptions, data and information contained

herein in good faith but makes no representation as to its comprehensiveness or accuracy. It is provided for your guidance only. Because many factors may affect processing or application/use, Restek Corporation recommends you perform an assessment to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including fitness for a particular purpose, are made regarding products described, data or information set forth. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given

and accepted at your risk.