

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Name: Product Code:

**Recommended use:** 

Recommended

restrictions:

**PROLINE 75W90 GO 6/1Q** PP759FP6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Gear Oil Not applicable

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, Inc.	
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

**1.4. Emergency telephone number Emergency phone number:** CHI

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

### **SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture** Skin Sensitisation Category 1

2.2. Label elements GHS Hazard Symbols



Signal Word Hazard Statements	Warning H317 - May cause an allergic skin reaction.
Precautionary Statements	
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
	Contaminated work clothing must not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
-	P321 - Specific treatment (see section 4).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
Disposal	P501- Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3. Other hazards	
Hazards not otherwise classified:	Avoid prolonged or repeated skin contact with used fluid.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Mineral oil	3 - 7	8012-95-1	Acute Tox. 3; H331

# SECTION 3: Composition/information on ingredients

Amines, C12-14-tert-alkyl

0.1 - 1

68955-53-3

Aquatic Chronic 3; H412 Acute Tox. 4; H312 Acute Tox. 3; H301 Skin Irrit. 2; H315 Skin Sens. 1; H317

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures		
4.1. Description of first aid mea	asures	
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not	
	breathing, give artificial respiration and have a trained individual administer oxygen. Get medical	
	attention immediately.	
Eyes	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the	
	head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical	
	attention and monitor the eye daily as advised by your physician.	
Skin Contact	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if	
	irritation develops or persists. Seek medical advice if symptoms persist. Remove contaminated	
	clothing and continue flushing with water.	
Ingestion	Do not induce vomiting and seek medical attention immediately. Provide medical care provider	
-	with this SDS.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Not determined	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach	
	contents is necessary, use method least likely to cause aspiration.	

**SECTION 5: Firefighting measures** 

0 0	
5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising fro	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke, Nitrogen containing gases, Carbon dioxide
Products	

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

### 6.2. Environmental precautions

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

Do not flush to sewer.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

Do not flush to sewer.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM\_06GHS\_CLEAN}

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials See Section 10. 7.3. Specific end use(s) Gear Oil

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Chemical Name	<b>Occupational Exposure Limits</b>	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	OSHA PEL	5 mg/m3 TWA
Oil mist (mineral)	OSHA STEL	10 mg/m3 STEL
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Mineral oil	ACGIH TLV-TWA	5 mg/m3 TWA (excluding metal working fluids, highly & severely refined, inhalable fraction)
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist (mineral)	IDLH	2500 mg/m3 IDLH
None.	OSHA PEL-Skin Notation	
8.2. Exposure controls Engineering Measures Respiratory Protection	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or using this material should be equipped with an eyewash and safety shower. Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection	

8.2. Exposure controls	program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield.
Skin Protection	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.
Gloves	Neoprene, Nitrile

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Amber	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	Not determined	
Boiling Point	Not determined	
Flash Point (°C)	210	
Flash Point Method	COC	
Evaporation Rate	No data available.	
Upper Flammable/Explosive	Not established	
Limit, % in air		
Lower Flammable/Explosive	Not established	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	< 0.20	
Vapor Density	No data available.	
Relative Density	0.87	
Solubility in Water	Negligible; 0-1%	
<b>Octanol/Water Partition</b>	Not determined	
Coefficient		
Autoignition Temperature	Not determined	
<b>Decomposition Temperature</b>	Not determined	
Viscosity(°C)	109.7	
9.2. Other information		
Volatile organic compound	0.000000	
(VOC) content and		
percentage of volatiles		

SECTION 10: Stability and reactivity		
10.1. Reactivity	No data available.	
10.2. Chemical stability	Stable under normal conditions.	
10.3. Possibility of hazardous	Hazardous polymerization will not occur.	
reactions		
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,	
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).	
<b>10.5. Incompatible materials</b>	Acids, Oxidizing materials	

SECTION 10: Stability and reactivity

10.6. Hazardous decomposition products

Carbon monoxide, Smoke, Nitrogen containing gases, Carbon dioxide

<b>SECTION 11: Toxicologi</b>	ical information	
11.1. Information on toxicological effects		
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be $> 5.0$ g/kg.	
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. This material is likely to be moderately irritating to skin based on animal data.Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.	
Absorption	Likely to be practically non-toxic based on animal data.	
Inhalation Toxicity	Harmful! Can cause systemic damage (see "Target Organs"). Likely to be practically non-toxic based on animal data.	
Eye Contact	This material is likely to be severely irritating to eyes based on animal data. Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.	
Sensitization	Non-hazardous under Respiratory Sensitization category.Contains a substance that may cause skin sensitization.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive and Developmental Toxicity	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.	
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.	
Specific target organ toxicity-Repeated exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.	
Long-Term (Chronic) Health Effects	No data available.	
Aspiration toxicity Other information	Non-hazardous under Aspiration category. No data available.	

## Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

#### National Toxicity Program (NTP) Status

Not applicable	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

### **SECTION 12: Ecological information**

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradability
Biodegrades slowly.
12.3. Bioaccumulative potential
Bioconcentration may occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.

## **SECTION 12: Ecological information**

### 12.6. Other adverse effects

Not determined

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Disposal Methods Dispose of by incineration following Federal, State, Local, or Provincial regulations. Waste Disposal Code(s) Waste Description for Spent Product Spent or discarded material is non-hazardous according to environmental regulations. Contaminated packaging: Recycle containers whenever possible. Recycle containers whenever possible. Containers of this material may be hazardous when emptied.

## **SECTION 14: Transport information**

DECITOR I	· I i unsport · informatio				
DOT	Proper Shipping Name:	No data available.			
	UN Number:	No data available.			
	Hazard Class:	No data available.			
	Packing Group:	No data available.			
DOT Basic	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).				
Description					
IMDG	Proper Shipping Name:	No data available.			
	UN Number:	No data available.			
	Hazard Class:	No data available.			
	Packing Group:	No data available.			
	Marine Pollutant:	No data available.			
IATA	Proper Shipping Name:	No data available.			
	UN Number:	No data available.			
	Hazard Class:	No data available.			
	Packing Group:	No data available.			

## **SECTION 15: Regulatory information**

<u>Chemical Inventories</u>	
TSCA Status	All components of this material are on the US TSCA Inventory or are exempt.
U.S. State Restrictions:	Not applicable
WHMIS:	Uncontrolled product according to WHMIS classification criteria

<b>Chemical Name</b> None. None. None.	<b>Regulation</b> CERCLA SARA 313 SARA EHS TSCA 12b	CAS #	%
U.S. State Regulations			0/
Chemical Name	Regulation	CAS #	%
None.	California Prop 65-		
	Cancer		
None.	California Prop 65- Dev.		
	Toxicity		
None.	California Prop 65-		
	Reprod -fem		
None.	California Prop 65-		
	Reprod-male		

Chemical Name Regulation		CAS #		%	
Oil, mineral	Massa	chusetts RTK List	8012-95-1		3 - 7
Mineral oils, highly-refined	New J	ersey RTK List	8012-95-1		3 - 7
Mineral oil	Pennsylvania RTK List		8012-95-1		3 - 7
None.	Rhode Island RTK List				
Oil mist, mineral M		esota Hazardous	8012-95-1		3 - 7
	Substance List				
			NFPA Ratings:		
		<u>HMIS Ratings:</u>			
	Health:	2	Health:	2	
	Fire:	1	Fire:	1	
	Reactivity:	0	Reactivity:	0	
	PPE:	В	-		
KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme

## **SECTION 16: Other information**

Revision Date Supersedes: Other Info References Disclaimer 7/11/2016 8:43:53 AM 5/24/2016 9:24:43 AM No data available. No data available. This safety data sheet at

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.