

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Sulfuric Acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial and Commercial Uses

1.3. Details of the supplier of the safety data sheet

Poolsure
1707 Townhurst
Houston, TX 77043
T 800-858-7665

1.4. Emergency telephone number

1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A H314
Eye Dam. 1 H318
Carc. 1A H350

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US)

: P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a poison center/doctor
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Non-Fuming Pool Acid

35-38% Sulfuric Acid

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
Sulfuric acid	(CAS No) 7664-93-9	35-38	Carc. 1A, H350 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- First-aid measures after skin contact : Immediately flush skin with plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
- First-aid measures after eye contact : Flush eyes with tempered water (60-100 °F) for 15 minutes minimum. Consult a physician or other health care professional.
- First-aid measures after ingestion : Rinse mouth with large amounts of water. If swallowed, DO NOT induce vomiting. Give victim large amounts of milk, egg whites, or water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Corrosive to nose, throat and lungs.
- Symptoms/injuries after skin contact : Causes severe burns.
- Symptoms/injuries after eye contact : Corrosive to the eyes, may cause chemical burn, severe damage including blindness.
- Symptoms/injuries after ingestion : Can burn mouth, throat and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use any means suitable for extinguishing the surrounding fire. Water spray may be used to keep fire exposed containers cool. Run-off from ruptured containers needs to be isolated, prevent run-off from entering the environment.
- Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : When heated to decomposition, emits toxic fumes.
- Explosion hazard : Product is not flammable but reactive with alkali materials, combustible materials, organics and water. May release explosive hydrogen gas inside storage tanks, drums tank cars and tank trucks.

5.3. Advice for firefighters

- Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Stop the flow of material, if this is without risk.

Non-Fuming Pool Acid

35-38% Sulfuric Acid

Safety Data Sheet

Methods for cleaning up

: For small spill : Absorb liquid with appropriate absorbent and place in sealed container for disposal.

Large spills : Stop leak at it's source if you are able to do so safely. Dike area to contain spill. Take precautions as necessary to prevent material from entering sewers or storm drains or contamination of ground and surface waters. Wear appropriate personal protective equipment as outlined in Section 8 during clean up operations. Extreme caution should be exercised during clean up operations as surfaces where material has been spilled are likely to become very slippery. Collect spilled material into containers using pumps or other means if it is possible to do so safely. Recover spilled material using chemically neutral absorbent such as ground clay or vermiculite, and collect into closed containers for disposal. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes, skin and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sulfuric acid (7664-93-9)		
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³ (thoracic fraction)
OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³

8.2. Exposure controls

Hand protection : Use acid resistant gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable working clothes.

Respiratory protection : No respiratory protection required under normal handling conditions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless

Odor : Odorless.

Odor threshold : No data available

pH : < 1

Melting point : No data available

Freezing point : (16.3°F) to (-28°F)

Boiling point : ≈ (210°F) to (340°F)

Flash point : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available

Explosion limits : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Vapor pressure : No data available

Specific gravity : 1.1 - 1.67 at (60°F)

Relative vapor density at 20 °C : No data available

Non-Fuming Pool Acid

35-38% Sulfuric Acid

Safety Data Sheet

Solubility	: Miscible with water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

None.

10.5. Incompatible materials

Strong alkalis, ammonia, oxidizing agents, chlorates, powdered chromium, manganese, or aluminum, halogens (e.g., fluorine, chlorine) interhalogens (e.g., chlorine trifluoride), metal oxides, hydrides, azides, acetylides, sodium carbide.

10.6. Hazardous decomposition products

Hydrogen gas and oxides of sulfur SO_x.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sulfuric acid (7664-93-9)	
LD50 oral rat	2140 mg/kg
LC50 inhalation rat (mg/l)	510 mg/m ³ (Exposure time: 2 h)
ATE US (oral)	2140.000 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: < 1

Serious eye damage/irritation : Causes serious eye damage.
pH: < 1

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong inorganic-acid mists containing sulfuric acid is carcinogenic to humans. This product does not evolve acid mists under normal product use conditions.

Sulfuric acid (7664-93-9)	
IARC group	1 - Carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified